

Barrier #	Slope Length (ft)	Slope %	Barrier Type
239.01	100	2%	BSRF
239.02	90	7%	BSRF
239.03	80	3%	BSRF
239.04	100	4%	BSRF
239.05	140	3%	12 in CFS
239.06	70	6%	BSRF
239.07	80	3%	BSRF
239.08	85	7%	BSRF
239.09	95	2%	BSRF
239.10	65	3%	BSRF
239.11	215	3%	12 in CFS

SHEET 239

Barrier #	Slope Length (ft)	Slope %	Barrier Type
240.01	135	7%	12 in CFS
240.02	55	4%	BSRF
240.03	90	2%	BSRF
240.04	100	2%	BSRF
240.05	95	2%	BSRF
240.06	75	3%	BSRF

SHEET 240

Barrier #	Slope Length (ft)	Slope %	Barrier Type
241.01	90	2%	BSRF
241.02	60	3%	BSRF
241.03	65	3%	BSRF
241.04	100	2%	BSRF
241.05	85	2%	BSRF
241.06	65	3%	BSRF
241.07	80	3%	BSRF
241.08	95	2%	BSRF

SHEET 241

Barrier #	Slope Length (ft)	Slope %	Barrier Type
242.01	80	3%	BSRF
242.02	95	6%	BSRF
242.03	80	5%	BSRF
242.04	125	6%	12 in CFS
242.05	95	8%	BSRF
242.06	70	3%	BSRF
242.07	150	5%	12 in CFS
242.08	100	6%	BSRF
242.09	85	2%	BSRF
242.10	95	4%	BSRF
242.11	165	4%	12 in CFS
242.12	100	4%	BSRF
242.13	100	6%	BSRF
242.14	50	4%	BSRF
242.15	30	7%	BSRF
242.16	100	6%	BSRF

SHEET 242

Barrier #	Slope Length (ft)	Slope %	Barrier Type
243.01	120	7%	12 in CFS
243.02	85	5%	BSRF
243.03	60	7%	BSRF
243.04	80	8%	BSRF
243.05	125	6%	12 in CFS
243.06	75	5%	BSRF
243.07	70	6%	BSRF
243.08	75	3%	BSRF
243.09	40	5%	BSRF
243.10	145	6%	12 in CFS
243.11	100	6%	BSRF
243.12	125	5%	12 in CFS
243.13	80	3%	BSRF
243.14	70	3%	BSRF

SHEET 243

Barrier #	Slope Length (ft)	Slope %	Barrier Type
244.01	100	6%	BSRF
244.02	135	3%	12 in CFS
244.03	80	5%	BSRF
244.04	65	3%	BSRF
244.05	100	2%	BSRF
244.06	60	3%	BSRF
244.07	35	6%	BSRF
244.08	65	6%	BSRF
244.09	120	5%	12 in CFS

SHEET 244

Barrier #	Slope Length (ft)	Slope %	Barrier Type
245.01	50	4%	BSRF
245.02	80	3%	BSRF
245.03	65	3%	BSRF
245.04	70	3%	BSRF
245.05	90	2%	BSRF
245.06	100	2%	BSRF
245.07	95	2%	BSRF
245.08	60	3%	BSRF
245.09	80	3%	BSRF
245.10	70	6%	BSRF
245.11	90	4%	BSRF
245.12	95	8%	BSRF
245.13	40	5%	BSRF

SHEET 245

Barrier #	Slope Length (ft)	Slope %	Barrier Type
246.01	75	3%	BSRF
246.02	90	7%	BSRF
246.03	150	3%	12 in CFS
246.04	50	4%	BSRF
246.05	90	4%	BSRF
246.06	65	3%	BSRF
246.07	155	4%	12 in CFS
246.08	75	8%	BSRF
246.09	90	4%	BSRF
246.10	75	3%	BSRF
246.11	100	2%	BSRF
246.12	115	5%	12 in CFS

SHEET 246

Barrier #	Slope Length (ft)	Slope %	Barrier Type
247.01	100	2%	BSRF
247.02	100	6%	BSRF
247.03	100	8%	BSRF
247.04	100	6%	BSRF
247.05	100	8%	BSRF
247.06	100	10%	BSRF
247.07	100	6%	BSRF
247.08	100	8%	BSRF
247.09	150	9%	12 in CFS
247.10	150	11%	18 in CFS
247.11	100	16%	BSRF
247.12	150	4%	12 in CFS
247.13	100	12%	BSRF
247.14	100	20%	BSRF
247.15	150	20%	18 in CFS
247.16	40	15%	BSRF
247.17	50	16%	BSRF
247.18	60	10%	BSRF

SHEET 247

Barrier #	Slope Length (ft)	Slope %	Barrier Type
248.01	100	16%	BSRF
248.02	100	12%	BSRF
248.03	40	15%	BSRF
248.04	100	6%	BSRF
248.05	150	16%	12 in CFS
248.06	100	8%	BSRF
248.07	100	12%	BSRF
248.08	100	14%	BSRF
248.09	100	16%	BSRF
248.10	150	13%	18 in CFS

SHEET 248

Barrier #	Slope Length (ft)	Slope %	Barrier Type
249.01	150	15%	12 in CFS
249.02	100	20%	BSRF
249.03	100	14%	BSRF
249.04	150	11%	12 in CFS
249.05	100	14%	BSRF
249.06	150	7%	12 in CFS
249.07	100	24%	BSRF
249.08	100	12%	BSRF
249.09	150	16%	12 in CFS
249.10	100	14%	BSRF
249.11	100	16%	BSRF
249.12	150	13%	12 in CFS
249.13	100	14%	BSRF
249.14	100	20%	BSRF
249.15	150	20%	18 in CFS

SHEET 249

Barrier #	Slope Length (ft)	Slope %	Barrier Type
250.01	100	12%	BSRF
250.02	100	20%	BSRF
250.03	150	20%	12 in CFS
250.04	100	14%	BSRF
250.05	20	20%	BSRF
250.06	150	15%	12 in CFS
250.07	100	12%	BSRF
250.08	80	8%	BSRF
250.09	100	6%	BSRF
250.10	100	8%	BSRF
250.11	100	10%	BSRF
250.12	40	15%	BSRF
250.13	100	20%	BSRF
250.14	100	8%	BSRF
250.15	150	8%	18 in CFS
250.16	100	6%	BSRF

SHEET 250

Barrier #	Slope Length (ft)	Slope %	Barrier Type
251.01	100	6%	BSRF
251.02	150	16%	12 in CFS
251.03	100	12%	BSRF
251.04	20	20%	BSRF
251.05	100	20%	BSRF
251.06	100	10%	BSRF
251.07	150	7%	12 in CFS
251.08	100	12%	BSRF
251.09	150	27%	12 in CFS
251.10	100	8%	BSRF
251.11	100	12%	BSRF
251.12	150	8%	12 in CFS
251.13	100	10%	BSRF
251.14	100	14%	BSRF

SHEET 251

Barrier #	Slope Length (ft)	Slope %	Barrier Type
252.01	150	11%	12 in CFS
252.02	100	8%	BSRF
252.03	80	3%	BSRF
252.04	100	10%	BSRF
252.05	100	10%	BSRF
252.06	100	8%	BSRF
252.07	100	20%	BSRF
252.08	150	20%	12 in CFS
252.09	100	8%	BSRF
252.10	100	16%	BSRF
252.11	150	9%	18 in CFS
252.12	100	6%	BSRF
252.13	100	8%	BSRF
252.14	100	10%	BSRF

SHEET 252

Barrier #	Slope Length (ft)	Slope %	Barrier Type
253.01	100	10%	BSRF
253.02	100	12%	BSRF
253.03	150	3%	12 in CFS
253.04	100	2%	BSRF
253.05	150	1%	12 in CFS
253.06	150	8%	12 in CFS
253.07	100	6%	BSRF
253.08	100	6%	BSRF
253.09	100	4%	BSRF
253.10	150	7%	18 in CFS
253.11	100	10%	BSRF
253.12	150	19%	12 in CFS
253.13	150	9%	18 in CFS
253.14	100	10%	BSRF
253.15	100	2%	BSRF
253.16	150	24%	18 in CFS
253.17	100	20%	BSRF
253.18	100	8%	BSRF

SHEET 253

Barrier #	Slope Length (ft)	Slope %	Barrier Type
254.01	100	12%	BSRF
254.02	100	10%	BSRF
254.03	100	6%	BSRF
254.04	100	12%	BSRF
254.05	100	10%	BSRF
254.06	100	8%	BSRF
254.07	80	8%	BSRF
254.08	100	8%	BSRF
254.09	100	6%	BSRF

SHEET 254

Barrier #	Slope Length (ft)	Slope %	Barrier Type
255.01	100	2%	BSRF
255.02	40	5%	BSRF
255.03	100	2%	BSRF
255.04	100	2%	BSRF
255.05	100	2%	BSRF
255.06	100	4%	BSRF
255.07	100	8%	BSRF
255.08	100	4%	BSRF
255.09	40	5%	BSRF
255.10	100	4%	BSRF

SHEET 255

Barrier #	Slope Length (ft)	Slope %	Barrier Type
256.01	100	2%	BSRF
256.02	100	6%	BSRF
256.03	100	6%	BSRF
256.04	100	8%	BSRF
256.05	100	2%	BSRF
256.06	100	8%	BSRF
256.07	100	6%	BSRF
256.08	100	8%	BSRF
256.09	100	8%	BSRF
256.10	100	4%	BSRF
256.11	100	8%	BSRF
256.12	100	2%	BSRF
256.13	100	2%	BSRF


SHEET 256

GENERAL NOTES AND COMMENTS:

SYM.	DATE	BY
△	04/14/2017	JEY

REVISION INFORMATION

PROJECT/TASK	APP.



Environmental Resources Management	
DRAWN: JEY	05/25/2017
CHECKED: -	-
APP. FOR BID:	
APP. FOR CONST.:	
SCALE: AS NOTED	

Atlantic Coast Pipeline, LLC
925 White Oaks Blvd. Bridgeport, West Virginia 26330 / 681-842-8000

TITLE: **ATLANTIC COAST PIPELINE - AP-1 EROSION AND SEDIMENT CONTROL TABLES**

DISTRICT: - COUNTY: - STATE: VA GROUP: - DWG. NO. 9 OF 19 REV. 0

Barrier #	Slope Length (ft)	Slope %	Barrier Type
273.01	100	32%	BSRF
273.02	100	10%	BSRF
273.03	150	33%	Three 18 in CFS
273.04	100	10%	BSRF
273.05	100	12%	BSRF
273.06	100	14%	BSRF
273.07	100	8%	BSRF
273.09	150	3%	12 in CFS
273.10	150	4%	12 in CFS
273.11	100	2%	BSRF
273.12	100	6%	BSRF

SHEET 273

Barrier #	Slope Length (ft)	Slope %	Barrier Type
274.01	100	4%	BSRF
274.02	100	6%	BSRF
274.03	150	8%	12 in CFS
274.04	100	14%	BSRF
274.05	100	10%	BSRF
274.06	150	5%	12 in CFS
274.07	60	10%	BSRF
274.08	150	5%	12 in CFS
274.09	60	10%	BSRF
274.10	100	12%	BSRF
274.11	150	9%	12 in CFS
274.12	100	4%	BSRF

SHEET 274

Barrier #	Slope Length (ft)	Slope %	Barrier Type
275.01	150	11%	18 in CFS
275.02	100	2%	BSRF
275.03	100	4%	BSRF
275.04	150	8%	12 in CFS
275.05	100	14%	BSRF
275.06	100	6%	BSRF
275.07	100	8%	BSRF
275.08	100	10%	BSRF
275.09	100	14%	BSRF
275.10	100	8%	BSRF
275.11	100	12%	BSRF
275.12	100	2%	BSRF
275.13	100	4%	BSRF
275.14	100	6%	BSRF
275.15	150	4%	12 in CFS
275.16	100	8%	BSRF
275.17	100	6%	BSRF
275.18	150	8%	12 in CFS
275.19	100	6%	BSRF
275.20	100	10%	BSRF

SHEET 275

Barrier #	Slope Length (ft)	Slope %	Barrier Type
276.01	100	14%	BSRF
276.02	150	13%	18 in CFS
276.03	150	13%	18 in CFS
276.04	100	14%	BSRF
276.05	100	14%	BSRF
276.06	100	6%	BSRF
276.07	100	8%	BSRF
276.08	100	6%	BSRF
276.09	100	2%	BSRF
276.10	40	5%	BSRF
276.11	40	15%	BSRF
276.12	100	6%	BSRF
276.13	100	14%	BSRF
276.14	100	8%	BSRF
276.15	100	10%	BSRF
276.16	100	16%	BSRF
276.17	100	16%	BSRF
276.18	100	20%	BSRF
276.19	100	18%	BSRF
276.20	80	13%	BSRF
276.21	100	18%	BSRF
276.22	100	14%	BSRF
276.23	100	8%	BSRF
276.24	100	8%	BSRF
276.25	100	12%	BSRF
276.26	20	10%	BSRF
276.27	20	10%	BSRF

SHEET 276

Barrier #	Slope Length (ft)	Slope %	Barrier Type
277.01	150	15%	18 in CFS
277.02	150	11%	12 in CFS
277.03	100	12%	BSRF
277.04	40	5%	BSRF
277.05	100	10%	BSRF
277.06	100	8%	BSRF
277.07	100	6%	BSRF
277.08	100	8%	BSRF
277.09	100	6%	BSRF
277.10	100	24%	BSRF
277.11	100	28%	BSRF
277.12	100	12%	BSRF
277.13	100	10%	BSRF

SHEET 277

Barrier #	Slope Length (ft)	Slope %	Barrier Type
278.01	100	6%	BSRF
278.02	100	14%	BSRF
278.03	100	16%	BSRF
278.04	100	10%	BSRF
278.05	100	14%	BSRF
278.06	100	16%	BSRF
278.07	100	10%	BSRF
278.08	100	14%	BSRF
278.09	100	16%	BSRF
278.10	100	20%	BSRF

SHEET 278

Barrier #	Slope Length (ft)	Slope %	Barrier Type
279.01	100	16%	BSRF
279.02	100	2%	BSRF
279.03	100	2%	BSRF
279.04	100	18%	BSRF
279.05	100	4%	BSRF
279.06	150	7%	12 in CFS
279.07	100	8%	BSRF
279.08	150	11%	12 in CFS
279.09	150	9%	12 in CFS
279.10	100	16%	BSRF
279.11	100	4%	BSRF
279.12	60	10%	BSRF
279.13	100	2%	BSRF
279.14	20	10%	BSRF
279.15	20	10%	BSRF
279.16	20	20%	BSRF
279.17	100	8%	BSRF
279.18	100	12%	BSRF
279.19	100	12%	BSRF
279.20	100	20%	BSRF
279.21	100	12%	BSRF
279.22	60	33%	BSRF

SHEET 279

Barrier #	Slope Length (ft)	Slope %	Barrier Type
280.01	100	14%	BSRF
280.02	100	6%	BSRF
280.03	100	10%	BSRF
280.04	100	20%	BSRF
280.05	100	16%	BSRF
280.06	100	12%	BSRF
280.07	100	4%	BSRF
280.08	100	12%	BSRF
280.09	100	8%	BSRF
280.10	100	10%	BSRF

SHEET 280

Barrier #	Slope Length (ft)	Slope %	Barrier Type
281.01	100	2%	BSRF
281.02	100	2%	BSRF
281.03	100	4%	BSRF
281.04	100	10%	BSRF
281.05	100	12%	BSRF
281.06	100	10%	BSRF
281.07	100	14%	BSRF
281.08	100	8%	BSRF
281.09	100	8%	BSRF
281.10	100	10%	BSRF
281.11	100	12%	BSRF

SHEET 281

Barrier #	Slope Length (ft)	Slope %	Barrier Type
282.01	100	2%	BSRF
282.02	100	12%	BSRF
282.03	150	11%	18 in CFS
282.04	100	22%	BSRF
282.05	100	12%	BSRF
282.06	100	14%	BSRF
282.07	100	10%	BSRF
282.08	100	8%	BSRF
282.09	100	6%	BSRF
282.10	100	10%	BSRF
282.11	100	16%	BSRF
282.12	100	12%	BSRF
282.13	100	10%	BSRF
282.14	100	14%	BSRF
282.15	100	14%	BSRF
282.16	100	18%	BSRF
282.17	150	15%	18 in CFS
282.18	100	10%	BSRF
282.19	100	10%	BSRF
282.20	100	4%	BSRF

SHEET 282

Barrier #	Slope Length (ft)	Slope %	Barrier Type
283.01	50	20%	BSRF
283.02	100	16%	BSRF
283.03	70	6%	BSRF
283.04	100	10%	BSRF
283.05	70	9%	BSRF
283.06	95	11%	BSRF
283.07	158	9%	12 in CFS
283.08	100	4%	BSRF
283.09	85	5%	BSRF
283.10	70	9%	BSRF
283.11	50	40%	BSRF

SHEET 283

Barrier #	Slope Length (ft)	Slope %	Barrier Type
284.01	100	20%	BSRF
284.02	80	5%	BSRF
284.03	75	8%	BSRF
284.04	100	10%	BSRF
284.05	100	10%	BSRF
284.06	100	6%	BSRF
284.07	100	6%	BSRF
284.08	90	7%	BSRF
284.09	110	15%	18 in CFS
284.10	90	11%	BSRF
284.11	90	7%	BSRF
284.12	100	4%	BSRF
284.13	60	10%	BSRF
284.14	100	12%	BSRF

SHEET 284

Barrier #	Slope Length (ft)	Slope %	Barrier Type
285.01	100	10%	BSRF
285.02	50	20%	BSRF
285.03	120	3%	12 in CFS
285.04	90	2%	BSRF
285.05	50	4%	BSRF
285.06	85	5%	BSRF
285.07	75	11%	BSRF
285.08	125	11%	12 in CFS
285.09	90	9%	BSRF


SHEET 285

Barrier #	Slope Length (ft)	Slope %	Barrier Type
286.01	90	18%	BSRF
286.02	80	8%	BSRF
286.03	50	12%	BSRF
286.04	95	2%	BSRF
286.05	75	13%	BSRF
286.06	75	19%	BSRF
286.07	100	2%	BSRF
286.08	100	6%	BSRF
286.09	90	9%	BSRF
286.10	90	7%	BSRF
286.11	120	5%	12 in CFS

SHEET 286

GENERAL NOTES AND COMMENTS:

SYM.	DATE	BY	REVISION INFORMATION	PROJECT/TASK	APP.
	04/14/2017	JEY	ISSUED FOR PERMITTING		



Environmental Resources Management	
DRAWN: JEY	05/25/2017
CHECKED: -	-
APP. FOR BID:	
APP. FOR CONST.:	
SCALE: AS NOTED	

Atlantic Coast Pipeline, LLC
925 White Oaks Blvd. Bridgeport, West Virginia 26330 / 681-842-8000

**TITLE: ATLANTIC COAST PIPELINE - AP-1
EROSION AND SEDIMENT CONTROL TABLES**

DISTRICT:	COUNTY:	STATE: VA	GROUP	DWG. NO.	REV.
			-	11 OF 19	0

Barrier #	Slope Length (ft)	Slope %	Barrier Type
319.01	110	4%	12 in CFS
319.02	75	3%	BSRF
319.03	110	6%	12 in CFS
319.04	110	7%	12 in CFS
319.05	75	8%	BSRF
319.06	110	7%	12 in CFS
319.07	110	5%	12 in CFS
319.08	75	16%	BSRF
319.09	110	7%	12 in CFS
319.10	76	3%	BSRF
319.11	75	3%	BSRF
319.12	110	7%	12 in CFS
319.13	75	7%	BSRF
319.14	110	3%	12 in CFS
319.15	77	10%	BSRF
319.16	75	11%	BSRF
319.17	100	8%	BSRF

SHEET 319

Barrier #	Slope Length (ft)	Slope %	Barrier Type
320.01	100	4%	BSRF
320.02	110	7%	12 in CFS
320.03	100	8%	BSRF
320.04	110	7%	12 in CFS
320.05	110	4%	12 in CFS
320.06	110	4%	12 in CFS
320.07	130	5%	12 in CFS
320.08	75	11%	BSRF
320.09	125	8%	12 in CFS
320.10	75	8%	BSRF
320.11	110	11%	12 in CFS
320.12	110	11%	12 in CFS

SHEET 320

Barrier #	Slope Length (ft)	Slope %	Barrier Type
321.01	100	8%	BSRF
321.02	75	5%	BSRF
321.03	100	6%	BSRF
321.04	125	3%	12 in CFS
321.05	125	3%	12 in CFS
321.06	100	4%	BSRF
321.07	75	8%	BSRF
321.08	125	5%	12 in CFS
321.09	75	5%	BSRF
321.10	100	6%	BSRF
321.11	110	7%	12 in CFS
321.12	110	4%	12 in CFS
321.13	110	4%	12 in CFS
321.14	100	4%	BSRF
321.15	100	6%	BSRF
321.16	100	6%	BSRF
321.17	100	4%	BSRF

SHEET 320

Barrier #	Slope Length (ft)	Slope %	Barrier Type
322.01	75	5%	BSRF
322.02	125	13%	18 in CFS
322.03	125	10%	12 in CFS
322.04	100	8%	BSRF
322.05	100	6%	BSRF
322.06	125	6%	12 in CFS
322.07	100	5%	BSRF
322.08	80	10%	BSRF
322.09	80	10%	BSRF
322.10	80	3%	BSRF
322.11	75	3%	BSRF
322.12	95	8%	BSRF
322.13	95	5%	BSRF
322.14	75	4%	BSRF
322.15	55	15%	BSRF
322.16	125	6%	12 in CFS

SHEET 322

Barrier #	Slope Length (ft)	Slope %	Barrier Type
323.01	110	5%	12 in CFS
323.02	75	5%	BSRF
323.03	130	2%	12 in CFS
323.04	75	3%	BSRF
323.05	125	2%	12 in CFS
323.06	85	5%	BSRF
323.07	75	5%	BSRF
323.08	125	3%	12 in CFS
323.09	75	5%	BSRF
323.10	125	3%	12 in CFS
323.11	75	3%	BSRF
323.12	80	3%	BSRF
323.13	100	2%	BSRF

SHEET 323

Barrier #	Slope Length (ft)	Slope %	Barrier Type
324.01	100	4%	BSRF
324.02	100	6%	BSRF
324.03	100	6%	BSRF
324.04	100	8%	BSRF
324.05	100	6%	BSRF
324.06	100	8%	BSRF
324.07	100	5%	BSRF
324.08	80	10%	BSRF
324.09	80	10%	BSRF
324.10	80	3%	BSRF
324.11	100	8%	BSRF
324.12	100	12%	BSRF
324.13	95	5%	BSRF
324.14	75	4%	BSRF
324.15	55	15%	BSRF
324.16	100	8%	BSRF
324.17	85	11%	BSRF

SHEET 324

Barrier #	Slope Length (ft)	Slope %	Barrier Type
325.01	130	3%	12 in CFS
325.02	125	3%	12 in CFS
325.03	75	5%	BSRF
325.04	75	5%	BSRF
325.05	125	3%	12 in CFS
325.06	100	2%	BSRF
325.07	110	2%	12 in CFS
325.08	110	4%	12 in CFS
325.09	130	3%	12 in CFS
325.10	100	2%	BSRF
325.11	100	2%	BSRF
325.12	100	2%	BSRF
325.13	125	2%	12 in CFS
325.14	100	2%	BSRF
325.15	125	2%	12 in CFS
325.16	100	4%	BSRF
325.17	100	4%	BSRF
325.18	100	4%	BSRF

SHEET 325

Barrier #	Slope Length (ft)	Slope %	Barrier Type
326.01	125	5%	12 in CFS
326.02	125	5%	12 in CFS
326.03	100	4%	BSRF
326.04	100	2%	BSRF
326.05	75	3%	BSRF
326.06	85	7%	BSRF
326.07	125	6%	12 in CFS
326.08	100	6%	BSRF
326.09	100	4%	BSRF
326.10	100	4%	BSRF
326.11	100	4%	BSRF
326.12	110	7%	12 in CFS
326.13	125	5%	12 in CFS
326.14	125	5%	12 in CFS
326.15	100	8%	BSRF

SHEET 326

Barrier #	Slope Length (ft)	Slope %	Barrier Type
327.01	100	6%	BSRF
327.02	100	6%	BSRF
327.03	125	10%	12 in CFS
327.04	75	8%	BSRF
327.05	125	10%	12 in CFS
327.06	85	9%	BSRF
327.07	125	8%	12 in CFS
327.08	125	8%	12 in CFS
327.09	100	10%	BSRF
327.10	125	8%	12 in CFS
327.11	100	4%	BSRF
327.12	110	7%	12 in CFS
327.13	95	6%	BSRF
327.14	125	8%	12 in CFS
327.15	125	8%	12 in CFS
327.16	85	14%	BSRF
327.17	125	13%	18 in CFS

SHEET 327

Barrier #	Slope Length (ft)	Slope %	Barrier Type
328.01	125	13%	18 in CFS
328.02	85	19%	BSRF
328.03	100	8%	BSRF
328.04	100	6%	BSRF
328.05	125	16%	18 in CFS
328.06	100	4%	BSRF
328.07	125	3%	12 in CFS
328.08	125	8%	12 in CFS
328.09	125	3%	12 in CFS
328.10	125	5%	12 in CFS
328.11	100	4%	BSRF
328.12	100	4%	BSRF
328.13	125	10%	12 in CFS

SHEET 328

Barrier #	Slope Length (ft)	Slope %	Barrier Type
329.01	85	19%	BSRF
329.02	110	15%	18 in CFS
329.03	85	9%	BSRF
329.04	85	7%	BSRF
329.05	125	5%	12 in CFS
329.06	95	4%	BSRF
329.07	150	3%	12 in CFS
329.08	150	3%	12 in CFS
329.09	100	4%	BSRF
329.10	85	5%	BSRF
329.11	100	4%	BSRF
329.12	100	4%	BSRF
329.13	125	3%	12 in CFS

SHEET 329

Barrier #	Slope Length (ft)	Slope %	Barrier Type
330.01	125	3%	12 in CFS
330.02	125	3%	12 in CFS
330.03	100	4%	BSRF
330.04	125	3%	12 in CFS
330.05	125	3%	12 in CFS
330.06	95	8%	BSRF
330.07	125	6%	12 in CFS
330.08	125	3%	12 in CFS
330.09	125	5%	12 in CFS
330.10	150	4%	12 in CFS
330.11	110	7%	12 in CFS
330.12	100	6%	BSRF
330.13	100	4%	BSRF
330.14	125	8%	12 in CFS
330.15	125	13%	18 in CFS

SHEET 330

Barrier #	Slope Length (ft)	Slope %	Barrier Type
331.01	100	4%	BSRF
331.02	85	5%	BSRF
331.03	85	5%	BSRF
331.04	95	4%	BSRF
331.05	110	9%	12 in CFS
331.06	110	7%	12 in CFS
331.07	125	6%	12 in CFS

SHEET 331

Barrier #	Slope Length (ft)	Slope %	Barrier Type
332.01	75	5%	BSRF
332.02	125	2%	12 in CFS
332.03	130	2%	12 in CFS
332.04	130	2%	12 in CFS
332.05	75	3%	BSRF
332.06	130	2%	12 in CFS
332.07	100	5%	BSRF
332.08	75	3%	BSRF
332.09	125	2%	12 in CFS
332.10	75	3%	BSRF
332.11	105	2%	12 in CFS
332.12	100	2%	BSRF

SHEET 332

Barrier #	Slope Length (ft)	Slope %	Barrier Type
333.01	125	3%	12 in CFS
333.02	100	4%	BSRF
333.03	125	3%	12 in CFS
333.04	125	3%	12 in CFS
333.05	125	3%	12 in CFS
333.06	125	3%	12 in CFS
333.07	125	3%	12 in CFS
333.08	100	4%	BSRF
333.09	100	4%	BSRF


SHEET 333

Barrier #	Slope Length (ft)	Slope %	Barrier Type
334.01	110	2%	12 in CFS
334.02	110	2%	12 in CFS
334.03	110	2%	12 in CFS
334.04	125	2%	12 in CFS
334.05	100	2%	BSRF
334.06	130	2%	12 in CFS
334.07	100	2%	BSRF
334.08	100	2%	BSRF
334.09	100	2%	BSRF
334.10	110	2%	12 in CFS

SHEET 334

GENERAL NOTES AND COMMENTS:

SYM.	DATE	BY	REVISION INFORMATION	PROJECT/TASK	APP.



Environmental Resources Management	
DRAWN: EB	05/25/2017
CHECKED: -	-
APP. FOR BID:	
APP. FOR CONST.:	
SCALE:	AS NOTED

Atlantic Coast Pipeline, LLC
 925 White Oaks Blvd. Bridgeport, West Virginia 26330 / 681-842-8000

TITLE: ATLANTIC COAST PIPELINE - AP-1 EROSION AND SEDIMENT CONTROL TABLES

DISTRICT:	COUNTY:	STATE:	GROUP:	DWG. NO.:	REV.:
-	-	VA	-	14 OF 19	0

Barrier #	Slope Length (ft)	Slope %	Barrier Type
335.01	110	2%	12 in CFS
335.02	100	2%	BSRF
335.03	100	2%	BSRF
335.04	100	2%	BSRF
335.05	100	2%	BSRF
335.06	100	2%	BSRF
335.07	100	2%	BSRF
335.08	100	2%	BSRF
335.09	100	2%	BSRF
335.10	110	4%	12 in CFS
335.11	110	2%	12 in CFS
335.12	75	5%	BSRF

SHEET 335

Barrier #	Slope Length (ft)	Slope %	Barrier Type
336.01	75	3%	BSRF
336.02	110	4%	12 in CFS
336.03	100	2%	BSRF
336.04	110	2%	12 in CFS
336.05	125	3%	12 in CFS
336.06	125	5%	12 in CFS
336.07	75	5%	BSRF
336.08	85	2%	BSRF
336.09	125	2%	12 in CFS
336.10	125	2%	12 in CFS

SHEET 336

Barrier #	Slope Length (ft)	Slope %	Barrier Type
337.01	75	5%	BSRF
337.02	100	4%	BSRF
337.03	120	7%	12 in CFS
337.04	100	4%	BSRF
337.05	125	3%	12 in CFS
337.06	125	3%	12 in CFS
337.07	125	3%	12 in CFS
337.08	125	3%	12 in CFS
337.09	125	3%	12 in CFS

SHEET 337

Barrier #	Slope Length (ft)	Slope %	Barrier Type
338.01	125	2%	12 in CFS
338.02	125	2%	12 in CFS
338.03	125	2%	12 in CFS
338.04	130	3%	12 in CFS
338.05	130	2%	12 in CFS
338.06	85	2%	BSRF
338.07	105	2%	12 in CFS
338.08	125	3%	12 in CFS
338.09	100	4%	BSRF
338.10	100	2%	BSRF
338.11	100	6%	BSRF
338.12	75	5%	BSRF
338.13	125	2%	12 in CFS

SHEET 338

Barrier #	Slope Length (ft)	Slope %	Barrier Type
339.01	125	3%	12 in CFS
339.02	125	5%	12 in CFS
339.03	125	6%	12 in CFS
339.04	75	11%	BSRF
339.05	125	6%	12 in CFS
339.06	75	5%	BSRF
339.07	125	2%	12 in CFS
339.08	125	2%	12 in CFS
339.09	125	3%	12 in CFS
339.10	110	4%	12 in CFS
339.11	125	10%	12 in CFS
339.12	125	5%	12 in CFS
339.13	100	2%	BSRF

SHEET 339

Barrier #	Slope Length (ft)	Slope %	Barrier Type
340.01	110	2%	12 in CFS
340.02	100	2%	BSRF
340.03	110	2%	12 in CFS
340.04	100	2%	BSRF
340.05	110	2%	12 in CFS
340.06	100	2%	BSRF
340.07	110	2%	12 in CFS
340.08	125	2%	12 in CFS
340.09	125	2%	12 in CFS
340.10	125	2%	12 in CFS
340.11	125	2%	12 in CFS
340.12	125	2%	12 in CFS
340.13	125	2%	12 in CFS


SHEET 340

Barrier #	Slope Length (ft)	Slope %	Barrier Type
341.01	125	2%	12 in CFS
341.02	125	2%	12 in CFS
341.03	100	2%	BSRF
341.04	150	10%	12 in CFS
341.05	150	10%	12 in CFS
341.06	110	5%	12 in CFS
341.07	75	3%	BSRF
341.08	100	2%	BSRF

SHEET 341

GENERAL NOTES AND COMMENTS:

SYM.	DATE	BY	REVISION INFORMATION	PROJECT/TASK	APP.
△	04/14/2017	EB	ISSUED FOR PERMITTING		



Environmental Resources Management	
DRAWN:	EB 05/25/2017
CHECKED:	- -
APP. FOR BID:	
APP. FOR CONST.:	
SCALE:	AS NOTED

<h2 style="text-align: center;">Atlantic Coast Pipeline, LLC</h2> <p style="text-align: center;">925 White Oaks Blvd. Bridgeport, West Virginia 26330 / 681-842-8000</p>					
<p style="text-align: center;">TITLE: ATLANTIC COAST PIPELINE - AP-1 EROSION AND SEDIMENT CONTROL TABLES</p>					
DISTRICT:	COUNTY:	STATE: VA	GROUP:	DWG. NO.	REV.
-	-	-	-	15 OF 19	0

