WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP _____ City/County: Southampton _____ Sampling Date: 4/6/15

Applicant/Owner: Dominion _____ State: VA _____ Sampling Point: WSOP004f_W

Investigator(s): ESI (Roper, Turnbull) _____ Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage _____ Local relief (concave, convex, none): concave _____ Slope (%): 2-5

Subregion (LRR or MLRA): LRR P _____ Lat: 36.55112 _____ Long: -77.28992 _____ Datum: WGS84

Soil Map Unit Name: State fine sandy loam, 2-6% slopes _____ NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ✓ No _____	Is the Sampled Area within a Wetland?	Yes ✓ No _____
Hydric Soil Present? Yes ✓ No _____		
Wetland Hydrology Present? Yes ✓ No _____		

Remarks:
ties to Meherrin River / County Line

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☑ Surface Water (A1)	☐ Aquatic Fauna (B13)
☑ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☑ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☑ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☑ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): NA

Water Table Present? Yes ✓ No _____ Depth (inches): 1

Saturation Present? Yes ✓ No _____ Depth (inches): surface

(includes capillary fringe)

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Portions of wetland inundated.

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: wsop004f_w

Tree Stratum (Plot size: 30ft x 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Betula nigra	10	N	FACW
2. Platanus occidentalis	15	Y	FACW
3. Pinus taeda	15	Y	FAC
4. Acer rubrum	15	Y	FAC
5.			
6.			
7.			
8.			

55 = Total Cover
50% of total cover: 27.5   20% of total cover: 11

Sapling/Shrub Stratum (Plot size: 30ft x 30ft)			
1. Acer rubrum	15	Y	FAC
2. Platanus occidentalis	15	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			

30 = Total Cover
50% of total cover: 15   20% of total cover: 6

Herb Stratum (Plot size: 30ft x 30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Woody Vine Stratum (Plot size: 30ft x 30ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5   (A)

Total Number of Dominant
Species Across All Strata: 5   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [x] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/2	100					S	high organic content
5-20	2.5Y 4/2	60	10YR 4/6	40	C	M	S	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) (LRR P, T, U)
- ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ☐ Muck Presence (A8) (LRR U)
- ☐ 1 cm Muck (A9) (LRR P, T)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) (MLRA 150A)
- ☐ Sandy Mucky Mineral (S1) (LRR O, S)
- ☐ Sandy Gleyed Matrix (S4)
- ☑ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (LRR P, S, T, U)

- ☐ Polyvalue Below Surface (S8) (LRR S, T, U)
- ☐ Thin Dark Surface (S9) (LRR S, T, U)
- ☐ Loamy Mucky Mineral (F1) (LRR O)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) (LRR U)
- ☐ Depleted Ochric (F11) (MLRA 151)
- ☐ Iron-Manganese Masses (F12) (LRR O, P, T)
- ☐ Umbric Surface (F13) (LRR P, T, U)
- ☐ Delta Ochric (F17) (MLRA 151)
- ☐ Reduced Vertic (F18) (MLRA 150A, 150B)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:
- ☐ 1 cm Muck (A9) (LRR O)
- ☐ 2 cm Muck (A10) (LRR S)
- ☐ Reduced Vertic (F18) (outside MLRA 150A,B)
- ☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes ✓　No _____

Remarks:

Wetland data point wsop004f_w facing west.

Wetland wsop004 facing east at bridge crossing.

Wetland wsop004 facing northeast at bridge crossing.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 4/6/15

Applicant/Owner: Dominion   State: VA   Sampling Point: wsop004-u

Investigator(s): ESI (Roper, Turnbull)   Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage   Local relief (concave, convex, none): concave   Slope (%): 2-5

Subregion (LRR or MLRA): LRR P   Lat: 36.55115   Long: -77.28988   Datum: WGS 84

Soil Map Unit Name: State fine sandy loam, 0-2% slopes   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation ✓ , Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No ✓	Is the Sampled Area within a Wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____ No ✓	
Wetland Hydrology Present?	Yes _____ No ✓	

Remarks:

Agricultural field edge

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☑ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No ✓	Depth (inches): NA	
Water Table Present?	Yes _____ No ✓	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No ✓	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 50ft x 10ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Platanus occidentalis	20	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover

50% of total cover: 10   20% of total cover: 4

Sapling/Shrub Stratum (Plot size: 50ft x 10ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: ____   20% of total cover: ____

Herb Stratum (Plot size: 50ft x 10ft)			
1. Juncus effusus	10	Y	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

10 = Total Cover

50% of total cover: 5   20% of total cover: 2

Woody Vine Stratum (Plot size: 50ft x 10ft)			
1. Rubus argutus	10	Y	FAC
2. Lonicera japonica	15	Y	FAC
3.			
4.			
5.			

25 = Total Cover

50% of total cover: 17.5   20% of total cover: 5

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: WSOP004-u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/2	100					S	
4-8	2.5Y 5/3	100					S	
8-10	2.5Y 4/4	100					S	
10-20	10YR 5/6	100					SC	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✓

Remarks:

US Army Corps of Engineers   Atlantic and Gulf Coastal Plain Region – Version 2.0

Upland data point wsop004_u facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __4/1/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WSOP 003f-w__

Investigator(s): __FSI (Roger Turnbull)__ Section, Township, Range: __none__

Landform (hillslope, terrace, etc.): __drainage__ Local relief (concave, convex, none): __concave__ Slope (%): __2-5__

Subregion (LRR or MLRA): __LRR P__ Lat: __36.55386__ Long: __-77.28486__ Datum: __WGS84__

Soil Map Unit Name: __Roanoke loam, 0-2% slopes, occasionally flooded__ NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes __✓__ No _____	within a Wetland? Yes __✓__ No _____
Wetland Hydrology Present?	Yes __✓__ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [x] High Water Table (A2)
- [x] Saturation (A3)
- [x] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [x] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [x] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __✓__	Depth (inches): __NA__	
Water Table Present?	Yes __✓__ No _____	Depth (inches): __4__	
Saturation Present? (includes capillary fringe)	Yes __✓__ No _____	Depth (inches): __Surface__	Wetland Hydrology Present? Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Portions of wetland inundated

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOP 003f-W

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus falcata	20	Y	FACU
2.			
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover

50% of total cover: 10   20% of total cover: 4

Sapling/Shrub Stratum (Plot size: 30 x 30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30x30)			
1. Arundinaria gigantea	20	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

20 = Total Cover

50% of total cover: 10   20% of total cover: 4

Woody Vine Stratum (Plot size: 30 x 30)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 66% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 5/2	70	10YR 4/6	30	C	M	CL	
8-20	2.5Y 5/1	70	10YR 6/6	30	C	M	CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop003f_w facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 4/1/15
Applicant/Owner: Dominion   State: VA   Sampling Point: wsop003e_w
Investigator(s): ESI (Roper, Turnbull)   Section, Township, Range: none
Landform (hillslope, terrace, etc.): drainage   Local relief (concave, convex, none): concave   Slope (%): 2-5
Subregion (LRR or MLRA): LRR P   Lat: 36.55380   Long: -77.28504   Datum: W6584
Soil Map Unit Name: Roanoke loam, 0-2% slope, occassionally flooded   NWI classification: PEM
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	☐ Surface Soil Cracks (B6)
☑ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**	☐ Sparsely Vegetated Concave Surface (B8)
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)	☐ Moss Trim Lines (B16)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Crayfish Burrows (C8)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	☐ Geomorphic Position (D2)
☐ Inundation Visible on Aerial Imagery (B7)		☐ Shallow Aquitard (D3)
☑ Water-Stained Leaves (B9)		☑ FAC-Neutral Test (D5)
		☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): NA
Water Table Present?	Yes ✓	No _____	Depth (inches): 4
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): surface

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
portions of wetland inundated

Tree Stratum (Plot size: 30 X30)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 X30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30 X30)			
1. Juncus effusus	40	Y	FACW
2. Saccharum giganteum	5	N	FACW
3. Andropogon virginicus	5	N	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

50 = Total Cover

50% of total cover: 25   20% of total cover: 10

Woody Vine Stratum (Plot size: 30 X30)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 1   (A)

Total Number of Dominant
Species Across All Strata: 1   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL
Sampling Point: Wsop003e-W

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 5/2	90	10YR 5/6	10	C	M	SCL	
8-20	2.5Y 5/1	90	10YR 5/6	10	C	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**

- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:
- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

US Army Corps of Engineers
Atlantic and Gulf Coastal Plain Region – Version 2.0

Wetland data point wsop003e_w facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: **ACP** City/County: **Southampton** Sampling Date: **4/1/15**

Applicant/Owner: **Dominion** State: **VA** Sampling Point: **WSOP 003-u**

Investigator(s): **ESI (Roper, Turnbull)** Section, Township, Range: **none**

Landform (hillslope, terrace, etc.): **drainage** Local relief (concave, convex, none): **concave** Slope (%): **2-5**

Subregion (LRR or MLRA): **LRR P** Lat: **36.55371** Long: **-77.28474** Datum: **WGS84**

Soil Map Unit Name: **Roanoke loam, 0-2%, slope, occasionally flooded** NWI classification: **none**

Are climatic / hydrologic conditions on the site typical for this time of year? Yes **✓** No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes **✓** No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No **✓**	Is the Sampled Area	
Hydric Soil Present?	Yes _____ No **✓**	within a Wetland?	Yes _____ No **✓**
Wetland Hydrology Present?	Yes **✓** No _____		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		☐ Surface Soil Cracks (B6)
☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	☐ Sparsely Vegetated Concave Surface (B8)
☑ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**	☐ Drainage Patterns (B10)
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	☐ Moss Trim Lines (B16)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)	☐ Dry-Season Water Table (C2)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	☐ Crayfish Burrows (C8)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)	☐ Geomorphic Position (D2)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	☐ Shallow Aquitard (D3)
☐ Inundation Visible on Aerial Imagery (B7)		☐ FAC-Neutral Test (D5)
☐ Water-Stained Leaves (B9)		☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:				
Surface Water Present?	Yes _____ No **✓**	Depth (inches): **NA**		
Water Table Present?	Yes **✓** No _____	Depth (inches): **15**		
Saturation Present? (includes capillary fringe)	Yes **✓** No _____	Depth (inches): **0**	Wetland Hydrology Present?	Yes **✓** No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus falcata	20	Y	FACU
2. Pinus taeda	5	N	FAC
3. Liquidambar styraciflua	10	Y	FAC
4.			
5.			
6.			
7.			
8.			
	35 = Total Cover		

50% of total cover: 17.5 20% of total cover: 7

Sapling/Shrub Stratum (Plot size: 30x30)			
1. Quercus falcata	15	Y	FACU
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	15 = Total Cover		

50% of total cover: 7.5 20% of total cover: 3

Herb Stratum (Plot size: 30 x30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Woody Vine Stratum (Plot size: 30x30)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			
	10 = Total Cover		

50% of total cover: 5 20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant
Species Across All Strata: 4 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 50 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	25	x 3 =	75
FACU species	35	x 4 =	140
UPL species	0	x 5 =	0
Column Totals:	60 (A)		215 (B)

Prevalence Index = B/A = 3.58

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation

☐ 2 - Dominance Test is >50%

☐ 3 - Prevalence Index is ≤3.0[1]

☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes _____	No ✓

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 5/3	100					SiL C	
8-20	2.5Y 5/4	95	10YR 4/6	5	C	M	SiLL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) (LRR P, T, U)
- ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ☐ Muck Presence (A8) (LRR U)
- ☐ 1 cm Muck (A9) (LRR P, T)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) (MLRA 150A)
- ☐ Sandy Mucky Mineral (S1) (LRR O, S)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (LRR P, S, T, U)

- ☐ Polyvalue Below Surface (S8) (LRR S, T, U)
- ☐ Thin Dark Surface (S9) (LRR S, T, U)
- ☐ Loamy Mucky Mineral (F1) (LRR O)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) (LRR U)
- ☐ Depleted Ochric (F11) (MLRA 151)
- ☐ Iron-Manganese Masses (F12) (LRR O, P, T)
- ☐ Umbric Surface (F13) (LRR P, T, U)
- ☐ Delta Ochric (F17) (MLRA 151)
- ☐ Reduced Vertic (F18) (MLRA 150A, 150B)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) (LRR O)
- ☐ 2 cm Muck (A10) (LRR S)
- ☐ Reduced Vertic (F18) (outside MLRA 150A,B)
- ☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✓

Remarks:

Upland data point wsop003_u facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP _____ City/County: Southampton _____ Sampling Date: 4/1/15

Applicant/Owner: Dominion _____ State: VA _____ Sampling Point: WSop002f-w

Investigator(s): ESI (Roper, Turnbull) _____ Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage _____ Local relief (concave, convex, none): concave _____ Slope (%): 2-5

Subregion (LRR or MLRA): LRR P _____ Lat: 36.55477 _____ Long: -77.28540 _____ Datum: WGS84

Soil Map Unit Name: Roanoke loam, 0-2% slopes, occastonally flooded NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☑ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☑ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): NA

Water Table Present? Yes ✓ No _____ Depth (inches): 4

Saturation Present? (includes capillary fringe) Yes ✓ No _____ Depth (inches): surface

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: Wsop002f_w

Tree Stratum (Plot size: 30 x 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liquidambar styraciflua	15	Y	FAC
2. Acer rubrum	15	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

30 = Total Cover
50% of total cover: 15   20% of total cover: 6

Sapling/Shrub Stratum (Plot size: 30 x 30)			
1. Ilex opaca	10	Y	FAC
2. Liquidambar styraciflua	15	Y	FAC
3. Acer rubrum	10	Y	FAC
4.			
5.			
6.			
7.			
8.			

35 = Total Cover
50% of total cover: 27.5   20% of total cover: 7

Herb Stratum (Plot size: 30 x 30)			
1. Arundinaria gigantea	30	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

30 = Total Cover
50% of total cover: 15   20% of total cover: 6

Woody Vine Stratum (Plot size: 30 x 30)			
1. Smilax rotundifolia	20	Y	FAC
2.			
3.			
4.			
5.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 7 (A)

Total Number of Dominant
Species Across All Strata: 7 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes ✓   No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 7/2	100					SL	
4-10	10YR 5/2	70	10YR 5/6	30	C	M	SCL	
10-20	10YR 5/1	70	10YR 5/6	30	C	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ **No** _____

Remarks:

Wetland data point wsop002f_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southhampton__ Sampling Date: __4/1/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __wsop002e_w__

Investigator(s): __ESI (Roper, Turnbull)__ Section, Township, Range: __none__

Landform (hillslope, terrace, etc.): __drainage__ Local relief (concave, convex, none): __concave__ Slope (%): __2-5__

Subregion (LRR or MLRA): __LRRP__ Lat: __36.55485__ Long: __-77.28526__ Datum: __WGS84__

Soil Map Unit Name: __Roanoke loam, 0-2% slope, occasionally flooded__ NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes __✓__ No _____	Is the Sampled Area	
Hydric Soil Present? Yes __✓__ No _____	within a Wetland? Yes __✓__ No _____	
Wetland Hydrology Present? Yes __✓__ No _____		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☑ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☑ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No __✓__ Depth (inches): __NA__

Water Table Present? Yes __✓__ No _____ Depth (inches): __4__

Saturation Present? Yes __✓__ No _____ Depth (inches): __surface__
(includes capillary fringe)

Wetland Hydrology Present? Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOP002e.W

Tree Stratum (Plot size: 30 X 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30 X 30)			
1. Arundinaria gigantea	60	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	60 = Total Cover		

50% of total cover: 30   20% of total cover: 12

Woody Vine Stratum (Plot size: 30 X 30)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 1   (A)

Total Number of Dominant
Species Across All Strata: 1   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [✓] 1 - Rapid Test for Hydrophytic Vegetation
- [✓] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/2	100					SL	
4-10	10YR 5/2	70	10YR 5/6	30	C	M	SCL	
10-20	10YR 5/1	70	10YR 5/6	30	C	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop002e_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 4/1/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP002-u

Investigator(s): ESI (Roper, Turnbull)   Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage   Local relief (concave, convex, none): concave   Slope (%): 2-5

Subregion (LRR or MLRA): LRR P   Lat: 36.55470   Long: -77.28539   Datum: WGS84

Soil Map Unit Name: Roanoke loam, 0-2% slopes, occasionally flooded   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____ No ✓	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [✓] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [✓] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): NA	
Water Table Present?	Yes ✓	No _____	Depth (inches): 12	
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): 4"	Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOp002_u

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liquidambar styraciflua	15	Y	FAC
2. Acer rubrum	15	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

_____ = Total Cover
50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 X30)			
1. Ilex opaca	10	Y	FAC
2. Liquidambar styraciflua	15	Y	FAC
3. Acer rubrum	10	Y	FAC
4.			
5.			
6.			
7.			
8.			

35 = Total Cover
50% of total cover: 17.5 20% of total cover: 7

Herb Stratum (Plot size: 30 X30)			
1. Arundinaria gigantea	25	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

25 = Total Cover
50% of total cover: 12.5 20% of total cover: 5

Woody Vine Stratum (Plot size: 30 X30)			
1. Smilax rotundifolia	15	Y	FAC
2.			
3.			
4.			
5.			

_____ = Total Cover
50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 7 (A)

Total Number of Dominant
Species Across All Strata: 7 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/2	100					SL	
5-20	2.5Y 5/3	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils[3]:**

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) (LRR P, T, U)
- ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ☐ Muck Presence (A8) (LRR U)
- ☐ 1 cm Muck (A9) (LRR P, T)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) (MLRA 150A)
- ☐ Sandy Mucky Mineral (S1) (LRR O, S)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (LRR P, S, T, U)

- ☐ Polyvalue Below Surface (S8) (LRR S, T, U)
- ☐ Thin Dark Surface (S9) (LRR S, T, U)
- ☐ Loamy Mucky Mineral (F1) (LRR O)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) (LRR U)
- ☐ Depleted Ochric (F11) (MLRA 151)
- ☐ Iron-Manganese Masses (F12) (LRR O, P, T)
- ☐ Umbric Surface (F13) (LRR P, T, U)
- ☐ Delta Ochric (F17) (MLRA 151)
- ☐ Reduced Vertic (F18) (MLRA 150A, 150B)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- ☐ 1 cm Muck (A9) (LRR O)
- ☐ 2 cm Muck (A10) (LRR S)
- ☐ Reduced Vertic (F18) (outside MLRA 150A,B)
- ☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✓

Remarks:

Upland data point wsop002_u facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP ___ City/County: Southampton ___ Sampling Date: 4/2/15

Applicant/Owner: Dominion ___ State: VA ___ Sampling Point: wsop006e_w1

Investigator(s): ESI (Roper, Turnbull) ___ Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage ___ Local relief (concave, convex, none): concave ___ Slope (%): 2-5

Subregion (LRR or MLRA): LRR P ___ Lat: 36.56953 ___ Long: -77.27419 ___ Datum: WGS84

Soil Map Unit Name: Roanoke loam, 0-2% slopes occasionally flooded ___ NWI classification: PEM

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ___ (If no, explain in Remarks.)

Are Vegetation ___, Soil ___, or Hydrology ___ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ___

Are Vegetation ___, Soil ___, or Hydrology ___ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No ___	
Hydric Soil Present?	Yes ✓ No ___	Is the Sampled Area within a Wetland? Yes ✓ No ___
Wetland Hydrology Present?	Yes ✓ No ___	

Remarks:

Clear cut adjacent to power line

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [✓] Surface Water (A1)
- [✓] High Water Table (A2)
- [✓] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [✓] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes ✓ No ___ Depth (inches): 3

Water Table Present? Yes ✓ No ___ Depth (inches): surface

Saturation Present? Yes ✓ No ___ Depth (inches): surface

(includes capillary fringe)

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point

	Absolute % Cover	Dominant Species?	Indicator Status
Tree Stratum (Plot size: 30 X 30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30 X 30)			
1. Juncus effusus	30	Y	OBL
2. Saccharum giganteum	20	Y	FACW
3. Scirpus cyperinus	40	Y	OBL
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	90 = Total Cover		

50% of total cover: 45 20% of total cover: 18

Woody Vine Stratum (Plot size: 30 X 30)			
1. Rubus argutus	10	Y	FAC
2.			
3.			
4.			
5.			
	10 = Total Cover		

50% of total cover: 5 20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant
Species Across All Strata: 4 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-20	2.5Y 5/1	95	10YR 5/6	5	C	M	CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils[3]:**

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes ✓　No _____

Remarks:

Wetland data point wsop006e_w1 **facing southwest.**

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15
Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP 006e-W2
Investigator(s): ESI-M. Smith, K. Murphrey   Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): none   Slope (%): 0-2
Subregion (LRR or MLRA): LRRP   Lat: 36.57037   Long: -7726548   Datum: WGS 84
Soil Map Unit Name: Augusta sandy loam, 0-2%, rarely flooded   NWI classification: PEM
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _____ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
✓ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)	___ Sparsely Vegetated Concave Surface (B8)
✓ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No ✓	Depth (inches): NA	
Water Table Present?	Yes ✓ No _____	Depth (inches): Surface	
Saturation Present? (includes capillary fringe)	Yes ✓ No _____	Depth (inches): Surface	Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Pinus taeda	5	Y	FAC
2. Quercus rubra	2	Y	FACU
3.			
4.			
5.			
6.			
7.			
8.			
	7 = Total Cover		

50% of total cover: 3.5   20% of total cover: 1.4

Herb Stratum (Plot size: 30ft X 30ft)			
1. Dichanthelium sp.	50	Y	≥FAC
2. Solidago gigantea	20	N	FACW
3. Rhynchospora sp.	15	N	≥FACW
4. Andropogon glomeratus	15	N	FACW
5. Andropogon virginicus	15	N	FAC
6. Eupatorium rotundifolium	15	N,	FAC
7. Rubus argutus	5	N	FAC
8.			
9.			
10.			
11.			
12.			
	135 = Total Cover		

50% of total cover: 67.5   20% of total cover: 27

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. none present			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ___2___ (A)

Total Number of Dominant Species Across All Strata: ___3___ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: __67%__ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes ✓	No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	2.5 4S/1	70	10 4R 5/6	30	C	PL	Silty CL	
5-12	2.5 1/6/2	70	2.5 y 6/6	30	C	PL	Silty CL	
12-20	2.5 4 6/2	55	2.5 4S/6	45	C	M	Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) (LRR P, T, U)
- ___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ___ Muck Presence (A8) (LRR U)
- ___ 1 cm Muck (A9) (LRR P, T)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (MLRA 150A)
- ___ Sandy Mucky Mineral (S1) (LRR O, S)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (LRR P, S, T, U)

- ___ Polyvalue Below Surface (S8) (LRR S, T, U)
- ___ Thin Dark Surface (S9) (LRR S, T, U)
- ___ Loamy Mucky Mineral (F1) (LRR O)
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) (LRR U)
- ___ Depleted Ochric (F11) (MLRA 151)
- ___ Iron-Manganese Masses (F12) (LRR O, P, T)
- ___ Umbric Surface (F13) (LRR P, T, U)
- ___ Delta Ochric (F17) (MLRA 151)
- ___ Reduced Vertic (F18) (MLRA 150A, 150B)
- ___ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- ___ 1 cm Muck (A9) (LRR O)
- ___ 2 cm Muck (A10) (LRR S)
- ___ Reduced Vertic (F18) (outside MLRA 150A, B)
- ___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓___   No _____

Remarks:

Wetland data point wsop006e_w2 facing south.

Wetland data point wsop006e_w2 facing west.

Photo Sheet 1 of 3

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP 006F-W2

Investigator(s): ESI- M. Smith, K. Murphrey   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Headwater   Local relief (concave, convex, none): concave   Slope (%): 0-2

Subregion (LRR or MLRA): LRR P   Lat: 36.57047   Long: -77.26626   Datum: W6584

Soil Map Unit Name: Augusta sandy loam, 0-2%, rarely flooded   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

NCWAM: Headwater Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
✓ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
✓ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)	___ Sparsely Vegetated Concave Surface (B8)
✓ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✓ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?   Yes ✓ No _____ Depth (inches): 2

Water Table Present?   Yes ✓ No _____ Depth (inches): Surface

Saturation Present?   Yes ✓ No _____ Depth (inches): surface   Wetland Hydrology Present? Yes ✓ No _____
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: Wsop006f-W2

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	40	Y	FAC
2. Quercus phellos	20	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
	60 = Total Cover		
50% of total cover: 30 20% of total cover: 12			

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Crataegus marshallii	20	Y	FAC
2. Liquidambar styraciflua	20	Y	FAC
3. Ilex decidua	10	Y	FACW
4.			
5.			
6.			
7.			
8.			
	50 = Total Cover		
50% of total cover: 25 20% of total cover: 10			

Herb Stratum (Plot size: 30ft X 30ft)			
1. Chasmanthium laxum	15	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	15 = Total Cover		
50% of total cover: 7.5 20% of total cover: 3			

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Clematis crispa	10	Y	FACW
2.			
3.			
4.			
5.			
	10 = Total Cover		
50% of total cover: 5 20% of total cover: 2			

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 7 (A)

Total Number of Dominant
Species Across All Strata: 7 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)	_____ (B)	

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	2.5Y 4/2	100					L	
5-12	2.5Y 6/2	70	2.5Y 6/8	30	C	M	CL	
12-20	2.5Y 6/1	70	2.5Y 6/8	30	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) (LRR P, T, U)
- ___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ___ Muck Presence (A8) (LRR U)
- ___ 1 cm Muck (A9) (LRR P, T)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (MLRA 150A)
- ___ Sandy Mucky Mineral (S1) (LRR O, S)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (LRR P, S, T, U)

- ___ Polyvalue Below Surface (S8) (LRR S, T, U)
- ___ Thin Dark Surface (S9) (LRR S, T, U)
- ___ Loamy Mucky Mineral (F1) (LRR O)
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) (LRR U)
- ___ Depleted Ochric (F11) (MLRA 151)
- ___ Iron-Manganese Masses (F12) (LRR O, P, T)
- ___ Umbric Surface (F13) (LRR P, T, U)
- ___ Delta Ochric (F17) (MLRA 151)
- ___ Reduced Vertic (F18) (MLRA 150A, 150B)
- ___ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- ___ 1 cm Muck (A9) (LRR O)
- ___ 2 cm Muck (A10) (LRR S)
- ___ Reduced Vertic (F18) (outside MLRA 150A,B)
- ___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Wetland data point wsop006f_w2 facing north.

Wetland data point wsop006f_w2 facing west.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 4/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP006S-w

Investigator(s): ESI (Roper, Turnbull)   Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage   Local relief (concave, convex, none): Concave   Slope (%): 2-5

Subregion (LRR or MLRA): LRR P O   Lat: 36.564747   Long: -77.27917   Datum: WGS84

Soil Map Unit Name: Roanoke loam, 0-2'1, slope, occasionally flooded   NWI classification: PSS

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☑ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)

- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) (LRR U)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No ✓	Depth (inches): NA	
Water Table Present?	Yes ✓ No _____	Depth (inches): 6	
Saturation Present? (includes capillary fringe)	Yes ✓ No _____	Depth (inches): 4	Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

portions of wetland inundated

VEGETATION (Four Strata) -- Use scientific names of plants.

Sampling Point: WSo2b0b5w

Tree Stratum (Plot size: 30 x 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 x 30)			
1. Pinus taeda	45	Y	FAC
2. Acer rubrum	15	Y	FAC
3. Ilex opaca	5	N	FAC
4.			
5.			
6.			
7.			
8.			
	65 = Total Cover		

50% of total cover: 32.5 20% of total cover: 13

Herb Stratum (Plot size: 30 x 30)			
1. Scirpus cyperinus	15	Y	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	15 = Total Cover		

50% of total cover: 7.5 20% of total cover: 3

Woody Vine Stratum (Plot size: 30 x 30)			
1. Smilax rotundifolia	15	Y	FAC
2.			
3.			
4.			
5.			
	15 = Total Cover		

50% of total cover: 7.5 20% of total cover: 3

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree -- Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub -- Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb -- All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine -- All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR3/2	100					SL	
3-8	2.5Y4/3	90	10YR5/6	10	C	M	CL	
8-20	2.5Y5/2	90	10YR5/6	10	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix; MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) (LRR P, T, U)
- ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ☐ Muck Presence (A8) (LRR U)
- ☐ 1 cm Muck (A9) (LRR P, T)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) (MLRA 150A)
- ☐ Sandy Mucky Mineral (S1) (LRR O, S)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (LRR P, S, T, U)

- ☐ Polyvalue Below Surface (S8) (LRR S, T, U)
- ☐ Thin Dark Surface (S9) (LRR S, T, U)
- ☐ Loamy Mucky Mineral (F1) (LRR O)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) (LRR U)
- ☐ Depleted Ochric (F11) (MLRA 151)
- ☐ Iron-Manganese Masses (F12) (LRR O, P, T)
- ☐ Umbric Surface (F13) (LRR P, T, U)
- ☐ Delta Ochric (F17) (MLRA 151)
- ☐ Reduced Vertic (F18) (MLRA 150A, 150B)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) (LRR O)
- ☐ 2 cm Muck (A10) (LRR S)
- ☐ Reduced Vertic (F18) (outside MLRA 150A,B)
- ☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Wetland data point wsop006s_w facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __4/2/15__
Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WSOPD06f-W__
Investigator(s): __ESI (Roper, Turnbull)__ Section, Township, Range: __none__
Landform (hillslope, terrace, etc.): __drainage__ Local relief (concave, convex, none): __convex__ Slope (%): __2-5__
Subregion (LRR or MLRA): __LRR P__ Lat: __36.56563__ Long: __-77.27700__ Datum: __WGS84__
Soil Map Unit Name: __Roanoke loam, 0-2% slopes occasionally flooded__ NWI Classification: __PFO__
Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes __✓__ No _____	within a Wetland? Yes __✓__ No _____
Wetland Hydrology Present?	Yes __✓__ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☑ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☑ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☑ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☐ FAC-Neutral Test (D5)
☑ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No __✓__	Depth (inches): __NA__		
Water Table Present?	Yes __✓__	No _____	Depth (inches): __10__		
Saturation Present? (includes capillary fringe)	Yes __✓__	No _____	Depth (inches): __4__	Wetland Hydrology Present?	Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOPDObf-W

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	40	Y	FAC
2. Acer rubrum	15	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	55	= Total Cover	

50% of total cover: 27.5   20% of total cover: 11

Sapling/Shrub Stratum (Plot size: 30x30)			
1. Ilex opaca	15	Y	FAC
2. Acer rubrum	15	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	30	= Total Cover	

50% of total cover: 15   20% of total cover: 6

Herb Stratum (Plot size: 30x30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	0	= Total Cover	

50% of total cover: _____   20% of total cover: _____

Woody Vine Stratum (Plot size: 30 x30)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			
	10	= Total Cover	

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___5___ (A)

Total Number of Dominant
Species Across All Strata: ___5___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___100___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: wsop006fw

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR3/2	100					CL	
5-14	2.5Y4/1	95	10YR5/6	5	C	PL	CL	
14-20	2.5Y5/1	95	10YR5/6	5	C	PL	CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop006f_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _ACP_   City/County: _Southampton_   Sampling Date: _4/2/15_

Applicant/Owner: _Dominion_   State: _VA_   Sampling Point: _WS0p006-u_

Investigator(s): _ESI (Roper, Turnbull)_   Section, Township, Range: _none_

Landform (hillslope, terrace, etc.): _drainage_   Local relief (concave, convex, none): _concave_   Slope (%): _2-5_

Subregion (LRR or MLRA): _LRR P_   Lat: _36.56471_   Long: _-77.27922_   Datum: _WGS84_

Soil Map Unit Name: _Roanoke loam, 0-2% slope, occasionally flooded_   NWI classification: _NA_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _✓_ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _✓_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _✓_ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes _____ No _✓_	within a Wetland?	Yes _____ No _✓_
Wetland Hydrology Present?	Yes _____ No _✓_		

Remarks:

gravel logging road

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) (LRR U)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No _✓_	Depth (inches): _NA_	
Water Table Present?	Yes _____ No _✓_	Depth (inches): _>20_	
Saturation Present? (includes capillary fringe)	Yes _____ No _✓_	Depth (inches): _>20_	Wetland Hydrology Present? Yes _____ No _✓_

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30 x 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

_____ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 x 30)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

_____ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30 x 30)			
1. Scirpus cyperinus	5	Y	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

5 = Total Cover

50% of total cover: 2.5 20% of total cover: 1

Woody Vine Stratum (Plot size: 30 x 30)			
1. none			
2.			
3.			
4.			
5.			

_____ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

mowed/maintained gravel road

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	10YR5/4	100					Sa	
14-20	2.5Y4/3	95	10YR5/6	5	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) (LRR P, T, U)
- ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ☐ Muck Presence (A8) (LRR U)
- ☐ 1 cm Muck (A9) (LRR P, T)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) (MLRA 150A)
- ☐ Sandy Mucky Mineral (S1) (LRR O, S)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (LRR P, S, T, U)

- ☐ Polyvalue Below Surface (S8) (LRR S, T, U)
- ☐ Thin Dark Surface (S9) (LRR S, T, U)
- ☐ Loamy Mucky Mineral (F1) (LRR O)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) (LRR U)
- ☐ Depleted Ochric (F11) (MLRA 151)
- ☐ Iron-Manganese Masses (F12) (LRR O, P, T)
- ☐ Umbric Surface (F13) (LRR P, T, U)
- ☐ Delta Ochric (F17) (MLRA 151)
- ☐ Reduced Vertic (F18) (MLRA 150A, 150B)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) (LRR O)
- ☐ 2 cm Muck (A10) (LRR S)
- ☐ Reduced Vertic (F18) (outside MLRA 150A,B)
- ☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　　Yes _____　　No ✓

Remarks:

Gravel logging road

Upland data point wsop006_u facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP 006-42

Investigator(s): ESI- M. Smith, K. Murphrey   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Hillslope   Local relief (concave, convex, none): convex   Slope (%): 2-4

Subregion (LRR or MLRA): LRR P   Lat: 36.57057   Long: -77.26600   Datum: WGS 84

Soil Map Unit Name: Augusta Sandy loam, 0-2%, rarely flooded   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓   No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓   No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No ✓	Is the Sampled Area within a Wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____ No ✓	
Wetland Hydrology Present?	Yes _____ No ✓	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

Secondary Indicators (minimum of two required)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators:
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?   Yes _____ No ✓ Depth (inches): NA

Water Table Present?   Yes _____ No ✓ Depth (inches): >20

Saturation Present?   Yes _____ No ✓ Depth (inches): >20   Wetland Hydrology Present? Yes _____ No ✓
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	75	Y	FAC
2. Acer rubrum	10	N	FAC
3. Liquidambar styraciflua	10	N	FAC
4. Prunus serotina	5	N	FACU
5.			
6.			
7.			
8.			
	100 = Total Cover		

50% of total cover: 50   20% of total cover: 20

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Ilex opaca	25	Y	FACU
2. Ilex decidua	5	N	FACW
3. Ulmus alata	10	Y	FACU
4. Ligustrum sinense	5	N	FAC
5. Quercus rubra	5	N	FACU
6.			
7.			
8.			
	50 = Total Cover		

50% of total cover: 25   20% of total cover: 10

Herb Stratum (Plot size: 30ft X 30ft)			
1. Carex sp	5	Y	UNK
2. Chasmanthium laxum	10	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	15 = Total Cover		

50% of total cover: 7.5   20% of total cover: 3

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Lonicera japonica	15	Y	FACU
2. Clematis crispa	5	Y	FAC
3. Gelsemium sempervirens	5	Y	FAC
4.			
5.			
	25 = Total Cover		

50% of total cover: 12.5   20% of total cover: 5

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ≥4 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ≥50% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species	15	x 2 =	30
FAC species	110	x 3 =	330
FACU species	60	x 4 =	240
UPL species		x 5 =	
Column Totals:	185 + 5(UNK) (A) =190		600-625 (B)

Prevalence Index = B/A = 3.16 - 3.29

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ___   No ✓

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	2.5y5/3	100					Silt L	
5-15	2.5y5/4	90	2.5y4/1	10	C	M	Silty CL	
15-20	2.5y5/4	90	2.5y5/6	10	C	M	Silty C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes _____　No _____ ✓

Remarks:

Upland data point wsop006_u2 facing east.

Upland data point wsop006_u2 facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __4/2/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WSop0005E-W__

Investigator(s): __ESI (Roper, Turnbull)__   Section, Township, Range: __none__

Landform (hillslope, terrace, etc.): __drainage__   Local relief (concave, convex, none): __concave__   Slope (%): __2-5__

Subregion (LRR or MLRA): __LRR P__   Lat: __36.57288__   Long: __-77.27168__   Datum: __WGS84__

Soil Map Unit Name: __Roanoke loam, 0-2% slopes, occasionally flooded__   NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes __✓__ No _____	
Hydric Soil Present? Yes __✓__ No _____	Is the Sampled Area within a Wetland? Yes __✓__ No _____
Wetland Hydrology Present? Yes __✓__ No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [✓] High Water Table (A2)
- [✓] Saturation (A3)
- [✓] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) (LRR U)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes _____ No __✓__ Depth (inches): __NA__

Water Table Present? Yes __✓__ No _____ Depth (inches): __4__

Saturation Present? Yes __✓__ No _____ Depth (inches): __surface__
(includes capillary fringe)

Wetland Hydrology Present? Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: wsop005fw

Tree Stratum (Plot size: 30 x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	45	Y	FAC
2. Liquidambar styraciflua	10	N	FAC
3.			
4.			
5.			
6.			
7.			
8.			

55 = Total Cover
50% of total cover: 27.5   20% of total cover: 11

Sapling/Shrub Stratum (Plot size: 30 x30)			
1. Ligustrum sinense	10	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Herb Stratum (Plot size: 30 x30)			
1. Ligustrum sinense	10	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Woody Vine Stratum (Plot size: 30 x30)			
1. Smilax rotundifolia	10	Y	FAC
2. Vitis rotundifolia	10	Y	FAC
3.			
4.			
5.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5   (A)

Total Number of Dominant
Species Across All Strata: 5   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)	_____ (B)	

Prevalence Index = B/A =   _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	2.5Y 3/2	100					CL	
3-20	2.5Y 4/2	90	10YR 5/6	10	C	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop005f_w facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 4/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSp005-u

Investigator(s): ESI (Roper, Turnbull)   Section, Township, Range: none

Landform (hillslope, terrace, etc.): drainage   Local relief (concave, convex, none): concave   Slope (%): 2-5

Subregion (LRR or MLRA): LRR P   Lat: 35.57284   Long: -77.27185   Datum: WGS84

Soil Map Unit Name: Roanoke, loam, 0-2%, slopes, occasionally flooded   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation ✓, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ✓	Is the Sampled Area within a Wetland?	Yes _____ No ✓
Hydric Soil Present? Yes ✓ No _____		
Wetland Hydrology Present? Yes _____ No ✓		

Remarks:

agricultural field – frequently plowed/mowed

No identifiable vegetation present at time of evaluation

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✓	Depth (inches): NA	
Water Table Present?	Yes _____ No ✓	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No ✓	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: wsop0105-a

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: _____)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: _____)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Woody Vine Stratum (Plot size: _____)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0   (A)

Total Number of Dominant Species Across All Strata: 0   (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☐ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No ✓

Remarks: (If observed, list morphological adaptations below).

No identifiable vegetation; frequently mowed / plowed

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-20	10YR4/2	95	10YR5/6	5	C	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Upland data point wsop005_u facing west.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __12/2/15__
Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WSOp024f-w__
Investigator(s): __ESI-M.Smith, K.Murphrey__ Section, Township, Range: __NA__
Landform (hillslope, terrace, etc.): __Headwater__ Local relief (concave, convex, none): __concave__ Slope (%) __0-2__
Subregion (LRR or MLRA): __LRR P__ Lat: __36.57191__ Long: __-77.26708__ Datum: __W6584__
Soil Map Unit Name: __Augusta sandy loam 0-2%, rarely Flouded__ NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area within a Wetland?	Yes __✓__ No _____
Hydric Soil Present?	Yes __✓__ No _____		
Wetland Hydrology Present?	Yes __✓__ No _____		

Remarks:

NCWAM: Headwater Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
__✓__ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
__✓__ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
__✓__ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No __✓__	Depth (inches): __NA__	
Water Table Present?	Yes __✓__	No _____	Depth (inches): __Surface__	
Saturation Present? (includes capillary fringe)	Yes __✓__	No _____	Depth (inches): __Surface__	Wetland Hydrology Present? Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	60	Y	FAC
2. Quercus Phellos	20	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
	80 = Total Cover		

50% of total cover: 40   20% of total cover: 16

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Ilex opaca	30	Y	FACU
2. Liquidambar styraciflua	15	Y	FAC
3. Quercus rubra	15	Y	FACU
4.			
5.			
6.			
7.			
8.			
	60 = Total Cover		

50% of total cover: 30   20% of total cover: 12

Herb Stratum (Plot size: 30ft X 30ft)			
1. Chasmanthium laxum	5	Y	FACW
2. Arundinaria gigantea	10	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	15 = Total Cover		

50% of total cover: 7.5   20% of total cover: 3

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Smilax rotundifolia	15	Y	FAC
2.			
3.			
4.			
5.			
	15 = Total Cover		

50% of total cover: 7.5   20% of total cover: 3

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 75% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)	(B)	

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

____ 3 - Prevalence Index is ≤3.0[1]

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	2.5yR6/2	100					SHaL	
4-12	2.5y6/1	90	2.5y5/6	10	C	M	Silt CL	
12-20	2.5y6/1	90	2.5y5/6	10	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining. M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils[3]:**

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) (LRR P, T, U)
- ___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ___ Muck Presence (A8) (LRR U)
- ___ 1 cm Muck (A9) (LRR P, T)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (MLRA 150A)
- ___ Sandy Mucky Mineral (S1) (LRR O, S)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (LRR P, S, T, U)

- ___ Polyvalue Below Surface (S8) (LRR S, T, U)
- ___ Thin Dark Surface (S9) (LRR S, T, U)
- ___ Loamy Mucky Mineral (F1) (LRR O)
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) (LRR U)
- ___ Depleted Ochric (F11) (MLRA 151)
- ___ Iron-Manganese Masses (F12) (LRR O, P, T)
- ___ Umbric Surface (F13) (LRR P, T, U)
- ___ Delta Ochric (F17) (MLRA 151)
- ___ Reduced Vertic (F18) (MLRA 150A, 150B)
- ___ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- ___ 1 cm Muck (A9) (LRR O)
- ___ 2 cm Muck (A10) (LRR S)
- ___ Reduced Vertic (F18) (outside MLRA 150A,B)
- ___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes ✓　No _____

Remarks:

Wetland data point wsop024f_w facing north.

Wetland data point wsop024f_w facing south.

Photo Sheet 1 of 2

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15
Applicant/Owner: Dominion   State: VA   Sampling Point: WSoP024-u
Investigator(s): ESI- M.Smith, K.Murphrey   Section, Township, Range: NA
Landform (hillslope, terrace, etc.): Roadside   Local relief (concave, convex, none): Convex   Slope (%): 2-4
Subregion (LRR or MLRA): LRR T   Lat: 36.57180   Long: -77.26712   Datum: WGS 84
Soil Map Unit Name: Augusta sandy loam, 0-2%, rarely flooded   NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)
Are Vegetation __✓__, Soil _____, or Hydrology __↓__ significantly disturbed?   Are "Normal Circumstances" present? Yes _____ No _____
Are Vegetation _____, Soil _____, or Hydrology __↓__ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No _____	Is the Sampled Area within a Wetland?	Yes _____	No ✓
Hydric Soil Present?	Yes _____	No ✓			
Wetland Hydrology Present?	Yes _____	No ✓			

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)
___ High Water Table (A2)
___ Saturation (A3)
___ Water Marks (B1)
___ Sediment Deposits (B2)
___ Drift Deposits (B3)
___ Algal Mat or Crust (B4)
___ Iron Deposits (B5)
___ Inundation Visible on Aerial Imagery (B7)
___ Water-Stained Leaves (B9)

___ Aquatic Fauna (B13)
___ Marl Deposits (B15) (LRR U)
___ Hydrogen Sulfide Odor (C1)
___ Oxidized Rhizospheres along Living Roots (C3)
___ Presence of Reduced Iron (C4)
___ Recent Iron Reduction in Tilled Soils (C6)
___ Thin Muck Surface (C7)
___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): NA	
Water Table Present?	Yes _____	No ✓	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: W50p024-4

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus phellos	50	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	50	= Total Cover	

50% of total cover: 25   20% of total cover: 10

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Quercus rubra	5	Y	FACU
2. Ilex decidua	5	Y	FACW
3. Ilex opaca	5	Y	FACU
4.			
5.			
6.			
7.			
8.			
	15	= Total Cover	

50% of total cover: 7.5   20% of total cover: 3

Herb Stratum (Plot size: 30ft X 30ft)			
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	0	= Total Cover	

50% of total cover: 20% of total cover:

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Smilax rotundifolia	5	Y	FAC
2. Gelsemium sempervirens	5	Y	FAC
3.			
4.			
5.			
	10	= Total Cover	

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 67% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10yR4/3	100					SL	
6-15	10yR6/6	100					SL	
15-20	10yR3/1	90	10yR4/6	10	C	M	Silty CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes _____　No ___✓___

Remarks:

Upland data point wsop024 _u facing north.

Upland data point wsop024_u facing southeast.

Photo Sheet 2 of 2

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP022e-W

Investigator(s): ESI-M.Smith, K.Murphrey   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): none   Slope (%): 0-2

Subregion (LRR or MLRA): LRR P   Lat: 36.57102   Long: -77.26431   Datum: WGS 84

Soil Map Unit Name: Augusta sandy loam, 0-2%, rarely flooded   NWI classification: PEM

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes ✓ No _____	within a Wetland?	Yes ✓ No _____
Wetland Hydrology Present?	Yes ✓ No _____		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ✓ Surface Water (A1)
- ✓ High Water Table (A2)
- ✓ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)

- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ✓ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ✓ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ✓	No _____	Depth (inches): 2	
Water Table Present?	Yes ✓	No _____	Depth (inches): Surface	
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): Surface	Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOp022e.W

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Ulmus. alata	2	Y	FACW
2. Quercus phellos	5	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
	7 = Total Cover		

50% of total cover: 3.5   20% of total cover: 1.4

Herb Stratum (Plot size: 30ft X 30ft)			
1. Saccharum giganteum	15	N	FACW
2. Solidago gigantea	10	N	FACW
3. Bidens frondosa	50	Y	FACW
4. Dichanthelium strigosum	30	Y	FAC
5. Andropogon virginicus	10	N	FAC
6. Cyperus erythrorhizos	5	N	OBL
7. Symphotrichum dumosum	2	N	FAC
8. Vernonia sp.	2	N	UNK
9. Juncus effusus	10	N	FACW
10.			
11.			
12.			
	134 = Total Cover		

50% of total cover: 67   20% of total cover: 26.8

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Smilax auriculata	10	Y	FACU
2.			
3.			
4.			
5.			
	10 = Total Cover		

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant
Species Across All Strata: 5 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 80 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-20	2.5Y6/1	70	Y5R5/8	30	C	PL	Silty CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils[3]:**

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓   No ___

Remarks:

Wetland data point wsop022e_w facing east.

Wetland data point wsop022e_w facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP022F_W

Investigator(s): ESI- M. Smith, K. Murphrey   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Headwater   Local relief (concave, convex, none): Concave   Slope (%): 0-2

Subregion (LRR or MLRA): LRR P   Lat: 36.57126   Long: -77.26429   Datum: WGS 84

Soil Map Unit Name: Augusta sandy loam, 0-2%, rarely flooded   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area within a Wetland? Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

NCWAM: Headwater Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

✓ Surface Water (A1)   ___ Aquatic Fauna (B13)

✓ High Water Table (A2)   ___ Marl Deposits (B15) **(LRR U)**

✓ Saturation (A3)   ___ Hydrogen Sulfide Odor (C1)

___ Water Marks (B1)   ___ Oxidized Rhizospheres along Living Roots (C3)

___ Sediment Deposits (B2)   ___ Presence of Reduced Iron (C4)

___ Drift Deposits (B3)   ___ Recent Iron Reduction in Tilled Soils (C6)

___ Algal Mat or Crust (B4)   ___ Thin Muck Surface (C7)

___ Iron Deposits (B5)   ___ Other (Explain in Remarks)

___ Inundation Visible on Aerial Imagery (B7)

___ Water-Stained Leaves (B9)

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)

___ Sparsely Vegetated Concave Surface (B8)

___ Drainage Patterns (B10)

___ Moss Trim Lines (B16)

___ Dry-Season Water Table (C2)

___ Crayfish Burrows (C8)

___ Saturation Visible on Aerial Imagery (C9)

___ Geomorphic Position (D2)

___ Shallow Aquitard (D3)

✓ FAC-Neutral Test (D5)

___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes ✓ No _____ Depth (inches): 2

Water Table Present? Yes ✓ No _____ Depth (inches): Surface

Saturation Present? Yes ✓ No _____ Depth (inches): Surface   **Wetland Hydrology Present? Yes ✓ No _____**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Ponding present

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liquidambar staraciflua	30	Y	FAC
2. Quercus Phellos	10	Y	FACW
3. Acer rubrum	5	N	FAC
4. Ulmus americana	5	N	FACW
5.			
6.			
7.			
8.			
	50 = Total Cover		
50% of total cover: 25 20% of total cover: 10			

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Ligustrum sinense	15	Y	FAC
2. Ulmus americana	10	Y	FACW
3. Vaccinium corymbosum	2	N	FACW
4.			
5.			
6.			
7.			
8.			
	27 = Total Cover		
50% of total cover: 13.5 20% of total cover: 5.4			

Herb Stratum (Plot size: 30ft X 30ft)			
1. Chasmanthium laxum	5	Y	FACW
2. Andropogon virginicus	5	Y	FAC
3. Juncus effusus	5	Y	FACW
4. Carex sp.	2	N	UNK
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	17 = Total Cover		
50% of total cover: 8.5 20% of total cover: 3.4			

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Lonicera japonica	10	Y	FACU
2. Smilax rotundifolia	5	Y	FAC
3.			
4.			
5.			
	15 = Total Cover		
50% of total cover: 7.5 20% of total cover: 3			

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **8** (A)

Total Number of Dominant Species Across All Strata: **9** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **89%** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-3	2.5Y6/1	100					SCL	
3-20	2.5Y6/1	70	2.5Y5/6	30	C	M	CL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

		Indicators for Problematic Hydric Soils³:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)	___ 1 cm Muck (A9) (LRR O)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)	___ 2 cm Muck (A10) (LRR S)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Stratified Layers (A5)	✓ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) (LRR P, T, U)	___ Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)	³Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
___ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (If observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop022f_w facing east.

Wetland data point wsop022f_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP022_u

Investigator(s): ESI- M. Smith, K. Murphrey   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): none   Slope (%): 2-4

Subregion (LRR or MLRA): LRR P   Lat: 36.57115   Long: -77.26441   Datum: WGS 84

Soil Map Unit Name: Augusta Sandy loam, 0-2%, rarely Flooded   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes _____	No ✓	within a Wetland? Yes _____ No ✓
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): NA

Water Table Present? Yes ✓ No _____ Depth (inches): 15

Saturation Present? Yes ✓ No _____ Depth (inches): 15   Wetland Hydrology Present? Yes _____ No ✓
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOP022u

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus rubra	30	Y	FACU
2. Liquidambar styraciflua	10	N	FAC
3. Quercus phellos	5	N	FACW
4. Diospyros virginiana	5	N	FAC
5. Ulmus alata	10	N	FACU
6.			
7.			
8.			

60 = Total Cover
50% of total cover: 30   20% of total cover: 12

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)			
1. Ilex opaca	10	Y	FACU
2. Ulmus alata	10	Y	FACU
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 30ft X 30ft)			
1. Chasmanthium laxum	35	Y	FACW
2. Festuca rubra	5	N	FACU
3. Andropogon virginicus	5	N	FACW
4. Juncus effusus	5	N	FACW
5. Dichanthelium sp.	5	N	UNK
6.			
7.			
8.			
9.			
10.			
11.			
12.			

55 = Total Cover
50% of total cover: 27.5   20% of total cover: 11

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. Lonicera japonica	20	Y	FACU
2. Smilax rotundifolia	5	Y	FAC
3.			
4.			
5.			

25 = Total Cover
50% of total cover: 12.5   20% of total cover: 5

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 33% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	50	x 2 =	100
FAC species	20	x 3 =	60
FACU species	85	x 4 =	340
UPL species	0	x 5 =	0
Column Totals:	155 +5 UNK (A)		505 - 520 (B)

160

Prevalence Index = B/A = 3.16 - 3.25

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation
___ 2 - Dominance Test is >50%
___ 3 - Prevalence Index is ≤3.0[1]
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ___   No ✓

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0 - 4	2.5y 3/3	100					L	
4 - 14	2.5y 5/3	95	10yR5/4	5	C	M	fSL	
14 - 20	2.5y 6/4	85	2.5y5/5	25	C	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ____✓____

Remarks:

Upland data point wsop022_u facing north.

Upland data point wsop022_u facing west.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP City/County: Southampton Sampling Date: 12/2/15

Applicant/Owner: Dominion State: VA Sampling Point: WSap023e-w

Investigator(s): ESI- M. Smith, K. Murphley Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Flat Local relief (concave, convex, none): Concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR P Lat: 36.57211 Long: -77.26120 Datum: WGS84

Soil Map Unit Name: Chastain loam, 0-2%, ponded NWI classification: PEM

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes ✓ No _____	within a Wetland?	Yes ✓ No _____
Wetland Hydrology Present?	Yes ✓ No _____		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

✓ Surface Water (A1)
✓ High Water Table (A2)
✓ Saturation (A3)
_____ Water Marks (B1)
_____ Sediment Deposits (B2)
_____ Drift Deposits (B3)
_____ Algal Mat or Crust (B4)
_____ Iron Deposits (B5)
_____ Inundation Visible on Aerial Imagery (B7)
_____ Water-Stained Leaves (B9)

_____ Aquatic Fauna (B13)
_____ Marl Deposits (B15) (LRR U)
_____ Hydrogen Sulfide Odor (C1)
_____ Oxidized Rhizospheres along Living Roots (C3)
_____ Presence of Reduced Iron (C4)
_____ Recent Iron Reduction in Tilled Soils (C6)
_____ Thin Muck Surface (C7)
_____ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

_____ Surface Soil Cracks (B6)
_____ Sparsely Vegetated Concave Surface (B8)
✓ Drainage Patterns (B10)
_____ Moss Trim Lines (B16)
_____ Dry-Season Water Table (C2)
_____ Crayfish Burrows (C8)
_____ Saturation Visible on Aerial Imagery (C9)
_____ Geomorphic Position (D2)
_____ Shallow Aquitard (D3)
✓ FAC-Neutral Test (D5)
_____ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes ✓ No _____ Depth (inches): 2

Water Table Present? Yes ✓ No _____ Depth (inches): Surface

Saturation Present? Yes ✓ No _____ Depth (inches): Surface Wetland Hydrology Present? Yes ✓ No _____
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30ftX30ft)			
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30ft X 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Solidago gigantea	35	Y	FACW
2. Saccharum giganteum	10	N	FACW
3. Persicaria sagittata	30	Y	OBL
4. Juncus effusus	10	N	FACW
5. Boehmeria cylindrica	5	N	FACW
6. Symphotrichum dumosum	5	N	FAC
7. Panicum sp.	5	N	UNK
8.			
9.			
10.			
11.			
12.			
	100 = Total Cover		

50% of total cover: 50 20% of total cover: 20

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **2** (A)

Total Number of Dominant Species Across All Strata: **2** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **100** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

____ 3 - Prevalence Index is ≤3.0[1]

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No ____

Remarks: (If observed, list morphological adaptations below).

SOLL

Profile Description: (Describe to the depth needed to document the Indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
n-10	2.5Y 6/1	90	10YR3/4	20			CL	
10-20	2.5Y6/1	80	10YR3/4	20			C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils[3]:**

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
✓ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
✓ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop023e_w facing east.

Wetland data point wsop023e_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __12/2/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WsopO23f.W__

Investigator(s): __ESI- M. Smith, K. Murphrey__ Section, Township, Range: __NA__

Landform (hillslope, terrace, etc.): __Flat__   Local relief (concave, convex, none): __none__   Slope (%): __0-2__

Subregion (LRR or MLRA): __LRR P__   Lat: __36.57200__   Long: __-77.26270__   Datum: __W6S 8†__

Soil Map Unit Name: __Augusta sandy loam, 0-2%, rarely flooded__   NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area within a Wetland? Yes __✓__ No _____
Hydric Soil Present?	Yes __✓__ No _____	
Wetland Hydrology Present?	Yes __✓__ No _____	

Remarks:

NCWAM: Hardwood Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)
✓ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✓ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __✓__	Depth (inches): __NA__	
Water Table Present?	Yes _____ No __✓__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes __✓__ No _____	Depth (inches): __Surface__	Wetland Hydrology Present? Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30ft X 30ft)

	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus alba	15	Y	FACU
2. Quercus phellos	20	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			

35 = Total Cover

50% of total cover: 17.5   20% of total cover: 7

Sapling/Shrub Stratum (Plot size: 30ft X 30ft)

1. Ulmus americana	20	Y	FACW
2. Crptogus marshallii	10	Y	FAC
3. Ilex opaca	10	Y	FACU
4. Ilex decidua	5	N	FACW
5.			
6.			
7.			
8.			

45 = Total Cover

50% of total cover: 22.5   20% of total cover: 9

Herb Stratum (Plot size: 30ft X 30ft)

1. Chasmanthium laxum	10	Y	FACW
2. Carex sp	5	Y	UNK
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

15 = Total Cover

50% of total cover: 7.5   20% of total cover: 3

Woody Vine Stratum (Plot size: 30ft X 30ft)

1. None Present			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ≥4 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ≥57 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)	(B)	

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

____ 3 - Prevalence Index is ≤3.0[1]

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	2.5 4/1	100					L	
3-16	2.5 6/1	85	10YR 5/6	25	C	M	CL	
16-20	2.5 6/1	85	10YR 5/6	25	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
✓ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes ✓　　No ____

Remarks:

Wetland data point wsop023f_w facing east.

Wetland data point wsop023f_w facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/2/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSap023_U

Investigator(s): ESI- M. Smith, K. Murphrey   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): Hillslope   Local relief (concave, convex, none): Concave   Slope (%): 2-4

Subregion (LRR or MLRA): LRR P   Lat: 36.57200   Long: -77.26126   Datum: WGS 84

Soil Map Unit Name: Altavista fine sandy loam, 0-2%u   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ✓, or Hydrology ____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area	
Hydric Soil Present?	Yes ✓ No ____	within a Wetland?	Yes ✓ No ____
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks:

Plowed field

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

__ Surface Water (A1)
__ High Water Table (A2)
__ Saturation (A3)
__ Water Marks (B1)
__ Sediment Deposits (B2)
__ Drift Deposits (B3)
__ Algal Mat or Crust (B4)
__ Iron Deposits (B5)
__ Inundation Visible on Aerial Imagery (B7)
__ Water-Stained Leaves (B9)

__ Aquatic Fauna (B13)
__ Marl Deposits (B15) **(LRR U)**
__ Hydrogen Sulfide Odor (C1)
__ Oxidized Rhizospheres along Living Roots (C3)
__ Presence of Reduced Iron (C4)
__ Recent Iron Reduction in Tilled Soils (C6)
__ Thin Muck Surface (C7)
__ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

__ Surface Soil Cracks (B6)
__ Sparsely Vegetated Concave Surface (B8)
__ Drainage Patterns (B10)
__ Moss Trim Lines (B16)
__ Dry-Season Water Table (C2)
__ Crayfish Burrows (C8)
__ Saturation Visible on Aerial Imagery (C9)
__ Geomorphic Position (D2)
__ Shallow Aquitard (D3)
__ FAC-Neutral Test (D5)
__ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes ____ No ✓	Depth (inches): NA	
Water Table Present?	Yes ____ No ✓	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes ____ No ✓	Depth (inches): >20	Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Tree Stratum (Plot size: 30ft X 15 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30ft X 15ft)			
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30ft X 15ft)			
1. Xanthium strumarium	S	N	FAC
2. Solidago altissima	30	Y	FACU
3. Solanum carolinense	10	N	FACU
4. Festuca rubra	50	Y	FACU
5. Setaria sp.	S	N	UNK
6. Euphorbia maculata	S	N	FACU
7. Eleusine indica	20	N	FACU
8. Allium canadense	S	N	FACU
9.			
10.			
11.			
12.			
	130 = Total Cover		

50% of total cover: 65   20% of total cover: 26

Woody Vine Stratum (Plot size: 30ft X 30ft)			
1. none present			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ___0___ (A)

Total Number of Dominant Species Across All Strata: ___2___ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ___0___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	5	x 3 =	15
FACU species	120	x 4 =	480
UPL species	_____	x 5 =	_____
Column Totals:	125+5(unk)(A) =130		500-525 (B)

Prevalence Index = B/A = 3.85 - 4.04

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No ✓

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-12	2.5y6/2	98	2.5y5/3	2	C	M	CL	
12-20	2.5y5/2	95	7.5yR3/4	5	C	M	CL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining. M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

		Indicators for Problematic Hydric Soils³:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✓ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	³Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil present in plowed field.

Upland data point wsop023_u facing southeast.

Upland data point wsop023_u facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __1/11/16__

Applicant/Owner: __Dominion__   State __VA__   Sampling Point __W3or 001e-w__

Investigator(s): __C. Jacobs, C. McEachern__   Section, Township, Range: __None__

Landform (hillslope, terrace etc.): __Hillslope__   Local relief (concave, convex, none): __None__   Slope (%) __0-2__

Subregion (LRR or MLRA) __LRRP__   Lat: __36. 57496__   Long: __-77.25443__   Datum: __WGS84__

Soil Map Unit Name: __Craven fine sandy loam__   NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __X__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _____ No __X__

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__	No _____	Is the Sampled Area within a Wetland?	Yes __X__ No _____
Hydric Soil Present?	Yes __X__	No _____		
Wetland Hydrology Present?	Yes __X__	No _____		

Remarks:

Powerline easement
Soil disturbance - rutting

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

X Surface Water (A1)	___ Aquatic Fauna (B13)
X High Water Table (A2)	___ Marl Deposits (B15) (LRR U)
X Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
X Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
X Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
X FAC-Neutral Test (D5)
X Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes __X__ No _____	Depth (inches): __2__	
Water Table Present?	Yes __X__ No _____	Depth (inches): __0__	Wetland Hydrology Present? Yes __X__ No _____
Saturation Present? (includes capillary fringe)	Yes __X__ No _____	Depth (inches): __0__	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WS0r001e_w

Tree Stratum (Plot size: 30X30)	Absolute % Cover	Dominant Species?	Indicator Status
1. None.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	∅ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30)			
1. None			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	∅ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30 X 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Persicaria sp.	30	Yes	FACW/OBL
2. Andropogon capillipes	15	Yes	FAC
3. Carex stricta	10	Yes	OBL
4. Scirpus cyperinus	7	Yes	OBL
5. Saccharum giganteum	10	Yes	FACW
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	72 = Total Cover		

50% of total cover: 36 20% of total cover: 14.4

Woody Vine Stratum (Plot size: 30 X 30)			
1. None			
2.			
3.			
4.			
5.			
	∅ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: **4** (A)

Total Number of Dominant
Species Across All Strata: **4** (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: **100 %** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation
___ 2 - Dominance Test is >50%
___ 3 - Prevalence Index is ≤3.0[1]
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes _X_ No _____

Remarks: (If observed, list morphological adaptations below.)

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	2.5 Y 4/2	80	7.5YR4/3	20	C	M	C	
4-20	2.5Y 4/1	70	7.5YR 4/3	30	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.
[2]Location: PL=Pore Lining. M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
X Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes __X__   No _____

Remarks:

Disturbed Soil from powerline easement

Wetland data point wsor001e_w facing southeast.

Wetland data point wsor001e_w facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 1/11/16

Applicant/Owner: Dominion   State: VA   Sampling Point: WS0r001-4

Investigator(s): C.Jacobs, C. McEachern   Section, Township, Range: None

Landform (hillslope, terrace, etc.): Hillslope   Local relief (concave, convex, none): None   Slope (%): 0-2

Subregion (LRR or MLRA): LRR P   Lat: 36.57501   Long: -77.25441   Datum: WGS84

Soil Map Unit Name: Craven fine sandy loam   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _____ No X

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area within a Wetland?	Yes _____ No X
Hydric Soil Present?	Yes _____ No X		
Wetland Hydrology Present?	Yes _____ No X		

Remarks:

Forested edge of Powerline easement

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

_____ Surface Water (A1)
_____ High Water Table (A2)
_____ Saturation (A3)
_____ Water Marks (B1)
_____ Sediment Deposits (B2)
_____ Drift Deposits (B3)
_____ Algal Mat or Crust (B4)
_____ Iron Deposits (B5)
_____ Inundation Visible on Aerial Imagery (B7)
_____ Water-Stained Leaves (B9)

_____ Aquatic Fauna (B13)
_____ Marl Deposits (B15) (LRR U)
_____ Hydrogen Sulfide Odor (C1)
_____ Oxidized Rhizospheres along Living Roots (C3)
_____ Presence of Reduced Iron (C4)
_____ Recent Iron Reduction in Tilled Soils (C6)
_____ Thin Muck Surface (C7)
_____ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

_____ Surface Soil Cracks (B6)
_____ Sparsely Vegetated Concave Surface (B8)
_____ Drainage Patterns (B10)
_____ Moss Trim Lines (B16)
_____ Dry-Season Water Table (C2)
_____ Crayfish Burrows (C8)
_____ Saturation Visible on Aerial Imagery (C9)
_____ Geomorphic Position (D2)
_____ Shallow Aquitard (D3)
_____ FAC-Neutral Test (D5)
_____ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches):	NA
Water Table Present?	Yes _____	No X	Depth (inches):	720
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches):	720

Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSor 001_u

Tree Stratum (Plot size: 30X30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	22	Yes	FAC
2. Quercus rubra	4	No	FACU
3.			
4.			
5.			
6.			
7.			
8.			

26 = Total Cover
50% of total cover: 13   20% of total cover: 5.2

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. Pinus taeda	12	Yes	FAC
2. Quercus rubra	8	Yes	FACU
3. Liquidambar styraciflua	3	No	FAC
4. Ilex opaca	2	No	FAC
5.			
6.			
7.			
8.			

25 = Total Cover
50% of total cover: 12.5   20% of total cover: 5

Herb Stratum (Plot size: 30 X 30)			
1. Carex stricta	2	No	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

2 = Total Cover
50% of total cover: 1   20% of total cover: 0.4

Woody Vine Stratum (Plot size: 30 X 30)			
1. Lonicera japonica	1	No	FACU
2.			
3.			
4.			
5.			

1 = Total Cover
50% of total cover: 0.5   20% of total cover: 0.2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 67% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
___ 3 - Prevalence Index is ≤3.0[1]
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No ___

Remarks: (If observed, list morphological adaptations below).

Cladonia rangifera present

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 6/3	100					SC	
8-20	2.5Y 6/3	100					C	

[1]Type: C=Concentration. D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining. M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

__ Histosol (A1)
__ Histic Epipedon (A2)
__ Black Histic (A3)
__ Hydrogen Sulfide (A4)
__ Stratified Layers (A5)
__ Organic Bodies (A6) (LRR P, T, U)
__ 5 cm Mucky Mineral (A7) (LRR P, T, U)
__ Muck Presence (A8) (LRR U)
__ 1 cm Muck (A9) (LRR P, T)
__ Depleted Below Dark Surface (A11)
__ Thick Dark Surface (A12)
__ Coast Prairie Redox (A16) (MLRA 150A)
__ Sandy Mucky Mineral (S1) (LRR O, S)
__ Sandy Gleyed Matrix (S4)
__ Sandy Redox (S5)
__ Stripped Matrix (S6)
__ Dark Surface (S7) (LRR P, S, T, U)

__ Polyvalue Below Surface (S8) (LRR S, T, U)
__ Thin Dark Surface (S9) (LRR S, T, U)
__ Loamy Mucky Mineral (F1) (LRR O)
__ Loamy Gleyed Matrix (F2)
__ Depleted Matrix (F3)
__ Redox Dark Surface (F6)
__ Depleted Dark Surface (F7)
__ Redox Depressions (F8)
__ Marl (F10) (LRR U)
__ Depleted Ochric (F11) (MLRA 151)
__ Iron-Manganese Masses (F12) (LRR O, P, T)
__ Umbric Surface (F13) (LRR P, T, U)
__ Delta Ochric (F17) (MLRA 151)
__ Reduced Vertic (F18) (MLRA 150A, 150B)
__ Piedmont Floodplain Soils (F19) (MLRA 149A)
__ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

__ 1 cm Muck (A9) (LRR O)
__ 2 cm Muck (A10) (LRR S)
__ Reduced Vertic (F18) (outside MLRA 150A, B)
__ Piedmont Floodplain Soils (F19) (LRR P, S, T)
__ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
__ Red Parent Material (TF2)
__ Very Shallow Dark Surface (TF12)
__ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No _X_

Remarks:

Upland data point wsor001_u facing north

Upland data point wsor001_u facing northeast

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 10/22/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WS00UD7F-W

Investigator(s): L. Roper, J. Iaceta   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Terrace   Local relief (concave, convex, none): None   Slope (%) 0-2

Subregion (LRR or MLRA): LRRT   Lat: 36.57781   Long: -77.24760   Datum: WGS84

Soil Map Unit Name: Tomotley sandy loam   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _X_ No ___ (If no, explain in Remarks.)

Are Vegetation ___, Soil ___, or Hydrology ___ significantly disturbed?   Are "Normal Circumstances" present? Yes _X_ No ___

Are Vegetation ___, Soil ___, or Hydrology ___ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _X_ No ___	Is the Sampled Area within a Wetland?	Yes _X_ No ___
Hydric Soil Present?	Yes _X_ No ___		
Wetland Hydrology Present?	Yes _X_ No ___		

Remarks:

adjacent to powerline easement

NCWAM: Hardwood Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	_X_ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
_X_ Water-Stained Leaves (B9)		_X_ FAC-Neutral Test (D5)
		_X_ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes ___ No _X_	Depth (inches): N/A	
Water Table Present?	Yes ___ No _X_	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes ___ No _X_	Depth (inches): >20	Wetland Hydrology Present? Yes _X_ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSU0007Ew

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus phellos	20	Y	FACW
2. Nyssa sylvatica	5	N	FAC
3. Pinus taeda	10	Y	FAC
4. Liquidambar styraciflua	10	Y	FAC
5.			
6.			
7.			
8.			

45 = Total Cover
50% of total cover: 22.5 20% of total cover: 9

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Pinus taeda	5	Y	FAC
2. Liquidambar styraciflua	5	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

10 = Total Cover
50% of total cover: 5 20% of total cover: 2

Herb Stratum (Plot size: 30X30ft)			
1. Dichanthelium acuminatum	15	N	FAC
2. Juncus effusus	20	Y	OBL
3. Chasmanthium laxum	60	Y	FACW
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

95 = Total Cover
50% of total cover: 47.5 20% of total cover: 19

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	5	Y	FAC
2. Vitis rotundifolia	5	Y	FAC
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5 20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 9 (A)

Total Number of Dominant
Species Across All Strata: 9 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes _X_ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-15	10YR5/1	90	10YR5/8	10	C	PL	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
X Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: Compaction
Depth (inches): 15

Hydric Soil Present? Yes X   No ____

Remarks:
can not auger past 15 inches, due to compaction.

Wetland data point wsoo007f_w facing west.

Wetland data point wsoo007f_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __10/22/15__
Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WS00 007_a__
Investigator(s): __L. Roper, S. Tolepq__   Section, Township, Range: __N/A__
Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): __None__   Slope (%) __0-2__
Subregion (LRR or MLRA): __LRR T__   Lat: __36.57779__   Long: __-77.24774__   Datum: __WGS84__
Soil Map Unit Name: __Tomotley sandy loam__   NWI classification: __NA__
Are climatic / hydrologic conditions on the site typical for this time of year? Yes __X__ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes __X__ No _____	within a Wetland?	Yes _____ No __X__
Wetland Hydrology Present?	Yes _____ No __X__		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

Primary Indicators		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		_X_ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __NA__	
Water Table Present?	Yes _____ No __X__	Depth (inches): __>15__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): __>15__	Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WS00D07-u

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus alba	20	Y	FACU
2. Quercus phellos	15	Y	FACW
3. Pinus taeda	10	N	FAC
4. Liquidambar styraciflua	5	N	FAC
5. Acer rubrum	5	N	FAC
6.			
7.			
8.			

55 = Total Cover
50% of total cover: 27.5   20% of total cover: 11

Sapling/Shrub Stratum (Plot size: 30X20ft)			
1. Acer rubrum	5	Y	FAC
2. Liquidambar styraciflua	5	Y	FAC
3. Quercus alba	10	Y	FACU
4.			
5.			
6.			
7.			
8.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 20X30ft)			
1. Chasmanthium laxum	50	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

50 = Total Cover
50% of total cover: 25   20% of total cover: 10

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	5	Y	FAC
2. Vitis rotundifolia	5	Y	FAC
3.			
4.			
5.			

= Total Cover
50% of total cover: ___   20% of total cover: ___

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant
Species Across All Strata: 8 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 75% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOImL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR3/2	100					CL	
6-15	10YR9/1	100					CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
_X_ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: Compaction
Depth (inches): 15

Hydric Soil Present? Yes _X_ No _____

Remarks:

Can not auger past 15 inches.

Upland data point wsoo007_u facing west

Upland data point wsoo007_u facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __10/6/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WS000001F-w__

Investigator(s): __J Benton__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Floodplain__ Local relief (concave, convex, none): __Concave__ Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRP__ Lat: __36.57932__ Long: __-77.24246__ Datum: __WGS-84__

Soil Map Unit Name: __Chastain loam, 0-2% slopes, frequently flooded__ NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __X__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Hydric Soil Present?	Yes __X__ No _____	
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:
Riverine swamp forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
X High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
X Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	X Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
X FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes __X__ No _____	Depth (inches): __4__	
Saturation Present? (includes capillary fringe)	Yes __X__ No _____	Depth (inches): __surface__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WS00001f-w

Tree Stratum (Plot size: 30 X 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Acer rubrum	30	Y	FAC
2. Carpinus caroliniana	20	Y	FAC
3. Nyssa biflora	20	Y	OBL
4.			
5.			
6.			
7.			
8.			

70 = Total Cover

50% of total cover: 35   20% of total cover: 14

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. Acer rubrum	15	Y	FAC
2. Magnolia virginiana	10	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			

25 = Total Cover

50% of total cover: 12.5   20% of total cover: 5

Herb Stratum (Plot size: 30 X 30)			
1. Arundinaria gigantea	15	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

15 = Total Cover

50% of total cover: 7.5   20% of total cover: 3

Woody Vine Stratum (Plot size: 30 X 30)			
1. Smilax rotundifolia	10	Y	FAC
2. Campsis radicans	5	Y	FAC
3.			
4.			
5.			

15 = Total Cover

50% of total cover: 7.5   20% of total cover: 3

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	2.5Y 4/2	80	5YR 4/6	20	C	PL	L	
14-20	2.5Y 4/2	80	7.5YR 5/8	15	C	PL	L	
			7.5YR 5/8	5	C	M		

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)
___ Stratified Layers (A5)	X Depleted Matrix (F3)
___ Organic Bodies (A6) (LRR P, T, U)	___ Redox Dark Surface (F6)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)
___ Dark Surface (S7) (LRR P, S, T, U)	

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes X   No _____

Remarks:

Wetland data point wsoo001f_w facing north.

Wetland data point wsoo001f_w facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 10/6/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WS00001-v

Investigator(s): J. Benton   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): hillslope   Local relief (concave, convex, none): Concave   Slope (%): 0-2

Subregion (LRR or MLRA): LRR P   Lat: 36.57936   Long: -77.24238   Datum: WGS-84

Soil Map Unit Name: Chastain loam, 0-2 % slopes, frequently flooded   NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area	
Hydric Soil Present?	Yes _____ No X	within a Wetland?	Yes _____ No X
Wetland Hydrology Present?	Yes _____ No X		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches):	N/A
Water Table Present?	Yes _____	No X	Depth (inches):	>20
Saturation Present? (includes capillary fringe)	Yes X	No _____	Depth (inches):	16

Wetland Hydrology Present?   Yes _____   No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: W500001_u

Tree Stratum (Plot size: 30X30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liriodendron tulipifera	35	Y	FACU
2. Acer rubrum	20	Y	FAC
3. Carpinus caroliniana	15	Y	FAC
4.			
5.			
6.			
7.			
8.			

70 = Total Cover

50% of total cover: 35   20% of total cover: 14

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. Liquidambar styraciflua	10	Y	FAC
2. Liriodendron tulipifera	5	Y	FACU
3. Carpinus caroliniana	5	Y	FAC
4.			
5.			
6.			
7.			
8.			

20 = Total Cover

50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 30 X 30)			
1. Arundinaria gigantea	10	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

10 = Total Cover

50% of total cover: 5   20% of total cover: 2

Woody Vine Stratum (Plot size: 30 X 30)			
1. Lonicera japonica	5	Y	FAC
2. Vitis rotundifolia	5	Y	FAC
3. Smilax rotundifolia	5	Y	FAC
4.			
5.			

15 = Total Cover

50% of total cover: 7.5   20% of total cover: 3

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant
Species Across All Strata: 10 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 80 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)	(B)	

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/3	100					L	
4-10	2.5Y 5/3	100					L	
10-14	2.5Y 5/3	95	7.5YR 5/8	5	C	M	L	
14-20	2.5Y 5/1	95	7.5YR 5/8	5	C	M	L	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No _X_

Remarks:

Upland data point wsoo001_u facing north.

Upland data point wsoo001_u facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 09/22/15

Applicant/Owner: Dominion   State: VA   Sampling Point: Wsop015F_w

Investigator(s): R. Turnbull, S. Iosefa   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): NONE   Slope (%): 0-2

Subregion (LRR or MLRA): LRR RP   Lat: 36.58167   Long: -77.23776   Datum: WGS84

Soil Map Unit Name: Tomotley sandy loam, 0-2% slopes, rarely flooded   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _X_ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _X_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _X_ No _____

Hydric Soil Present? Yes _X_ No _____

Wetland Hydrology Present? Yes _X_ No _____

Is the Sampled Area within a Wetland? Yes _X_ No _____

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

Pine Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [x] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [x] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [x] FAC-Neutral Test (D5)
- [x] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No _X_ Depth (inches): N/A

Water Table Present? Yes _____ No _X_ Depth (inches): >20

Saturation Present? Yes _____ No _X_ Depth (inches): >20
(includes capillary fringe)

Wetland Hydrology Present? Yes _X_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOP015f.w

Tree Stratum (Plot size: 30X30 ft.)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	30	Y	FAC
2. Acer rubrum	15	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

45 = Total Cover
50% of total cover: 22.5   20% of total cover: 9

Sapling/Shrub Stratum (Plot size: 30X30 ft)			
1. Quercus phellos	10	Y	FAC
2. Quercus nigra	5	Y	FAC
3. Acer rubrum	5	Y	FAC
4. Liquidambar styraciflua	5	Y	FAC
5.			
6.			
7.			
8.			

25 = Total Cover
50% of total cover: 12.5   20% of total cover: 5

Herb Stratum (Plot size: 30 x 30 ft)			
1. Xyris ambigua	70	Y	OBL
2. Dichanthelium scoparium	5	N	FACW
3. Toxicodendron radicans	5	N	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

80 = Total Cover
50% of total cover: 40   20% of total cover: 16

Woody Vine Stratum (Plot size: 30 X 30 ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	7	(A)
Total Number of Dominant Species Across All Strata:	7	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [x] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR-4|2	100					CL	
8-20	10YR5|1	95	10YR 5|6	5	C	PL	CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _X_   No _____

Remarks:

Wetland data point wsop015f_w facing west.

Wetland data point wsop015f_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __09/22/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __wsop015e-w__

Investigator(s): __R. Turnbull, S. Josefa__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Drainage__   Local relief (concave, convex, none): __NONE__   Slope (%): __0-2__

Subregion (LRR or MLRA): __LRR P__   Lat: __36.58149__   Long: __-77.23779__   Datum: __WGS84__

Soil Map Unit Name: __Tomotley sandy loam, 0-2% slopes, rarely flooded__   NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes __X__ No _____	within a Wetland?	Yes __X__ No _____
Wetland Hydrology Present?	Yes __X__ No _____		

Remarks:

Abnormally Dry conditions (based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [X] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [X] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [X] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____	No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____	No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Euthamia caroliniana	20	Y	FAC
2. Lespedeza cuneata	10	N	FACU
3. Juncus effusus	30	Y	OBL
4. Scirpus cyperinus	10	N	OBL
5. Saccharum giganteum	10	N	FACW
6. Dichanthelium scoparium	15	N	FACW
7.			
8.			
9.			
10.			
11.			
12.			
	95 = Total Cover		

50% of total cover: 47.5   20% of total cover: 19

Woody Vine Stratum (Plot size: 30X30ft)			
1. Vitis rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			
	10 = Total Cover		

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: _____ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-5	2.5Y 4/2	95	10YR 9/6	5	C	PL	CL	
9-20	2.5Y 4/1	95	10YR 9/6	5	C	PL	C	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) **(LRR P, T, U)**
- [ ] 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- [ ] Muck Presence (A8) **(LRR U)**
- [ ] 1 cm Muck (A9) **(LRR P, T)**
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) **(MLRA 150A)**
- [ ] Sandy Mucky Mineral (S1) **(LRR O, S)**
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) **(LRR P, S, T, U)**

- [ ] Polyvalue Below Surface (S8) **(LRR S, T, U)**
- [ ] Thin Dark Surface (S9) **(LRR S, T, U)**
- [ ] Loamy Mucky Mineral (F1) **(LRR O)**
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) **(LRR U)**
- [ ] Depleted Ochric (F11) **(MLRA 151)**
- [ ] Iron-Manganese Masses (F12) **(LRR O, P, T)**
- [ ] Umbric Surface (F13) **(LRR P, T, U)**
- [ ] Delta Ochric (F17) **(MLRA 151)**
- [ ] Reduced Vertic (F18) **(MLRA 150A, 150B)**
- [ ] Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils³:
- [ ] 1 cm Muck (A9) **(LRR O)**
- [ ] 2 cm Muck (A10) **(LRR S)**
- [ ] Reduced Vertic (F18) **(outside MLRA 150A,B)**
- [ ] Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _X_ No _____

Remarks:

Wetland data point wsop015e_w facing southeast.

Wetland data point wsop015e_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __09/22/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WSoP015.u__

Investigator(s): __R. Turnbull, S. Iocefa__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Flat__   Local relief (concave, convex, none): __none__   Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRP__   Lat: __36.58150__   Long: __-77.23794__   Datum: __WGS 84__

Soil Map Unit Name: __Tomotley sandy loam, 0-2% slopes, rarely flooded__   NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No __X__	
Hydric Soil Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes _____ No __X__
Wetland Hydrology Present?	Yes _____ No __X__	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	
☐ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**	
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)	
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)	
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	
☐ Inundation Visible on Aerial Imagery (B7)		
☐ Water-Stained Leaves (B9)		

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __X__	Depth (inches): __>15__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): __>15__	Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Could not auger past 15 inches.

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

_____ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Lespedeza cuneata	70	Y	FACU
2. Eupatorium capillifolium	20	N	FACU
3. Juncus effusus	5	N	OBL
4. Solidago altissima	10	N	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

105 = Total Cover

50% of total cover: 52.5 20% of total cover: 21

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___0___ (A)

Total Number of Dominant
Species Across All Strata: ___1___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___0___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	5	x 1 =	5
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	100	x 4 =	400
UPL species	0	x 5 =	0
Column Totals:	105 (A)		405 (B)

Prevalence Index = B/A = 3.86

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes _____   No X

Remarks: (If observed, list morphological adaptations below).

SOOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 4/3	100					CL	highly compacted
8-15	2.5Y 4/2	95	10YR 9/10		C	M	S	CL

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) (LRR O)	☐ Reduced Vertic (F18) (outside MLRA 150A,B)
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
☐ Stratified Layers (A5)	☒ Depleted Matrix (F3)	☐ Anomalous Bright Loamy Soils (F20)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Redox Dark Surface (F6)	(MLRA 153B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Depleted Dark Surface (F7)	☐ Red Parent Material (TF2)
☐ Muck Presence (A8) (LRR U)	☐ Redox Depressions (F8)	☐ Very Shallow Dark Surface (TF12)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Marl (F10) (LRR U)	☐ Other (Explain in Remarks)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) (MLRA 151)	
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
☐ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _X_   No _____

Remarks:

cant auger past 15 inches.

Upland data point wsop015_u facing southwest.

Upland data point wsop015_u facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP City/County: Southampton Sampling Date: 09/22/15

Applicant/Owner: Dominion State: VA Sampling Point: ws-p016f-w

Investigator(s): R. Turnbull, S. Iosefa Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Flat Local relief (concave, convex, none): none Slope (%): 0-2

Subregion (LRR or MLRA): LRRP Lat: 36.58282 Long: -77.23466 Datum: WGSP4

Soil Map Unit Name: Tomotley sandy loam, 0-2% slopes, rarely flooded NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area within a Wetland? Yes X No _____
Hydric Soil Present?	Yes X No _____	
Wetland Hydrology Present?	Yes X No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

Hardwood Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	
☐ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**	
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)	
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	
☐ Algal Mat or Crust (B4)	☒ Thin Muck Surface (C7)	
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	
☐ Inundation Visible on Aerial Imagery (B7)		
☒ Water-Stained Leaves (B9)		

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☒ FAC-Neutral Test (D5)
- ☒ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No X	Depth (inches): >20	Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: _____

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liriodendron tulipifera	50	Y	FACU
2. Pinus taeda	10	N	FAC
3. ____	___	___	___
4. ____	___	___	___
5. ____	___	___	___
6. ____	___	___	___
7. ____	___	___	___
8. ____	___	___	___

60 = Total Cover
50% of total cover: 30   20% of total cover: 12

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Liquidambar styraciflua	10	Y	FAC
2. Magnolia virginiana	30	Y	FACW
3. Acer rubrum	5	N	FAC
4. ____	___	___	___
5. ____	___	___	___
6. ____	___	___	___
7. ____	___	___	___
8. ____	___	___	___

45 = Total Cover
50% of total cover: 22.5   20% of total cover: 9

Herb Stratum (Plot size: 30X30ft)			
1. Clethra alnifolia	40	Y	FAC
2. Woodwardia areolata	30	Y	FACW
3. Arundinaria gigantea	10	N	FAC
4. ____	___	___	___
5. ____	___	___	___
6. ____	___	___	___
7. ____	___	___	___
8. ____	___	___	___
9. ____	___	___	___
10. ____	___	___	___
11. ____	___	___	___
12. ____	___	___	___

80 = Total Cover
50% of total cover: 40   20% of total cover: 16

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	10	Y	FAC
2. ____	___	___	___
3. ____	___	___	___
4. ____	___	___	___
5. ____	___	___	___

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **5** (A)

Total Number of Dominant Species Across All Strata: **6** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **83.3%** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	___	x 1 =	___
FACW species	___	x 2 =	___
FAC species	___	x 3 =	___
FACU species	___	x 4 =	___
UPL species	___	x 5 =	___
Column Totals:	___ (A)		___ (B)

Prevalence Index = B/A = ___

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes **X** No ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: wsop016f_w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 2/1	100					L	High organic content
16-20	2.5Y 4/1	100					CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [x] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes __X__　No _____

Remarks:

footer

Wetland data point wsop016f_w facing southeast.

Wetland data point wsop016f_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __09/22/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __wsop016e-w__

Investigator(s): __R. Turnbull, S. Joseph__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Flat__   Local relief (concave, convex, none): __None__   Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRP__   Lat: __36.58276__   Long: __-77.23445__   Datum: __WGS 84__

Soil Map Unit Name: __Tomotley sandy loam, 0-2% slopes, rarely flooded__   NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	
Hydric Soil Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [X] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [X] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants. Sampling Point: WSop016e-w

Tree Stratum (Plot size: 30x30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30x30ft)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30x30ft)			
1. Andropogon glomeratus	50	Y	FACW
2. Persicaria sagittata	30	Y	OBL
3. Rubus argutus	10	N	FAC
4. Saccharum gigantea	5	N	FACW
5. Arundinaria gigantea	30	Y	FACW
6.			
7.			
8.			
9.			
10.			
11.			
12.			

125 = Total Cover

50% of total cover: 62.5 20% of total cover: 25

Woody Vine Stratum (Plot size: 30x30ft)			
1.			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___3___ (A)

Total Number of Dominant
Species Across All Strata: ___3___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___100___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _X_ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 3/2	100					SL	High organic content
8-20	10YR 4/1	100					LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) (LRR O)	☐ Reduced Vertic (F18) (outside MLRA 150A,B)
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
☐ Stratified Layers (A5)	☐ Depleted Matrix (F3)	☐ Anomalous Bright Loamy Soils (F20)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Redox Dark Surface (F6)	(MLRA 153B)
☒ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Depleted Dark Surface (F7)	☐ Red Parent Material (TF2)
☐ Muck Presence (A8) (LRR U)	☐ Redox Depressions (F8)	☐ Very Shallow Dark Surface (TF12)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Marl (F10) (LRR U)	☐ Other (Explain in Remarks)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) (MLRA 151)	
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
☐ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes __X__ No _____

Remarks:

Wetland data point wsop016e_w facing northeast.

Wetland data point wsop016e_w facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 09/22/15
Applicant/Owner: Dominion   State: VA   Sampling Point: WSopO16-u
Investigator(s): R Turnbull C Iosefa   Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): none   Slope (%): 0-2
Subregion (LRR or MLRA): LRRP   Lat: 36.58265   Long: -77.23469   Datum: WGS 84
Soil Map Unit Name: Tomotley sandy loam, 0-2% slopes, rarely flooded   NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation X , Soil X , or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No X	Is the Sampled Area
Hydric Soil Present?	Yes _____ No X	within a Wetland? Yes _____ No X
Wetland Hydrology Present?	Yes _____ No X	

Remarks:
Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)
Edge of soybean field

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No X	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants. Sampling Point: WSOP016_u

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Glycine max	20	Y	UPL
2. Kummerowia striata	30	Y	FACU
3. Eupatorium capillifolium	10	N	FACU
4. Arundinaria gigantea	5	N	FACW
5. Digitaria sanguinalis	5	N	FACU
6. Ipomoea purpurea	5	N	UPL
7. Cyperus sp.	5	N	FACU/OBL
8. Galium sp.	10	N	UPL/OBL
9.			
10.			
11.			
12.			
	90 = Total Cover		

50% of total cover: 45 20% of total cover: 18

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ____0____ (A)

Total Number of Dominant Species Across All Strata: ____2____ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ____0____ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species	5	x 2 =	10
FAC species		x 3 =	
FACU species	45	x 4 =	180
UPL species	25	x 5 =	125
Column Totals:	75 (A)		315 (B)

Prevalence Index = B/A = 4.2

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☐ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No X

Remarks: (If observed, list morphological adaptations below).
Disturbed (maintained/mowed agricultural field edge)
Unidentified Cyperus and Galium would not change outcome of Prevalence Index (>3.0) even if both are OBL species

SOIL

Sampling Point: wsop016_u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 2/1	100					SL	
6-20	10YR 3/2	100					SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:
- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: _____
Depth (inches): _____

Hydric Soil Present? Yes _____ No _X_

Remarks:

Upland data point wsop016_u facing west.

Upland data point wsop016_u facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 9/22/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP017F-W

Investigator(s): R Turnbull, J. Josefa   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): None   Slope (%): 0-2

Subregion (LRR or MLRA): LRRP   Lat: 36.58372   Long: -77.23242   Datum: WGS84

Soil Map Unit Name: Tomotley sandy loam, 0-2% slopes, rarely flooded   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	
Hydric Soil Present?	Yes X No _____	Is the Sampled Area within a Wetland? Yes X No _____
Wetland Hydrology Present?	Yes X No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

Hardwood Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [X] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [X] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [X] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No X	Depth (inches): >20	Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: _____

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Acer rubrum	30	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

30 = Total Cover
50% of total cover: 15 20% of total cover: 6

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Magnolia virginiana	40	Y	FACW
2. Liriodendron tulipifera	5	N	FACU
3.			
4.			
5.			
6.			
7.			
8.			

45 = Total Cover
50% of total cover: 22.5 20% of total cover: 9

Herb Stratum (Plot size: 30X30ft)			
1. Clethra alnifolia	20	N	FACW
2. Toxicodendron radicans	30	Y	FAC
3. Arundinaria gigantea	10	N	FACW
4. Xyris ambigua	40	Y	OBL
5. Rubus argutus	5	N	FAC
6.			
7.			
8.			
9.			
10.			
11.			
12.			

105 = Total Cover
50% of total cover: 52.5 20% of total cover: 21

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5 20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/1	100					SL	High organic content
0-20	2.5Y 4/1	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [x] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _X_   No _____

Remarks:

Wetland data point wsop017f_w facing northwest.

Wetland data point wsop017f_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __09/22/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __wsop017e_w__

Investigator(s): __R. Turnbull, S. Iosefa__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Flat__   Local relief (concave, convex, none): __none__   Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRP__   Lat: __36.58358__   Long: __-77.23237__   Datum: __WGS84__

Soil Map Unit Name: __Tomotley sandy loam 0-2% slopes, rarely Flooded__   NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	
Hydric Soil Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☒ Water-Stained Leaves (B9)

- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) (LRR U)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☒ FAC-Neutral Test (D5)
- ☒ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____	No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____	No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: _____

Tree Stratum (Plot size: 30x30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Persicaria sagittata	60	Y	OBL
2. Rubus argutus	20	N	FAC
3. Saccharum giganteum	20	N	FACW
4. Senecio hieraciifolius	5	N	FAC
5. Cyperus erythrorhizos	5	N	OBL
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	110 = Total Cover		

50% of total cover: 55 20% of total cover: 22

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No _____

Remarks: (If observed, list morphological adaptations below).

US Army Corps of Engineers

Atlantic and Gulf Coastal Plain Region – Version 2.0

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-10	10YR 2/1	100					L	High organic content
10-20	10YR 4/1	90	10YR 4/6	10	C	PL	CL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) (LRR O)	☐ Reduced Vertic (F18) (outside MLRA 150A,B)
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
☐ Stratified Layers (A5)	☒ Depleted Matrix (F3)	☐ Anomalous Bright Loamy Soils (F20)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Redox Dark Surface (F6)	(MLRA 153B)
☒ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Depleted Dark Surface (F7)	☐ Red Parent Material (TF2)
☐ Muck Presence (A8) (LRR U)	☐ Redox Depressions (F8)	☐ Very Shallow Dark Surface (TF12)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Marl (F10) (LRR U)	☐ Other (Explain in Remarks)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) (MLRA 151)	
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	³Indicators of hydrophytic vegetation and
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
☐ Dark Surface (S7) (LRR P, S, T, U)		

Indicators for Problematic Hydric Soils³:

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ☒   No _____

Remarks:

Wetland data point wsop017e_w facing southeast.

Wetland data point wsop017e_w facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 09/22/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOP017-4

Investigator(s): R. Turnbull, S. Josefa   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Hillslope   Local relief (concave, convex, none): none   Slope (%): 0-2

Subregion (LRR or MLRA): LRRP   Lat: 36.58346   Long: -77.23263   Datum: WGS84

Soil Map Unit Name: Tomotley sandy loam, 0-2% slopes, rarely flooded   NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland?	Yes _____ No __X__
Hydric Soil Present?	Yes _____ No __X__		
Wetland Hydrology Present?	Yes _____ No __X__		

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [x] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): N/A		
Water Table Present?	Yes _____ No __X__	Depth (inches): >20		
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No __X__	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: _____

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

_____0_____ = Total Cover

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

_____0_____ = Total Cover

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Arundinaria gigantea	20	Y	FACW
2. Euthamia caroliniana	5	N	FAC
3. Andropogon glomeratus	20	Y	FACW
4. Saccharum giganteum	20	Y	FACW
5. Rhexia mariana	5	N	FACW
6.			
7.			
8.			
9.			
10.			
11.			
12.			

_____70_____ = Total Cover

50% of total cover: 35   20% of total cover: 14

Woody Vine Stratum (Plot size: 30 X 30 Ft)			
1. Vitis rotundifolia	10	Y	FAC
2. Smilax rotundifolia	5	Y	FAC
3.			
4.			
5.			

_____15_____ = Total Cover

50% of total cover: 7.5   20% of total cover: 3

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **5** (A)

Total Number of Dominant Species Across All Strata: **5** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **100** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _X_   No _____

Remarks: (If observed, list morphological adaptations below).

US Army Corps of Engineers

Atlantic and Gulf Coastal Plain Region – Version 2.0

SOIL

Sampling Point: _____

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	2.5Y 3/2	100					SL	
4-10	2.5Y 4/2	100					SL	
10-20	2.5Y 6/3	100	2.5Y 0/2	40	D	M	S	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**	☐ 1 cm Muck (A9) **(LRR O)**
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) **(LRR S, T, U)**	☐ 2 cm Muck (A10) **(LRR S)**
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) **(LRR O)**	☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
☐ Stratified Layers (A5)	☐ Depleted Matrix (F3)	☐ Anomalous Bright Loamy Soils (F20)
☐ Organic Bodies (A6) **(LRR P, T, U)**	☐ Redox Dark Surface (F6)	**(MLRA 153B)**
☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	☐ Depleted Dark Surface (F7)	☐ Red Parent Material (TF2)
☐ Muck Presence (A8) **(LRR U)**	☐ Redox Depressions (F8)	☐ Very Shallow Dark Surface (TF12)
☐ 1 cm Muck (A9) **(LRR P, T)**	☐ Marl (F10) **(LRR U)**	☐ Other (Explain in Remarks)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) **(MLRA 151)**	
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
☐ Coast Prairie Redox (A16) **(MLRA 150A)**	☐ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
☐ Sandy Mucky Mineral (S1) **(LRR O, S)**	☐ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
☐ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ☒

Remarks:

Upland data point wsop017_u facing west.

Upland data point wsop017_u facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/22/15__
Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WSOP 018F-W__
Investigator(s): __R-Turnbull, S.Iasefa__ Section, Township, Range: __N/A__
Landform (hillslope, terrace, etc.): __Floodplain__ Local relief (concave, convex, none): __Concave__ Slope (%): __1-4__
Subregion (LRR or MLRA): __LRRP__ Lat: __36.58661__ Long: __-77.22309__ Datum: __WGS84__
Soil Map Unit Name: __Bibb sandy loam, 0-2% slopes, frequently flooded__ NWI classification: __PFO__
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Hydric Soil Present?	Yes __X__ No _____	
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:
Abnormally Dry conditions (Based on Sept.22 Drought Monitor)

Bottomland Hardwood Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☒ Water Marks (B1)	☒ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☒ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☒ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Nyssa sylvatica	30	Y	FAC
2. Acer rubrum	40	Y	FAC
3. Liquidambar styraciflua	20	Y	FAC
4. ___	___	___	___
5. ___	___	___	___
6. ___	___	___	___
7. ___	___	___	___
8. ___	___	___	___

90 = Total Cover
50% of total cover: 45   20% of total cover: 18

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Ligustrum sinense	10	Y	FAC
2. Liquidambar styraciflua	5	Y	FAC
3. ___	___	___	___
4. ___	___	___	___
5. ___	___	___	___
6. ___	___	___	___
7. ___	___	___	___
8. ___	___	___	___

15 = Total Cover
50% of total cover: 7.5   20% of total cover: 3

Herb Stratum (Plot size: 30X30ft)			
1. Toxicodendron radicans	20	Y	FAC
2. Athyrium asplenioides	10	Y	FAC
3. ___	___	___	___
4. ___	___	___	___
5. ___	___	___	___
6. ___	___	___	___
7. ___	___	___	___
8. ___	___	___	___
9. ___	___	___	___
10. ___	___	___	___
11. ___	___	___	___
12. ___	___	___	___

30 = Total Cover
50% of total cover: 15   20% of total cover: 6

Woody Vine Stratum (Plot size: 30X30ft)			
1. Toxicodendron radicans	5	Y	FAC
2. Wisteria frutescens	5	Y	FACW
3. ___	___	___	___
4. ___	___	___	___
5. ___	___	___	___

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	9	(A)
Total Number of Dominant Species Across All Strata:	9	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	___	x 1 = ___
FACW species	___	x 2 = ___
FAC species	___	x 3 = ___
FACU species	___	x 4 = ___
UPL species	___	x 5 = ___
Column Totals:	___ (A)	___ (B)

Prevalence Index = B/A = ___

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☒ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: _____

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-6	10YR4/2	100					SL	
6-20	10YR4/1	95	10YR9/4	5	C	PL	SL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes X   No _____

Remarks:

Wetland data point wsop018f_w facing north.

Wetland data point wsop018f_w facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP City/County: Southampton Sampling Date: 09/22/15
Applicant/Owner: Dominion State: VA Sampling Point: WSop018e_W
Investigator(s): R-Turnbull, S. Iosefa Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): Concave Slope (%): 1-4
Subregion (LRR or MLRA): LRR P Lat: 36.58674 Long: -77.22339 Datum: WGS84
Soil Map Unit Name: Bibb sandy loam, 0-2% slopes, frequently flooded NWI classification: PEM
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)
Are Vegetation X, Soil X, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area within a Wetland? Yes X No _____
Hydric Soil Present?	Yes X No _____	
Wetland Hydrology Present?	Yes X No _____	

Remarks:
Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [X] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [X] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): N/A	
Water Table Present?	Yes _____	No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): >20	Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSop018e_w

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Arundinaria gigantea	70	Y	FACW
2. Impatiens capensis	20	N	FACW
3. Persicaria sagittata	50	Y	OBL
4. Commelina communis	15	N	FAC
5. Euthamia caroliniana	10	N	FAC
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	165 = Total Cover		

50% of total cover: 82.5 20% of total cover: 33

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: 0 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2   (A)

Total Number of Dominant Species Across All Strata: 2   (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/2	100					SL	High organic content
8-20	10YR 4/1	90	10YR 5/6	10	C	PL	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.
[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☒ No _____

Remarks:

Wetland data point wsop018e_w facing northeast.

Wetland data point wsop018e_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/22/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __Wsop018-u__

Investigator(s): __R-Turnbull, S. Iosefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Hillslope__ Local relief (concave, convex, none): __Concave__ Slope (%): __4-10__

Subregion (LRR or MLRA): __LRR T__ Lat: __36.58667__ Long: __-77.22362__ Datum: __WGS84__

Soil Map Unit Name: __Bibb sandy loam, 0-2% slopes, frequently flooded__ NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes _____ No __X__	within a Wetland? Yes _____ No __X__
Wetland Hydrology Present?	Yes _____ No __X__	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)

- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No __X__ Depth (inches): __N/A__

Water Table Present? Yes _____ No __X__ Depth (inches): __>20__

Saturation Present? Yes _____ No __X__ Depth (inches): __>20__
(includes capillary fringe)

Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOP018-4

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Rubus argutus	70	Y	FAC
2. Arundinaria gigantea	20	N	FACW
3. Euthamia caroliniana	50	Y	FAC
4. Phytolacca americana	30	N	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	170 = Total Cover		

50% of total cover: 85   20% of total cover: 34

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2   (A)

Total Number of Dominant Species Across All Strata: 2   (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☒ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: _____

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/2	100					SL	
5-10	10YR 4/2	100					LS	
10-20	2.5Y 5/3	90	10YR 5/4	10	C	M	LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**	☐ 1 cm Muck (A9) **(LRR O)**
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) **(LRR S, T, U)**	☐ 2 cm Muck (A10) **(LRR S)**
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) **(LRR O)**	☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
☐ Stratified Layers (A5)	☐ Depleted Matrix (F3)	☐ Anomalous Bright Loamy Soils (F20)
☐ Organic Bodies (A6) **(LRR P, T, U)**	☐ Redox Dark Surface (F6)	**(MLRA 153B)**
☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	☐ Depleted Dark Surface (F7)	☐ Red Parent Material (TF2)
☐ Muck Presence (A8) **(LRR U)**	☐ Redox Depressions (F8)	☐ Very Shallow Dark Surface (TF12)
☐ 1 cm Muck (A9) **(LRR P, T)**	☐ Marl (F10) **(LRR U)**	☐ Other (Explain in Remarks)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) **(MLRA 151)**	
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
☐ Coast Prairie Redox (A16) **(MLRA 150A)**	☐ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
☐ Sandy Mucky Mineral (S1) **(LRR O, S)**	☐ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
☐ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes _____　No _X_

Remarks:

Upland data point wsop018_u facing southwest.

Upland data point wsop018_u facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/15/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa073f_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): P   Lat: 36.58918695   Long: -77.21601126   Datum: WGS 1984

Soil Map Unit Name: Myatt loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PFO section of a saturated to seasonally-flooded wetland complex located in a broad swale; PEM section is located on an existing powerline ROW; PFO section is a combination of planted loblolly pine and mixed bottomland hardwoods.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)
___ High Water Table (A2)
___ Saturation (A3)
___ Water Marks (B1)
___ Sediment Deposits (B2)
___ Drift Deposits (B3)
___ Algal Mat or Crust (B4)
___ Iron Deposits (B5)
___ Inundation Visible on Aerial Imagery (B7)
___ Water-Stained Leaves (B9)

___ Aquatic Fauna (B13)
___ Marl Deposits (B15) **(LRR U)**
___ Hydrogen Sulfide Odor (C1)
✔ Oxidized Rhizospheres along Living Roots (C3)
___ Presence of Reduced Iron (C4)
___ Recent Iron Reduction in Tilled Soils (C6)
___ Thin Muck Surface (C7)
___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
✔ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
✔ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
✔ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
✔ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔ Depth (inches): _____	
Water Table Present?	Yes _____ No ✔ Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔ Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	30	Yes	FAC
2. *Quercus laurifolia*	15	Yes	FACW
3. *Quercus pagoda*	10	No	FACW
4. *Acer rubrum*	10	No	FAC
5. *Fagus grandifolia*	5	No	FACU
6. *Ilex opaca*	5	No	FAC
7.			
8.			
	75	= Total Cover	
50% of total cover: 37.5 20% of total cover: 15			

Sapling/Shrub Stratum (Plot size: 15)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Ilex opaca*	15	Yes	FAC
2. *Acer rubrum*	10	Yes	FAC
3. *Pinus taeda*	5	No	FAC
4. *Liquidambar styraciflua*	5	No	FAC
5. *Nyssa sylvatica*	5	No	FAC
6.			
7.			
8.			
	40	= Total Cover	
50% of total cover: 20 20% of total cover: 8			

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Arundinaria gigantea*	50	Yes	FACW
2. *Chasmanthium latifolium*	15	Yes	FAC
3. *Mitchella repens*	2	No	FACU
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	67	= Total Cover	
50% of total cover: 33.5 20% of total cover: 13.4			

Woody Vine Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Smilax rotundifolia*	10	Yes	FAC
2.			
3.			
4.			
5.			
	10	= Total Cover	
50% of total cover: 5 20% of total cover: 2			

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 7   (A)

Total Number of Dominant
Species Across All Strata: 7   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	75	x 2 =	150
FAC species	110	x 3 =	330
FACU species	7	x 4 =	28
UPL species	0	x 5 =	0
Column Totals:	192 (A)		508 (B)

Prevalence Index = B/A =   2.64

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 2/2	100					SL	
2-7	10YR 4/1	100					SL	
7-20	10YR 5/1	92	7.5YR 4/6	8	C	PL/M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils[3]:**

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
✔ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20)
　　(MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
　wetland hydrology must be present,
　unless disturbed or problematic.

Restrictive Layer (if observed):
　Type: none
　Depth (inches): _____

Hydric Soil Present?　Yes __✔__　No _____

Remarks:

Photo 1
Wetland data point wsoa073f_w facing north

Photo 2
Wetland data point wsoa073f_w facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/15/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa073e_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): P   Lat: 36.58938804   Long: -77.21633371   Datum: WGS 1984

Soil Map Unit Name: Myatt loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PEM section of a saturated to seasonally-flooded wetland complex located in a broad swale; PEM section is located on an existing powerline ROW; PFO section is a combination of planted loblolly pine and mixed bottomland hardwoods.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	✔ Drainage Patterns (B10)
___ Water Marks (B1)	✔ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	✔ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	✔ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✔ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Panicum dichotomiflorum*	15	Yes	FACW
2. *Rhynchospora fascicularis*	15	Yes	FACW
3. *Dichanthelium scoparium*	15	Yes	FACW
4. *Juncus effusus*	10	Yes	OBL
5. *Rhexia virginica*	10	Yes	FACW
6. *Solidago rugosa*	10	Yes	FAC
7. *Carex comosa*	10	Yes	OBL
8. *Eupatorium perfoliatum*	10	Yes	FACW
9. *Bidens frondosa*	5	No	FACW
10.			
11.			
12.			
	100 = Total Cover		

50% of total cover: 50   20% of total cover: 20

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 8   (A)

Total Number of Dominant
Species Across All Strata: 8   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	20	x 1 =	20
FACW species	70	x 2 =	140
FAC species	10	x 3 =	30
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	100 (A)		190 (B)

Prevalence Index = B/A =   1.9

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 4/1	95	7.5YR 4/6	5	C	PL/M	SCL	
8-18	10YR 5/1	90	7.5YR 4/6	10	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
✔ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:
___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: none
Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Wetland data point wsoa073e_w facing southeast

Photo 2
Wetland data point wsoa073e_w facing northwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/15/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa073_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 4

Subregion (LRR or MLRA): P   Lat: 36.58947854   Long: -77.21581668   Datum: WGS 1984

Soil Map Unit Name: Myatt loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** **Yes _____ No ✔**
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken on a gentle slope on existing powerline ROW for a seasonally-flooded wetland complex located in a broad swale; PEM section is located on an existing powerline ROW; PFO section is a combination of planted loblolly pine and mixed bottomland hardwoods.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)

- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes _____ No ✔**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa073_u

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0	= Total Cover	

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0	= Total Cover	

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. Andropogon virginicus	30	Yes	FAC
2. Rhexia virginica	20	Yes	FACW
3. Panicum capillare	15	No	FAC
4. Dichanthelium scoparium	10	No	FACW
5. Elephantopus nudatus	10	No	FAC
6. Eupatorium capillifolium	5	No	FACU
7. Sporobolus pyramidatus	5	No	FAC
8. Achillea millefolium	3	No	FACU
9.			
10.			
11.			
12.			
	98	= Total Cover	

50% of total cover: 49   20% of total cover: 19.6

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
	0	= Total Cover	

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant
Species Across All Strata: 2 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	30	x 2 =	60
FAC species	60	x 3 =	180
FACU species	8	x 4 =	32
UPL species	0	x 5 =	0
Column Totals:	98 (A)		272 (B)

Prevalence Index = B/A = 2.77

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 4/2	100					SL	
5-10	10YR 5/3	100					SL	
10-18	10YR 5/4	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20)
      (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
   wetland hydrology must be present,
   unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa073_u facing north

Photo 2
Upland data point wsoa073_u facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/15/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa072f_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): P   Lat: 36.58996192   Long: -77.21392791   Datum: WGS 1984

Soil Map Unit Name: Slagle fine sandy loam, 0 to 2 percent slopes   NWI classification: PFO1C

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PFO section of a saturated to seasonally-flooded wetland complex located in a broad, shallow swale that is likely an old oxbow that is mostly filled in; forested section is mixed bottomland hardwoods and planted pines, herbaceous section is on an existing powerline ROW.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
✔ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
✔ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes _____ No ✔ Depth (inches): _____

Saturation Present? Yes _____ No ✔ Depth (inches): _____
(includes capillary fringe)   **Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Quercus laurifolia*	20	Yes	FACW
2. *Nyssa sylvatica*	15	Yes	FAC
3. *Pinus taeda*	15	Yes	FAC
4. *Quercus nigra*	10	No	FAC
5. *Liquidambar styraciflua*	5	No	FAC
6. *Acer rubrum*	5	No	FAC
7.			
8.			
	70	= Total Cover	

50% of total cover: 35   20% of total cover: 14

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ilex opaca*	15	Yes	FAC
2. *Magnolia virginiana*	10	Yes	FACW
3. *Nyssa sylvatica*	5	No	FAC
4. *Acer rubrum*	5	No	FAC
5.			
6.			
7.			
8.			
	35	= Total Cover	

50% of total cover: 17.5   20% of total cover: 7

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	25	Yes	FAC
2. *Arundinaria gigantea*	20	Yes	FACW
3. *Commelina communis*	10	No	FAC
4. *Juncus effusus*	10	No	OBL
5. *Chasmanthium latifolium*	10	No	FAC
6. *Carex comosa*	5	No	OBL
7.			
8.			
9.			
10.			
11.			
12.			
	80	= Total Cover	

50% of total cover: 40   20% of total cover: 16

Woody Vine Stratum (Plot size: 30)			
1. *Smilax rotundifolia*	10	Yes	FAC
2.			
3.			
4.			
5.			
	10	= Total Cover	

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15
FACW species	50	x 2 =	100
FAC species	130	x 3 =	390
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	195 (A)		505 (B)

Prevalence Index = B/A = 2.58

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 4/2	100					SL	
3-10	10YR 4/1	97	10YR 4/6	3	C	PL/M	SL	
10-20	10YR 5/1	95	10YR 4/6	5	C	PL/M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none _____

Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Wetland data point wsoa072f_w facing north

Photo 2
Wetland data point wsoa072f_w facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/15/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa072e_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): P   Lat: 36.59011874   Long: -77.21397812   Datum: WGS 1984

Soil Map Unit Name: Slagle fine sandy loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** Yes ✔ No _____
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PEM section of a saturated to seasonally-flooded wetland complex located in a broad, shallow swale that is likely an old oxbow that is mostly filled in; forested section is mixed bottomland hardwoods and planted pines, herbaceous section is on an existing powerline ROW.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
✔ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes _____ No ✔ Depth (inches): _____

Saturation Present? Yes _____ No ✔ Depth (inches): _____
(includes capillary fringe)   **Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa072e_w

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Panicum dichotomiflorum*	20	Yes	FACW
2. *Sporobolus flexuosus*	20	Yes	FAC
3. *Juncus dudleyi*	15	Yes	FACW
4. *Rhexia virginica*	15	Yes	FACW
5. *Andropogon virginicus*	10	No	FAC
6. *Elephantopus nudatus*	10	No	FAC
7. *Bidens frondosa*	5	No	FACW
8.			
9.			
10.			
11.			
12.			
	95 = Total Cover		

50% of total cover: 47.5   20% of total cover: 19

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4   (A)

Total Number of Dominant
Species Across All Strata: 4   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	55	x 2 =	110
FAC species	40	x 3 =	120
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	95 (A)		230 (B)

Prevalence Index = B/A =   2.42

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/2	100					SL	
5-10	10YR 5/2	96	10YR 4/6	4	C	PL/M	SL	
10-20	10YR 5/1	88	10YR 4/6	12	C	PL/M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
✔ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Wetland data point wsoa072e_w facing northeast

Photo 2
Wetland data point wsoa072e_w facing southwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/15/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa072_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): gentle slope   Local relief (concave, convex, none): none   Slope (%): 3

Subregion (LRR or MLRA): P   Lat: 36.59017533   Long: -77.21345247   Datum: WGS 1984

Soil Map Unit Name: Slagle fine sandy loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken on a gentle slope just outside a broad, shallow swale containing a saturated to seasonally-flooded wetland complex.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes _____ No ✔ Depth (inches): _____

Saturation Present? Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present? Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	35	Yes	FAC
2. *Quercus alba*	10	Yes	FACU
3. *Liquidambar styraciflua*	10	Yes	FAC
4. *Quercus nigra*	10	Yes	FAC
5. *Acer rubrum*	5	No	FAC
6. *Fagus grandifolia*	5	No	FACU
7.			
8.			
	75	= Total Cover	
50% of total cover: 37.5	20% of total cover:	15	

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ilex opaca*	15	Yes	FAC
2. *Pinus taeda*	15	Yes	FAC
3. *Aralia spinosa*	10	Yes	FAC
4. *Ligustrum sinense*	7	No	FAC
5. *Rosa multiflora*	5	No	FACU
6. *Callicarpa americana*	5	No	FACU
7. *Liquidambar styraciflua*	5	No	FAC
8.			
	62	= Total Cover	
50% of total cover: 31	20% of total cover:	12.4	

Herb Stratum (Plot size: 5)			
1. *Chasmanthium latifolium*	15	Yes	FAC
2. *Microstegium vimineum*	15	Yes	FAC
3. *Arundinaria gigantea*	10	No	FACW
4. *Elephantopus nudatus*	10	No	FAC
5. *Panicum dichotomiflorum*	5	No	FACW
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	55	= Total Cover	
50% of total cover: 27.5	20% of total cover:	11	

Woody Vine Stratum (Plot size: 30)			
1. *Smilax rotundifolia*	15	Yes	FAC
2. *Bignonia capreolata*	10	Yes	FAC
3.			
4.			
5.			
	25	= Total Cover	
50% of total cover: 12.5	20% of total cover:	5	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 10 (A)

Total Number of Dominant Species Across All Strata: 11 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 90.90909090 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	15	x 2 =	30
FAC species	177	x 3 =	531
FACU species	25	x 4 =	100
UPL species	0	x 5 =	0
Column Totals:	217 (A)		661 (B)

Prevalence Index = B/A = 3.04

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 4/2	100					SL	
3-9	10YR 5/3	100					SL	
9-14	10YR 6/3	85	10YR 4/6	15	C	M	SL	
14-20	10YR 6/2	80	10YR 4/6	20	C	PL/M	CL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa072_u facing west

Photo 2
Upland data point wsoa072_u facing east

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/14/2015

Applicant/Owner: Dominion   State: Virginia   Sampling Point: wsoa071f_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): P   Lat: 36.59212768   Long: -77.20904983   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PFO section of an extensive saturated to seasonally-flooded wetland complex.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	✔ Drainage Patterns (B10)
___ Water Marks (B1)	✔ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	✔ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✔ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	15	Yes	FAC
2. *Betula nigra*	15	Yes	FACW
3. *Liquidambar styraciflua*	10	No	FAC
4. *Quercus phellos*	10	No	FACW
5. *Populus deltoides*	10	No	FAC
6.			
7.			
8.			
	60	= Total Cover	

50% of total cover: 30   20% of total cover: 12

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	25	Yes	FAC
2. *Ilex opaca*	5	No	FAC
3. *Populus deltoides*	5	No	FAC
4.			
5.			
6.			
7.			
8.			
	35	= Total Cover	

50% of total cover: 17.5   20% of total cover: 7

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	30	Yes	FAC
2. *Murdannia spirata*	30	Yes	FAC
3. *Pilea pumila*	10	No	FACW
4. *Persicaria arifolia*	10	No	OBL
5. *Persicaria virginiana*	5	No	FAC
6. *Juncus effusus*	5	No	OBL
7.			
8.			
9.			
10.			
11.			
12.			
	90	= Total Cover	

50% of total cover: 45   20% of total cover: 18

Woody Vine Stratum (Plot size: 30)			
1. *Smilax rotundifolia*	15	Yes	FAC
2. *Lonicera japonica*	10	Yes	FACU
3.			
4.			
5.			
	25	= Total Cover	

50% of total cover: 12.5   20% of total cover: 5

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 85.71428571 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15
FACW species	35	x 2 =	70
FAC species	150	x 3 =	450
FACU species	10	x 4 =	40
UPL species	0	x 5 =	0
Column Totals:	210 (A)		575 (B)

Prevalence Index = B/A = 2.73

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOID

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/2	97	10YR 4/6	3	C	PL/M	SL	
4-9	10YR 4/2	93	7.5YR 4/6	7	C	PL/M	SL	
9-20	10YR 4/1	85	7.5YR 4/6	15	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes ✔   No _____

Remarks:

Photo 1
Wetland data point wsoa071f_w facing southwest

Photo 2
Wetland data point wsoa071f_w facing northwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/14/2015

Applicant/Owner: Dominion   State: Virginia   Sampling Point: wsoa071e_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 3

Subregion (LRR or MLRA): P   Lat: 36.5922907   Long: -77.20951945   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** Yes ✔ No _____
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PEM section of an extensive wetland complex located in a broad swale, PEM portion is on an existing powerline ROW.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	✔ Drainage Patterns (B10)
___ Water Marks (B1)	✔ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	✔ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✔ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?   Yes _____ No ✔ Depth (inches): _____

Water Table Present?   Yes _____ No ✔ Depth (inches): _____

Saturation Present?   Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present? Yes ✔ No _____**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: _____30_____)

	Absolute % Cover	Dominant Species?	Indicator Status
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____

0 = Total Cover

50% of total cover: ___0___   20% of total cover: ___0___

Sapling/Shrub Stratum (Plot size: _____15_____)

1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____

0 = Total Cover

50% of total cover: ___0___   20% of total cover: ___0___

Herb Stratum (Plot size: _____5_____)

	Absolute % Cover	Dominant Species?	Indicator Status
1. *Murdannia spirata*	25	Yes	FAC
2. *Dichanthelium scoparium*	25	Yes	FACW
3. *Paspalum bifidum*	15	No	FACW
4. *Juncus effusus*	10	No	OBL
5. *Persicaria hydropiper*	10	No	OBL
6. *Carex scoparia*	10	No	FACW
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____

95 = Total Cover

50% of total cover: ___47.5___   20% of total cover: ___19___

Woody Vine Stratum (Plot size: _____30_____)

1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____

0 = Total Cover

50% of total cover: ___0___   20% of total cover: ___0___

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___2___ (A)

Total Number of Dominant
Species Across All Strata: ___2___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___100___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	20	x 1 =	20
FACW species	50	x 2 =	100
FAC species	25	x 3 =	75
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	95 (A)		195 (B)

Prevalence Index = B/A = ___2.05___

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 4/2	93	7.5YR 4/6	7	C	PL/M	SL	
5-18	10YR 4/1	86	7.5YR 4/6	14	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: none _____

Depth (inches): _____

Hydric Soil Present?   Yes ✔   No _____

Remarks:

Photo 1
Wetland data point wsoa071e_w facing west

Photo 2
Wetland data point wsoa071e_w facing east

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/14/2015

Applicant/Owner: Dominion   State: Virginia   Sampling Point: wsoa071_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 5

Subregion (LRR or MLRA): P   Lat: 36.59236265   Long: -77.20904706   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ✔		
Hydric Soil Present? Yes _____ No ✔	**Is the Sampled Area**	
Wetland Hydrology Present? Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔	

Remarks:
Upland data point taken on slope above a saturated to seasonally-flooded wetland complex located in a broad swale.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?   Yes _____ No ✔ Depth (inches): _____

Water Table Present?   Yes _____ No ✔ Depth (inches): _____

Saturation Present?   Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present?   Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa071_u

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
0 = Total Cover			

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
0 = Total Cover			

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. Datura wrightii	35	Yes	UPL
2. Digitaria sanguinalis	20	Yes	FACU
3. Persicaria virginiana	15	No	FAC
4. Eupatorium capillifolium	15	No	FACU
5. Bidens bipinnata	10	No	FAC
6.			
7.			
8.			
9.			
10.			
11.			
12.			
95 = Total Cover			

50% of total cover: 47.5   20% of total cover: 19

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
0 = Total Cover			

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant
Species Across All Strata: 2 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	25	x 3 =	75
FACU species	35	x 4 =	140
UPL species	35	x 5 =	175
Column Totals:	95 (A)		390 (B)

Prevalence Index = B/A = 4.1

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No ✔

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 2/2	100					SL	
2-6	10YR 5/4	100					SL	
6-15	10YR 5/3	100					SL	
15-20	10YR 5/2	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20)
   (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
  wetland hydrology must be present,
  unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa071_u facing north

Photo 2
Upland data point wsoa071_u facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline City/County: Southampton County Sampling Date: 9/14/2015

Applicant/Owner: Dominion State: Virginia Sampling Point: wsoa070f_w

Investigator(s): GB, SA Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): draw Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR or MLRA): P Lat: 36.59507613 Long: -77.20319013 Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**	
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?**	**Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____		

Remarks:
Wetland data point for a saturated to temporarily-flooded PFO wetland located in a draw along stream ssoa070.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		___ Surface Soil Cracks (B6)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Sparsely Vegetated Concave Surface (B8)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	✔ Drainage Patterns (B10)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Moss Trim Lines (B16)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Dry-Season Water Table (C2)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Crayfish Burrows (C8)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Saturation Visible on Aerial Imagery (C9)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	✔ Geomorphic Position (D2)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Shallow Aquitard (D3)
___ Inundation Visible on Aerial Imagery (B7)		✔ FAC-Neutral Test (D5)
___ Water-Stained Leaves (B9)		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:			
Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Quercus phellos*	15	Yes	FACW
2. *Platanus occidentalis*	15	Yes	FACW
3. *Acer rubrum*	10	No	FAC
4. *Liquidambar styraciflua*	10	No	FAC
5. *Ulmus rubra*	5	No	FAC
6.			
7.			
8.			
	55	= Total Cover	
50% of total cover: 27.5	20% of total cover:	11	

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	30	Yes	FAC
2. *Carpinus caroliniana*	15	Yes	FAC
3. *Liquidambar styraciflua*	7	No	FAC
4.			
5.			
6.			
7.			
8.			
	52	= Total Cover	
50% of total cover: 26	20% of total cover:	10.4	

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	30	Yes	FAC
2. *Woodwardia areolata*	10	Yes	OBL
3. *Athyrium asplenioides*	10	Yes	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	50	= Total Cover	
50% of total cover: 25	20% of total cover:	10	

Woody Vine Stratum (Plot size: 30)			
1. *Smilax rotundifolia*	25	Yes	FAC
2. *Campsis radicans*	20	Yes	FAC
3. *Lonicera japonica*	10	No	FACU
4. *Vitis rotundifolia*	5	No	FAC
5. *Toxicodendron radicans*	5	No	FAC
	65	= Total Cover	
50% of total cover: 32.5	20% of total cover:	13	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 9 (A)

Total Number of Dominant Species Across All Strata: 9 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	10	x 1 = 10
FACW species	30	x 2 = 60
FAC species	172	x 3 = 516
FACU species	10	x 4 = 40
UPL species	0	x 5 = 0
Column Totals:	222 (A)	626 (B)

Prevalence Index = B/A = 2.81

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 4/3	100					SL	
5-10	10YR 4/2	100					SL	
10-18	10YR 4/2	94	10YR 3/6	6	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes ✔   No _____

Remarks:

Photo 1
Wetland data point wsoa070f_w facing north

Photo 2
Wetland data point wsoa070f_w facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/14/2015

Applicant/Owner: Dominion   State: Virginia   Sampling Point: wsoa070_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 7

Subregion (LRR or MLRA): P   Lat: 36.5951508   Long: -77.20308287   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No ✔	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point on slope above a wet draw for a PFO wetland associated with a stream.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

Secondary Indicators (minimum of two required)

___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?   Yes _____ No ✔ Depth (inches): _____

Water Table Present?   Yes _____ No ✔ Depth (inches): _____

Saturation Present?   Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present?   Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Quercus alba*	30	Yes	FACU
2. *Platanus occidentalis*	10	Yes	FACW
3. *Liriodendron tulipifera*	10	Yes	FACU
4.			
5.			
6.			
7.			
8.			
	50	= Total Cover	

50% of total cover: 25   20% of total cover: 10

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	50	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	50	= Total Cover	

50% of total cover: 25   20% of total cover: 10

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	40	Yes	FAC
2. *Eupatorium capillifolium*	20	Yes	FACU
3. *Ambrosia artemisiifolia*	10	No	FACU
4. *Persicaria pensylvanica*	10	No	FACW
5. *Commelina communis*	5	No	FAC
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	85	= Total Cover	

50% of total cover: 42.5   20% of total cover: 17

Woody Vine Stratum (Plot size: 30)			
1. *Smilax rotundifolia*	40	Yes	FAC
2. *Lonicera japonica*	10	Yes	FACU
3.			
4.			
5.			
	50	= Total Cover	

50% of total cover: 25   20% of total cover: 10

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4   (A)

Total Number of Dominant
Species Across All Strata: 8   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 50   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	20	x 2 =	40
FAC species	135	x 3 =	405
FACU species	80	x 4 =	320
UPL species	0	x 5 =	0
Column Totals:	235 (A)		765 (B)

Prevalence Index = B/A =   3.25

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No ✔

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/2	100					SL	
5-18	10YR 4/3	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20)
   (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
   wetland hydrology must be present,
   unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa070_u facing southeast

Photo 2
Upland data point wsoa070_u facing northwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP — City/County: Southampton — Sampling Date: 9/22/15
Applicant/Owner: Dominion — State: VA — Sampling Point: WS00DD2e-w
Investigator(s): LKR CSM — Section, Township, Range: none
Landform (hillslope, terrace, etc.): Drainage — Local relief (concave, convex, none): concave — Slope (%): 20
Subregion (LRR or MLRA): LRR P — Lat: 36.59686°N — Long: 77.20057°W — Datum: WGS84
Soil Map Unit Name: Bibb Sandy loam 0-2% Slopes — NWI classification: PEM

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)
Are Vegetation __X__, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Hydric Soil Present?	Yes __X__ No _____	
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:

Powerline easement

Abnormally dry conditions (based on 9/22 drought monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☒ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☒ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☒ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): NA	
Water Table Present?	Yes __X__ No _____	Depth (inches): 12	
Saturation Present? (includes capillary fringe)	Yes __X__ No _____	Depth (inches): 12	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WS00 002e-W

Tree Stratum (Plot size: 30 X 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. None			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover
50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. Platanus occidentalis	2	N	FacW
2. Salix nigra	2	N	OBL
3. Liquidambar styvacaflua	2	N	Fac
4. Taxodium distichum	7	Y	OBL
5.			
6.			
7.			
8.			

13 = Total Cover
50% of total cover: 6.5   20% of total cover: 2.6

Herb Stratum (Plot size: 30 X 30)			
1. Impatiens capensis	40	Y	FacW
2. Leersia lenticularis	60	Y	OBL
3. Persicana sagittata	40	Y	OBL
4. Murdannia keisak	20	N	OBL
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

160 = Total Cover
50% of total cover: 80   20% of total cover: 32

Woody Vine Stratum (Plot size: 30 X 30)			
1. None			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4   (A)

Total Number of Dominant
Species Across All Strata: 4   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☐ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

W500002e_w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 4/1	90	10YR 3/4	10	C	PL	L	organic material present
6-20	10YR 3/1	98	10YR 4/4	2	C	M	LC	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes __X__   No _____

Remarks:

Wetland data point wsoo002e_w facing south.

Wetland data point wsoo002e_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 9/22/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WS00002_u

Investigator(s): LKR, CSM   Section, Township, Range: none

Landform (hillslope, terrace, etc.): hillslope   Local relief (concave, convex, none): Concave   Slope (%): 10-12

Subregion (LRR or MLRA): LRR P   Lat: 36.59665 °N   Long: 77.20093 °W   Datum: WGS84

Soil Map Unit Name: Slagle fine Sandy loam, 2-6% Percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)

Are Vegetation X , Soil _____ , or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____ , Soil _____ , or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	
Hydric Soil Present?	Yes _____ No X	Is the Sampled Area within a Wetland? Yes _____ No X
Wetland Hydrology Present?	Yes _____ No X	

Remarks:

Powerline easement

Abnormally dry conditions (based on 9/22 drought monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) (LRR U)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): NA	
Water Table Present?	Yes _____ No X	Depth (inches): >12	
Saturation Present? (includes capillary fringe)	Yes _____ No X	Depth (inches): >12	Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

could not auger past 12 inches

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: \underline{WS00002u}

Tree Stratum (Plot size: 30 X30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liquidambar styraciflua	10	Y	Fac
2. Quercus alba	5	Y	Facu
3. Acer rubrum	10	Y	FAC
4.			
5.			
6.			
7.			
8.			

25 = Total Cover
50% of total cover: 12.5 20% of total cover: 5

Sapling/Shrub Stratum (Plot size: 30 X 30)			
1. None			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover
50% of total cover: 0 20% of total cover: 0

Herb Stratum (Plot size: 30 X30)			
1. Rubus argutus	20	Y	Fac
2. Eupatorium capillifolium	20	Y	Facu
3. Athyrium asplenioides	10	N	FAC
4. Polystichum acrostichoides	10	N	FACU
5. Dichanthelium acuminatum	20	Y	FAC
6. Solidago altissima	20	Y	FACU
7.			
8.			
9.			
10.			
11.			
12.			

100 = Total Cover
50% of total cover: 50 20% of total cover: 20

Woody Vine Stratum (Plot size: 30 X30)			
1. None			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: 0 20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant
Species Across All Strata: 7 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 57 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)	_____ (B)	

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present? Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 9/6	100					LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _X_

Remarks:

Auger refusal at 12 inches due to Compaction

Upland data point wsoo002_u facing west.

Upland data point wsoo002_u facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __09/17/15__
Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __Wsop014e.w__
Investigator(s): __R.Turnbull, S.Iosefa__   Section, Township, Range: __N/A__
Landform (hillslope, terrace, etc.): __Drainage__   Local relief (concave, convex, none): __Concave__   Slope (%): __0-2__
Subregion (LRR or MLRA): __LRRP__   Lat: __36.60328__   Long: __-77.18816__   Datum: __WGS 84__
Soil Map Unit Name: __Slagle fine sandy loam, 6-10% slopes__   NWI classification: __PEM__
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no. explain in Remarks.)
Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Hydric Soil Present?	Yes __X__ No _____	
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:
Abnormally Dry conditions (Based on Sept.15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	☐ Surface Soil Cracks (B6)
☐ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)	☐ Sparsely Vegetated Concave Surface (B8)
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☐ Water Marks (B1)	☒ Oxidized Rhizospheres along Living Roots (C3)	☐ Moss Trim Lines (B16)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Crayfish Burrows (C8)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	☐ Geomorphic Position (D2)
☐ Inundation Visible on Aerial Imagery (B7)		☐ Shallow Aquitard (D3)
☐ Water-Stained Leaves (B9)		☐ FAC-Neutral Test (D5)
		☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____	No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____	No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOP014e-W

Tree Stratum (Plot size: 30X30 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30 ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30X30 ft)			
1. Persicaria sagittata	70	Y	OBL
2. Arundinaria gigantea	20	N	FACW
3. Senecio hieraciifolius	5	N	FAC
4. Rubus argutus	10	N	FAC
5. Phytolacca americana	5	N	FACU
6.			
7.			
8.			
9.			
10.			
11.			
12.			

110 = Total Cover

50% of total cover: 55   20% of total cover: 22

Woody Vine Stratum (Plot size: 30X30 ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	1 (A)
Total Number of Dominant Species Across All Strata:	1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☒ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-4	2.5Y 7/2	100					SL	
4-20	2.5Y 4/1	90	10YR 5/6	10	C	PL	SL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) **(LRR P, T, U)**
- [ ] 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- [ ] Muck Presence (A8) **(LRR U)**
- [ ] 1 cm Muck (A9) **(LRR P, T)**
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) **(MLRA 150A)**
- [ ] Sandy Mucky Mineral (S1) **(LRR O, S)**
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) **(LRR P, S, T, U)**

- [ ] Polyvalue Below Surface (S8) **(LRR S, T, U)**
- [ ] Thin Dark Surface (S9) **(LRR S, T, U)**
- [ ] Loamy Mucky Mineral (F1) **(LRR O)**
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) **(LRR U)**
- [ ] Depleted Ochric (F11) **(MLRA 151)**
- [ ] Iron-Manganese Masses (F12) **(LRR O, P, T)**
- [ ] Umbric Surface (F13) **(LRR P, T, U)**
- [ ] Delta Ochric (F17) **(MLRA 151)**
- [ ] Reduced Vertic (F18) **(MLRA 150A, 150B)**
- [ ] Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils³:

- [ ] 1 cm Muck (A9) **(LRR O)**
- [ ] 2 cm Muck (A10) **(LRR S)**
- [ ] Reduced Vertic (F18) **(outside MLRA 150A,B)**
- [ ] Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes　X　No _____

Remarks:

Wetland data point wsop014e_w facing north.

Wetland data point wsop014e_w facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP ___ City/County: Southampton ___ Sampling Date: 09/17/15

Applicant/Owner: DOMINION ___ State: VA ___ Sampling Point: WSOP014-U

Investigator(s): R. Turnbull, S. Josefu ___ Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): hillslope ___ Local relief (concave, convex, none): none ___ Slope (%): 4-10

Subregion (LRR or MLRA): LRRT ___ Lat: 36.60318 ___ Long: -77.18832 ___ Datum: WGS 84

Soil Map Unit Name: Slagle Fine sandy loam, 6-10% slopes ___ NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ___ No X (If no, explain in Remarks.)

Are Vegetation X, Soil ___, or Hydrology ___ significantly disturbed? Are "Normal Circumstances" present? Yes X No ___

Are Vegetation ___, Soil ___, or Hydrology ___ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ___ No X	Is the Sampled Area
Hydric Soil Present?	Yes ___ No ___	within a Wetland? Yes ___ No X
Wetland Hydrology Present?	Yes ___ No X	

Remarks:
Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☐ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes ___ No X Depth (inches): N/A

Water Table Present? Yes ___ No X Depth (inches): >20

Saturation Present? Yes ___ No X Depth (inches): >20
(includes capillary fringe)

Wetland Hydrology Present? Yes ___ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsop014-u

Tree Stratum (Plot size: 30x30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30x30ft)			
1. Eupatorium capillifolium	40	Y	FACU
2. Phytolacca americana	10	N	FACU
3. Microstegium vimineum	40	Y	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	90 = Total Cover		

50% of total cover: 45 20% of total cover: 18

Woody Vine Stratum (Plot size: 30 x 30 H)			
1. none			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	1 (A)
Total Number of Dominant Species Across All Strata:	2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	50 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	40	x 3 =	120
FACU species	50	x 4 =	200
UPL species	0	x 5 =	0
Column Totals:	90 (A)		320 (B)

Prevalence Index = B/A = 3.56

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [ ] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks: (If observed, list morphological adaptations below).

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-10	2.5Y 4/2	100					sandy-loam	
10-70	2.5Y 9/3	100					sandy-loam	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No _X_

Remarks:

Upland data point wsop014_u facing west.

Upland data point wsop014_u facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ____ACP____ City/County: Southampton Sampling Date: 09/16/15

Applicant/Owner: DOMINION State: VA Sampling Point: WSOP013e_w

Investigator(s): R.Turnbull, S.Iosefa Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): none Slope (%): 0-2

Subregion (LRR or MLRA): LRRP Lat: 36.60614 Long: -77.18257 Datum: WGS84

Soil Map Unit Name: Slagle fine sandy loam, 0-2% slopes NWI classification: PEM

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No X (If no, explain in Remarks.)

Are Vegetation X, Soil X, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No ____	Is the Sampled Area
Hydric Soil Present?	Yes X No ____	within a Wetland? Yes X No ____
Wetland Hydrology Present?	Yes X No ____	

Remarks:
Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☒ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): N/A	
Water Table Present?	Yes ____	No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes ____	No X	Depth (inches): >20	Wetland Hydrology Present? Yes X No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOP013e-W

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Persecaria sagittata	90	Y	OBL
2. Juncus effusus	5	N	OBL
3. Cyperus sp.	30	Y	UNK
4. Scirpus cyperinus	2	N	OBL
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

127 = Total Cover

50% of total cover: 63.5 20% of total cover: 25

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ≥1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ≥50 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	97	x 1 =	97
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	97 (A)		97 (B)

Prevalence Index = B/A = 1.0

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☐ 2 - Dominance Test is >50%
☒ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

Unidentified flatsedge species present - would not change outcome of Prevalence Index even if UPL (<3.0).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	2.5Y 3/2	100					SCL	
3-20	2.5Y 5/1	60	5YR 4/6	30	C	PL	SCL	
			2.5Y 3/1	10	D	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.
[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _X_ No _____

Remarks:

Wetland data point wsop013e_w facing southeast.

Wetland data point wsop013e_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/16/15__

Applicant/Owner: __DOMINION__ State: __VA__ Sampling Point: __WSopO13F-W__

Investigator(s): __R.Turnbull S.Iosefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __drainage__ Local relief (concave, convex, none): __Concave__ Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRP__ Lat: __36.60602__ Long: __-77.18244__ Datum: __WGS84__

Soil Map Unit Name: __Slagle fine sandy loam, 0-2% slopes__ NWI classification: __PFD__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Hydric Soil Present?	Yes __X__ No _____	
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [X] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [X] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____	No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____	No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSop013Fw

Tree Stratum (Plot size: 20 X 30 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Magnolia virginiana	20	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Sapling/Shrub Stratum (Plot size: 20 X 30 ft)			
1. Liquidambar styraciflua	20	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 20 X 30 ft)			
1. Persicaria sagittata	30	Y	OBL
2. Boehmeria cylindrica	20	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

50 = Total Cover
50% of total cover: 25   20% of total cover: 10

Woody Vine Stratum (Plot size: 20 X 30 ft)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant
Species Across All Strata: 5 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-6	10YR3/2	100					SL	
6-20	10YR 4/1	100					SL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) **(LRR P, T, U)**
- [ ] 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- [ ] Muck Presence (A8) **(LRR U)**
- [ ] 1 cm Muck (A9) **(LRR P, T)**
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) **(MLRA 150A)**
- [ ] Sandy Mucky Mineral (S1) **(LRR O, S)**
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) **(LRR P, S, T, U)**

- [ ] Polyvalue Below Surface (S8) **(LRR S, T, U)**
- [ ] Thin Dark Surface (S9) **(LRR S, T, U)**
- [ ] Loamy Mucky Mineral (F1) **(LRR O)**
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) **(LRR U)**
- [ ] Depleted Ochric (F11) **(MLRA 151)**
- [ ] Iron-Manganese Masses (F12) **(LRR O, P, T)**
- [X] Umbric Surface (F13) **(LRR P, T, U)**
- [ ] Delta Ochric (F17) **(MLRA 151)**
- [ ] Reduced Vertic (F18) **(MLRA 150A, 150B)**
- [ ] Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils³:
- [ ] 1 cm Muck (A9) **(LRR O)**
- [ ] 2 cm Muck (A10) **(LRR S)**
- [ ] Reduced Vertic (F18) **(outside MLRA 150A,B)**
- [ ] Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes ✓   No _____

Remarks:

Wetland data point wsop013f_w facing northwest.

Wetland data point wsop013f_w facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/10/15__

Applicant/Owner: __DOMINION__ State: __VA__ Sampling Point: __WSOP 013-u__

Investigator(s): __R. Turnbull, S. Iosefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Hillslope__ Local relief (concave, convex, none): __none__ Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRT__ Lat: __36.60593__ Long: __-77.18296__ Datum: __WGS 84__

Soil Map Unit Name: __Slagle fine sandy loam, 0-2% slopes__ NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No __✓__	Is the Sampled Area
Hydric Soil Present?	Yes _____ No __✓__	within a Wetland? Yes _____ No __X__
Wetland Hydrology Present?	Yes _____ No __✓__	

Remarks:
Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☐ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No __X__ Depth (inches): __N/A__

Water Table Present? Yes _____ No __X__ Depth (inches): __>20__

Saturation Present? Yes _____ No __X__ Depth (inches): __>20__
(includes capillary fringe)

Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30 ft)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Eupatorium capillifolium	50	Y	FACU
2. Albizia julibrissin	5	N	UPL
3. Rubus argutus	10	N	FAC
4. Festuca rubra	30	Y	FACU
5. Cyperus strigosus	5	N	FACW
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	100 = Total Cover		

50% of total cover: 50 20% of total cover: 20

Woody Vine Stratum (Plot size: 30X30ft)			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	5	x 2 =	10
FAC species	10	x 3 =	30
FACU species	80	x 4 =	320
UPL species	5	x 5 =	25
Column Totals:	100 (A)		385 (B)

Prevalence Index = B/A = 3.85

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 3/2	100					SL	
8-20	2.5Y 4/2	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Organic Bodies (A6) (LRR P, T, U)
- 5 cm Mucky Mineral (A7) (LRR P, T, U)
- Muck Presence (A8) (LRR U)
- 1 cm Muck (A9) (LRR P, T)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Coast Prairie Redox (A16) (MLRA 150A)
- Sandy Mucky Mineral (S1) (LRR O, S)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (LRR P, S, T, U)

- Polyvalue Below Surface (S8) (LRR S, T, U)
- Thin Dark Surface (S9) (LRR S, T, U)
- Loamy Mucky Mineral (F1) (LRR O)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR U)
- Depleted Ochric (F11) (MLRA 151)
- Iron-Manganese Masses (F12) (LRR O, P, T)
- Umbric Surface (F13) (LRR P, T, U)
- Delta Ochric (F17) (MLRA 151)
- Reduced Vertic (F18) (MLRA 150A, 150B)
- Piedmont Floodplain Soils (F19) (MLRA 149A)
- Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- 1 cm Muck (A9) (LRR O)
- 2 cm Muck (A10) (LRR S)
- Reduced Vertic (F18) (outside MLRA 150A,B)
- Piedmont Floodplain Soils (F19) (LRR P, S, T)
- Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No X

Remarks:

Upland data point wsop013_u facing southwest.

Upland data point wsop013_u facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/16/15__

Applicant/Owner: __DOMINION__ State: __VA__ Sampling Point: __WSOP012e-w__

Investigator(s): __R. Turnbull, C. Josefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Drainage__ Local relief (concave, convex, none): __Concave__ Slope (%): __1-5__

Subregion (LRR or MLRA): __LRRT__ Lat: __36.60826__ Long: __-77.17843__ Datum: __WGS84__

Soil Map Unit Name: __Bibb sandy loam, 0-2% slopes, frequently flooded__ NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No ____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes __X__ No _____	within a Wetland? Yes __X__ No _____
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	☐ Surface Soil Cracks (B6)
☑ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**	☐ Sparsely Vegetated Concave Surface (B8)
☑ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☐ Water Marks (B1)	☑ Oxidized Rhizospheres along Living Roots (C3)	☐ Moss Trim Lines (B16)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Crayfish Burrows (C8)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	☐ Geomorphic Position (D2)
☐ Inundation Visible on Aerial Imagery (B7)		☐ Shallow Aquitard (D3)
☐ Water-Stained Leaves (B9)		☑ FAC-Neutral Test (D5)
		☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes ____ No __X__	Depth (inches): __N/A__		
Water Table Present?	Yes __X__ No ____	Depth (inches): __8__		
Saturation Present? (includes capillary fringe)	Yes __X__ No ____	Depth (inches): __0__	Wetland Hydrology Present? Yes __X__ No _____	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: wsop012e-w

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30X30ft.)			
1. Persicaria sagittata	40	Y	OBL
2. Arundinaria gigantea	30	Y	FACW
3. Senecio hieraciifolius	5	N	FAC
4. Festuca rubra	5	N	FACU
5. Dichanthelium scoparium	10	N	FACW
6. Cyperus erythrorhizos	20	N	OBL
7.			
8.			
9.			
10.			
11.			
12.			
	110 = Total Cover		

50% of total cover: 55   20% of total cover: 22

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant
Species Across All Strata: 2 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)	_____ (B)	

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/1	100					SL	
5-20	2.5Y 4/1	90	10YR 5/6	10	C	PL	S	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils[3]:**

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) **(LRR P, T, U)**
- [ ] 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- [ ] Muck Presence (A8) **(LRR U)**
- [ ] 1 cm Muck (A9) **(LRR P, T)**
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) **(MLRA 150A)**
- [ ] Sandy Mucky Mineral (S1) **(LRR O, S)**
- [ ] Sandy Gleyed Matrix (S4)
- [x] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) **(LRR P, S, T, U)**

- [ ] Polyvalue Below Surface (S8) **(LRR S, T, U)**
- [ ] Thin Dark Surface (S9) **(LRR S, T, U)**
- [ ] Loamy Mucky Mineral (F1) **(LRR O)**
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) **(LRR U)**
- [ ] Depleted Ochric (F11) **(MLRA 151)**
- [ ] Iron-Manganese Masses (F12) **(LRR O, P, T)**
- [ ] Umbric Surface (F13) **(LRR P, T, U)**
- [ ] Delta Ochric (F17) **(MLRA 151)**
- [ ] Reduced Vertic (F18) **(MLRA 150A, 150B)**
- [ ] Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- [ ] 1 cm Muck (A9) **(LRR O)**
- [ ] 2 cm Muck (A10) **(LRR S)**
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓   No _____

Remarks:

Wetland data point wsop012e_w facing northeast.

Wetland data point wsop012e_w facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 09/16/15

Applicant/Owner: DOMINION   State: VA   Sampling Point: WSOp012f-W

Investigator(s): R. Turnbull, S. Iosefa   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): drainage   Local relief (concave, convex, none): Concave   Slope (%): 0-2

Subregion (LRR or MLRA): LRR T   Lat: 36.6082   Long: -77.17829   Datum: WGS 84

Soil Map Unit Name: Bibb sandy loam, 0-2% slopes, frequently flooded   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area within a Wetland? Yes X No _____
Hydric Soil Present?	Yes X No _____	
Wetland Hydrology Present?	Yes X No _____	

Remarks:
Abnormally dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)	
☒ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)	
☒ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)	
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)	
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)	
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)	
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)	
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)	
☐ Inundation Visible on Aerial Imagery (B7)		
☒ Water-Stained Leaves (B9)		

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☒ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☒ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes X No _____	Depth (inches): 5	
Saturation Present? (includes capillary fringe)	Yes X No _____	Depth (inches): 0	Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSOP012F.w

Tree Stratum (Plot size: 30×30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Acer rubrum	40	Y	FAC
2. Ilex opaca	20	Y	FAC
3. Quercus nigra	30	Y	FAC
4.			
5.			
6.			
7.			
8.			
	90	= Total Cover	

50% of total cover: 45   20% of total cover: 18

Sapling/Shrub Stratum (Plot size: 30×30 ft)			
1. Fraxinus pennsylvanica	10	Y	FACW
2. Alnus serrulata	20	Y	FACW
3. Ilex opaca	10	Y	FAC
4.			
5.			
6.			
7.			
8.			
	40	= Total Cover	

50% of total cover: 20   20% of total cover: 8

Herb Stratum (Plot size: 30×30 ft)			
1. Arundinaria gigantea	40	Y	FACW
2. Clethra alnifolia	10	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	50	= Total Cover	

50% of total cover: 25   20% of total cover: 10

Woody Vine Stratum (Plot size: 30×30 ft)			
1. Smilax rotundifolia	40	Y	FAC
2.			
3.			
4.			
5.			
	40	= Total Cover	

50% of total cover: 20   20% of total cover: 8

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 9 (A)

Total Number of Dominant Species Across All Strata: 9 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☒ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	10YR 2/1	100					SL	
10-20	10YR 3/1	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) (LRR O)	☐ Reduced Vertic (F18) (outside MLRA 150A,B)
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
☐ Stratified Layers (A5)	☐ Depleted Matrix (F3)	☐ Anomalous Bright Loamy Soils (F20)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Redox Dark Surface (F6)	(MLRA 153B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Depleted Dark Surface (F7)	☐ Red Parent Material (TF2)
☐ Muck Presence (A8) (LRR U)	☐ Redox Depressions (F8)	☐ Very Shallow Dark Surface (TF12)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Marl (F10) (LRR U)	☐ Other (Explain in Remarks)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) (MLRA 151)	
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
☐ Coast Prairie Redox (A16) (MLRA 150A)	☒ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
☐ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☒ No _____

Remarks:

Wetland data point wsop012f_w facing northeast.

Wetland data point wsop012f_w facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __09/16/15__

Applicant/Owner: __DOMINION__   State: __VA__   Sampling Point: __WSap012-u__

Investigator(s): __R. Turnbull, S. Josefa__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Hillslope__   Local relief (concave, convex, none): __none__   Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRT__   Lat: __36.60817__   Long: __-77.17873__   Datum: __WGS 84__

Soil Map Unit Name: __Bibb sandy loam, 0-2% slopes, frequently flooded__   NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No __X__	Is the Sampled Area
Hydric Soil Present?	Yes _____ No __X__	within a Wetland? Yes _____ No __X__
Wetland Hydrology Present?	Yes _____ No __X__	

Remarks:
Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☐ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Senecio hieraciifolius	10	N	FAC
2. Rubus argutus	10	N	FAC
3. Eupatorium capillifolium	40	Y	FACU
4. Festuca rubra	20	Y	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

80 = Total Cover

50% of total cover: 40 20% of total cover: 16

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	0	(A)
Total Number of Dominant Species Across All Strata:	2	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	0	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	20	x 3 =	60
FACU species	60	x 4 =	240
UPL species	_____	x 5 =	_____
Column Totals:	80 (A)		300 (B)

Prevalence Index = B/A = 3.75

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☐ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes _____	No X

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 4/2	100					Sand	
3-14	2.5Y 4/3	100					Sand	
14-20	10YR 6/6	100					Sandy-clay-loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:
- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No _X_

Remarks:

Upland data point wsop012_u facing northwest.

Upland data point wsop012_u facing southwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/10/15__

Applicant/Owner: __DOMINION__ State: __VA__ Sampling Point: __WSop0lle-w__

Investigator(s): __R.Turnbull S.Iosefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Drainage__ Local relief (concave, convex, none): __Concave__ Slope (%): __1-4__

Subregion (LRR or MLRA): __LRR T__ Lat: __36.60955__ Long: __-77.17584__ Datum: __WGS84__

Soil Map Unit Name: __Bibb sandy loam, 0-2% slopes, frequently flooded__ NWI classification: __PFM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation __X__, Soil __X__, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes __X__ No _____	within a Wetland? Yes __X__ No _____
Wetland Hydrology Present?	Yes __X__ No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [X] High Water Table (A2)
- [X] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__		
Water Table Present?	Yes __X__ No _____	Depth (inches): __4__		
Saturation Present? (includes capillary fringe)	Yes __X__ No _____	Depth (inches): __0__	Wetland Hydrology Present? Yes __X__ No _____	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WSap9lle-w

Tree Stratum (Plot size: 30×30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
0 = Total Cover			

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 20×30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
0 = Total Cover			

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30×30ft)			
1. Persicaria sagittata	80	Y	OBL
2. Arundinaria gigantea	10	N	FACW
3. Rubus argutus	5	N	FAC
4. Typha latifolia	10	N	OBL
5. Sagittaria latifolia	5	N	OBL
6.			
7.			
8.			
9.			
10.			
11.			
12.			
110 = Total Cover			

50% of total cover: 55   20% of total cover: 22

Woody Vine Stratum (Plot size: 30×30ft)			
1. none			
2.			
3.			
4.			
5.			
0 = Total Cover			

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **1** (A)

Total Number of Dominant Species Across All Strata: **1** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **100** % (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes **X**   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: wsop01le_w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 4/1	100					Sandy loam	
8-20	2.5Y 5/1	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓　No _____

Remarks:

Wetland data point wsop011e_w facing east.

Wetland data point wsop011e_w facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/16/15__

Applicant/Owner: __DOMINION__ State: __VA__ Sampling Point: __WSOP011f-W__

Investigator(s): __R. Turnbull, S. Iosefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Drainage__ Local relief (concave, convex, none): __concave__ Slope (%): __0-2__

Subregion (LRR or MLRA): __LRR T__ Lat: __36.60941__ Long: __-77.17578__ Datum: __WGS 84__

Soil Map Unit Name: __Bibb sandy loam, 0-2% slopes, frequently flooded__ NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area within a Wetland? Yes __X__ No _____
Hydric Soil Present?	Yes __✓__ No _____	
Wetland Hydrology Present?	Yes __✓__ No _____	

Remarks:
Abnormally Dry conditions (based on Sept. 15 Drought monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☒ High Water Table (A2)	☐ Marl Deposits (B15) **(LRR U)**
☒ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☐ Water Marks (B1)	☒ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☐ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes __X__	No _____	Depth (inches): __5__	
Saturation Present? (includes capillary fringe)	Yes __X__	No _____	Depth (inches): __0__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30x30Ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Alnus serrulata	50	Y	FACW
2. Acer rubrum	20	Y	FAC
3. Betula nigra	10	N	FACW
4.			
5.			
6.			
7.			
8.			

80 = Total Cover
50% of total cover: 40   20% of total cover: 16

Sapling/Shrub Stratum (Plot size: 30x30ft)			
1. Alnus serrulata	20	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 30X30Ft)			
1. Sagittaria latifolia	40	Y	OBL
2. Persicaria sagittata	60	Y	OBL
3. Impatiens capensis	20	Y	FACW
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

120 = Total Cover
50% of total cover: 60   20% of total cover: 14

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✓   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: W50p011f-w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-6	2.5Y4/2	80	7.5YR4/6	20	C	PL	SCL	
6-20	2.5Y4/1	100					CL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) **(LRR P, T, U)**
- [ ] 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- [ ] Muck Presence (A8) **(LRR U)**
- [ ] 1 cm Muck (A9) **(LRR P, T)**
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) **(MLRA 150A)**
- [ ] Sandy Mucky Mineral (S1) **(LRR O, S)**
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) **(LRR P, S, T, U)**

- [ ] Polyvalue Below Surface (S8) **(LRR S, T, U)**
- [ ] Thin Dark Surface (S9) **(LRR S, T, U)**
- [ ] Loamy Mucky Mineral (F1) **(LRR O)**
- [ ] Loamy Gleyed Matrix (F2)
- [x] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) **(LRR U)**
- [ ] Depleted Ochric (F11) **(MLRA 151)**
- [ ] Iron-Manganese Masses (F12) **(LRR O, P, T)**
- [ ] Umbric Surface (F13) **(LRR P, T, U)**
- [ ] Delta Ochric (F17) **(MLRA 151)**
- [ ] Reduced Vertic (F18) **(MLRA 150A, 150B)**
- [ ] Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils³:

- [ ] 1 cm Muck (A9) **(LRR O)**
- [ ] 2 cm Muck (A10) **(LRR S)**
- [ ] Reduced Vertic (F18) **(outside MLRA 150A,B)**
- [ ] Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Wetland data point wsop011f_w facing northeast.

Wetland data point wsop011f_w facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP _____ City/County: Southampton _____ Sampling Date: 09/16/15

Applicant/Owner: DOMINION _____ State: VA _____ Sampling Point: WsapO11-u

Investigator(s): R.Turnbull, S.Iosefa _____ Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Hillslope _____ Local relief (concave, convex, none): none _____ Slope (%): 0-2

Subregion (LRR or MLRA): LRRT _____ Lat: 36.60952 _____ Long: -77.17596 _____ Datum: WGS84

Soil Map Unit Name: Bibb sandy loam, 0-2% slopes, frequently flooded _____ NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)

Are Vegetation X, Soil X, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No X	Is the Sampled Area	
Hydric Soil Present?	Yes _____ No X	within a Wetland?	Yes _____ No X
Wetland Hydrology Present?	Yes _____ No X		

Remarks:
Abnormally Dry conditions (based on Sept. 15 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) (LRR U)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes _____ No X Depth (inches): N/A

Water Table Present? Yes _____ No X Depth (inches): >20

Saturation Present? Yes _____ No X Depth (inches): >20   Wetland Hydrology Present? Yes _____ No X
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOP011_u

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30 X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Glycine max	70	Y	UPL
2. Dichanthelium scoparium	10	N	FACW
3. Grass sp.	20	Y	UNK
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	110 = Total Cover		

50% of total cover: 55   20% of total cover: 22

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ≥0 (A)

Total Number of Dominant
Species Across All Strata: 1 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ≥0 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species	10	x 2 =	20
FAC species		x 3 =	
FACU species		x 4 =	
UPL species	70	x 5 =	350
Column Totals:	80 (A)		370 (B)

Prevalence Index = B/A = 4.63

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☐ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes _____   No ✓

Remarks: (If observed, list morphological adaptations below).

Grass species recently mowed and unidentifiable - would not change outcome of Prevalence Index even if OBL (>3.0).
Edge of soybean field

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	2.5Y 4/2	100					sand	
4-20	2.5Y 5/3	100					sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

☐ Histosol (A1)	☐ Polyvalue Below Surface (S8) (LRR S, T, U)	**Indicators for Problematic Hydric Soils[3]:**
☐ Histic Epipedon (A2)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Black Histic (A3)	☐ Loamy Mucky Mineral (F1) (LRR O)	☐ 2 cm Muck (A10) (LRR S)
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18) (outside MLRA 150A,B)
☐ Stratified Layers (A5)	☐ Depleted Matrix (F3)	☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Anomalous Bright Loamy Soils (F20)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Depleted Dark Surface (F7)	(MLRA 153B)
☐ Muck Presence (A8) (LRR U)	☐ Redox Depressions (F8)	☐ Red Parent Material (TF2)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Marl (F10) (LRR U)	☐ Very Shallow Dark Surface (TF12)
☐ Depleted Below Dark Surface (A11)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Other (Explain in Remarks)
☐ Thick Dark Surface (A12)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Umbric Surface (F13) (LRR P, T, U)	[3]Indicators of hydrophytic vegetation and
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	wetland hydrology must be present,
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	unless disturbed or problematic.
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
☐ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No **X**

Remarks:

Compacted soil in existing powerline ROW.

Upland data point wsop011_u facing north.

Upland data point wsop011_u facing west.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/18/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa076f_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): draw   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.61316928   Long: -77.16834175   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** Yes ✔ No _____
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for a saturated to temporarily-flooded wetland complex located in intersecting draws; intermittent stream ssoa074 flows through wetland; PEM section on existing powerline ROW, PFO in forested finger between agricultural fields.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	✔ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
✔ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	✔ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	✔ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✔ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔ Depth (inches): _____	
Water Table Present?	Yes _____ No ✔ Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔ Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa076f_w

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Betula nigra*	50	Yes	FACW
2. *Platanus occidentalis*	15	Yes	FACW
3. *Acer rubrum*	5	No	FAC
4. *Liquidambar styraciflua*	4	No	FAC
5.			
6.			
7.			
8.			
	74	= Total Cover	

50% of total cover: 37   20% of total cover: 14.8

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	10	Yes	FAC
2. *Magnolia virginiana*	10	Yes	FACW
3. *Viburnum nudum*	7	No	FACW
4. *Clethra alnifolia*	4	No	FACW
5. *Nyssa sylvatica*	4	No	FAC
6. *Liquidambar styraciflua*	4	No	FAC
7.			
8.			
	39	= Total Cover	

50% of total cover: 19.5   20% of total cover: 7.8

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	25	Yes	FAC
2. *Arundinaria gigantea*	15	Yes	FACW
3. *Impatiens capensis*	15	Yes	FACW
4. *Woodwardia areolata*	10	No	OBL
5. *Pilea pumila*	5	No	FACW
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	70	= Total Cover	

50% of total cover: 35   20% of total cover: 14

Woody Vine Stratum (Plot size: 30)			
1. *Campsis radicans*	15	Yes	FAC
2. *Smilax rotundifolia*	10	Yes	FAC
3. *Lonicera japonica*	10	Yes	FACU
4. *Toxicodendron radicans*	7	No	FAC
5.			
	42	= Total Cover	

50% of total cover: 21   20% of total cover: 8.4

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 9   (A)

Total Number of Dominant
Species Across All Strata: 10   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 90   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	10	x 1 =	10
FACW species	121	x 2 =	242
FAC species	84	x 3 =	252
FACU species	10	x 4 =	40
UPL species	0	x 5 =	0
Column Totals:	225 (A)		544 (B)

Prevalence Index = B/A = 2.41

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 4/2	100					SL	
3-11	10YR 5/2	92	7.5YR 4/6	8	C	PL/M	SL	
11-20	10YR 5/1	90	7.5YR 4/6	10	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Wetland data point wsoa076f_w facing north

Photo 2
Wetland data point wsoa076f_w facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/18/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa076e_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): draw   Local relief (concave, convex, none): concave   Slope (%): 3

Subregion (LRR or MLRA): T   Lat: 36.61331744   Long: -77.168522   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for a saturated to temporarily-flooded wetland complex located in intersecting draws; intermittent stream ssoa074 flows through wetland; PEM section on existing powerline ROW, PFO in forested finger between agricultural fields.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)	Secondary Indicators (minimum of two required)

Primary		Secondary
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	✔ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✔ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa076e_w

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Rubus argutus*	15	Yes	FAC
2. *Sambucus nigra*	5	Yes	FACW
3.			
4.			
5.			
6.			
7.			
8.			
	20 = Total Cover		

50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Persicaria lapathifolia*	25	Yes	FACW
2. *Panicum dichotomiflorum*	20	Yes	FACW
3. *Impatiens capensis*	20	Yes	FACW
4. *Eupatorium capillifolium*	10	No	FACU
5. *Paspalum bifidum*	7	No	FACW
6. *Carex comosa*	6	No	OBL
7. *Commelina communis*	5	No	FAC
8. *Persicaria sagittata*	5	No	OBL
9. *Sonchus arvensis*	4	No	UPL
10.			
11.			
12.			
	102 = Total Cover		

50% of total cover: 51   20% of total cover: 20.4

Woody Vine Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Lonicera japonica*	10	Yes	FACU
2.			
3.			
4.			
5.			
	10 = Total Cover		

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5   (A)

Total Number of Dominant
Species Across All Strata: 6   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 83.33333333   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	11	x 1 =	11
FACW species	77	x 2 =	154
FAC species	20	x 3 =	60
FACU species	20	x 4 =	80
UPL species	4	x 5 =	20
Column Totals:	132 (A)		325 (B)

Prevalence Index = B/A =   2.46

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: wsoa076e_w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/2	100					SL	
4-10	10YR 5/2	95	7.5YR 4/6	5	C	PL/M	SL	
10-20	10YR 4/1	85	7.5YR 4/6	15	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils[3]:**

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
✔ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20)   **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
 Type: none
 Depth (inches): _____

Hydric Soil Present?   Yes ✔   No _____

Remarks:

US Army Corps of Engineers   Atlantic and Gulf Coastal Plain Region – Version 2.0

Photo 1
Wetland data point wsoa076e_w facing east

Photo 2
Wetland data point wsoa076e_w facing north

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/18/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa076_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 10

Subregion (LRR or MLRA): T   Lat: 36.61306837   Long: -77.16840955   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes __✔__   No _____   (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present?   Yes __✔__   No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes __✔__ No _____	**Is the Sampled Area**	
Hydric Soil Present? Yes _____ No __✔__	**within a Wetland?** Yes _____ No __✔__	
Wetland Hydrology Present? Yes _____ No __✔__		

Remarks:
Upland data point taken above toe of slope for a saturated to temporarily-flooded wetland complex located in intersecting draws.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No __✔__	Depth (inches): _____	
Water Table Present?	Yes _____	No __✔__	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____	No __✔__	Depth (inches): _____	**Wetland Hydrology Present? Yes _____ No __✔__**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liquidambar styraciflua*	25	Yes	FAC
2. *Acer rubrum*	20	Yes	FAC
3. *Liriodendron tulipifera*	15	Yes	FACU
4. *Quercus alba*	10	No	FACU
5.			
6.			
7.			
8.			
	70	= Total Cover	
50% of total cover: 35	20% of total cover: 14		

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ilex opaca*	40	Yes	FAC
2. *Oxydendrum arboreum*	4	No	FACU
3. *Fagus grandifolia*	2	No	FACU
4.			
5.			
6.			
7.			
8.			
	46	= Total Cover	
50% of total cover: 23	20% of total cover: 9.2		

Herb Stratum (Plot size: 5)			
1. *Arundinaria gigantea*	2	Yes	FACW
2. *Microstegium vimineum*	2	Yes	FAC
3. *Mitchella repens*	1	Yes	FACU
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	5	= Total Cover	
50% of total cover: 2.5	20% of total cover: 1		

Woody Vine Stratum (Plot size: 30)			
1. *Vitis aestivalis*	20	Yes	FACU
2. *Smilax glauca*	3	No	FAC
3. *Smilax rotundifolia*	2	No	FAC
4.			
5.			
	25	= Total Cover	
50% of total cover: 12.5	20% of total cover: 5		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant
Species Across All Strata: 8 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 62.5 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	2	x 2 =	4
FAC species	92	x 3 =	276
FACU species	52	x 4 =	208
UPL species	0	x 5 =	0
Column Totals:	146 (A)		488 (B)

Prevalence Index = B/A = 3.34

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-4	10YR 3/2	100					SL	
4-9	10YR 3/4	100					SL	
9-20	10YR 5/4	100					SL	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils³:**

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?　Yes _____　No ✔

Remarks:

Photo 1
Upland data point wsoa076_u facing south

Photo 2
Upland data point wsoa076_u facing west

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/17/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa075f_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): broad swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.61634653   Long: -77.16169107   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: PEM1A, PFO1A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** Yes ✔ No _____
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for the PFO section of an extensive saturated wetland complex located in a very broad swale; PEM section is on existing powerline with ROW and at edge of surrounding fields, PFO is forested area surrounded by agricultural fields. Several upland inclusions were taken, but there are scattered small upland inclusions that were not recorded; these were typically located in mounds associated with severe erosional gullies associated with agricultural field run off.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	✔ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	✔ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		✔ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✔	Depth (inches): _____	
Water Table Present?	Yes _____	No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____	No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liquidambar styraciflua*	25	Yes	FAC
2. *Nyssa sylvatica*	15	Yes	FAC
3. *Acer rubrum*	15	Yes	FAC
4. *Pinus taeda*	10	No	FAC
5. *Liriodendron tulipifera*	5	No	FACU
6.			
7.			
8.			
	70	= Total Cover	

50% of total cover: 35   20% of total cover: 14

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	15	Yes	FAC
2. *Sambucus nigra*	7	Yes	FACW
3. *Viburnum nudum*	6	No	FACW
4. *Magnolia virginiana*	6	No	FACW
5. *Nyssa sylvatica*	5	No	FAC
6. *Vaccinium corymbosum*	4	No	FACW
7.			
8.			
	43	= Total Cover	

50% of total cover: 21.5   20% of total cover: 8.6

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	25	Yes	FAC
2. *Impatiens capensis*	15	Yes	FACW
3. *Woodwardia areolata*	10	No	OBL
4. *Athyrium asplenioides*	8	No	FAC
5. *Laportea canadensis*	8	No	FACW
6. *Pilea pumila*	7	No	FACW
7.			
8.			
9.			
10.			
11.			
12.			
	73	= Total Cover	

50% of total cover: 36.5   20% of total cover: 14.6

Woody Vine Stratum (Plot size: 30)			
1. *Toxicodendron radicans*	15	Yes	FAC
2. *Smilax rotundifolia*	10	Yes	FAC
3. *Lonicera japonica*	10	Yes	FACU
4. *Campsis radicans*	10	Yes	FAC
5. *Parthenocissus quinquefolia*	5	No	FACU
	50	= Total Cover	

50% of total cover: 25   20% of total cover: 10

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 10   (A)

Total Number of Dominant
Species Across All Strata: 11   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 90.90909090   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	10	x 1 =	10
FACW species	53	x 2 =	106
FAC species	153	x 3 =	459
FACU species	20	x 4 =	80
UPL species	0	x 5 =	0
Column Totals:	236 (A)		655 (B)

Prevalence Index = B/A = 2.77

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 4/2	100					SL	
5-13	10YR 5/2	97	10YR 5/8	3	C	PL/M	SL	
13-20	10YR 4/1	100					LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Wetland data point wsoa075f_w facing southeast

Photo 2
Wetland data point wsoa075f_w facing southwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/17/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa075e_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): broad swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.616749   Long: -77.16171193   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: PEM1A, PFO1A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**	
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?**	**Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____		

Remarks:
Wetland data point for the PEM section of an extensive saturated wetland complex located in a very broad swale; PEM section is on existing powerline with ROW and at edge of surrounding fields, PFO is forested area surrounded by agricultural fields. Several upland inclusions were taken, but there are scattered small upland inclusions that were not recorded; these were typically located in mounds associated with severe erosional gullies associated with agricultural field run off.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
✔ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
✔ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes _____ No ✔ Depth (inches): _____

Saturation Present? Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present? Yes ✔ No _____**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa075e_w

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Rubus argutus*	20	Yes	FAC
2. *Salix nigra*	2	No	OBL
3. *Magnolia virginiana*	2	No	FACW
4.			
5.			
6.			
7.			
8.			
	24 = Total Cover		

50% of total cover: 12   20% of total cover: 4.8

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Persicaria arifolia*	35	Yes	OBL
2. *Impatiens capensis*	20	Yes	FACW
3. *Onoclea sensibilis*	10	No	FACW
4. *Eupatorium perfoliatum*	10	No	FACW
5. *Microstegium vimineum*	10	No	FAC
6. *Panicum dichotomiflorum*	5	No	FACW
7. *Solidago gigantea*	5	No	FACW
8. *Phytolacca americana*	5	No	FACU
9. *Cinna latifolia*	3	No	FACW
10. *Typha latifolia*	2	No	OBL
11.			
12.			
	105 = Total Cover		

50% of total cover: 52.5   20% of total cover: 21

Woody Vine Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 3   (A)

Total Number of Dominant
Species Across All Strata: 3   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	39	x 1 =	39
FACW species	55	x 2 =	110
FAC species	30	x 3 =	90
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	129 (A)		259 (B)

Prevalence Index = B/A = 2

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 2/2	100					SL	
3-6	10YR 3/1	100					SL	
6-10	10YR 4/1	100					SL	
10-20	10YR 5/1	94	7.5YR 4/6	6	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators		Indicators for Problematic Hydric Soils[3]:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes ✔   No _____

Remarks:

Photo 1
Wetland data point wsoa075e_w facing east

Photo 2
Wetland data point wsoa075e_w facing north

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/17/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa075_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): agricultural field   Local relief (concave, convex, none): none   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.61726777   Long: -77.16097106   Datum: WGS 1984

Soil Map Unit Name: Slagle fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No ✔	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** **Yes _____ No ✔**
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken at the edge of an agricultural field for a saturated wetland complex in a broad swale.

HYDROLOGY

Wetland Hydrology Indicators: Secondary Indicators (minimum of two required)

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes _____ No ✔ Depth (inches): _____

Saturation Present? Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present? Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa075_u

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. Digitaria sanguinalis	40	Yes	FACU
2. Phytolacca americana	10	Yes	FACU
3. Apocynum cannabinum	10	Yes	FACU
4. Solanum carolinense	10	Yes	FACU
5. Persicaria virginiana	10	Yes	FAC
6. Microstegium vimineum	6	No	FAC
7. Agrostis gigantea	5	No	FACW
8. Solidago rugosa	5	No	FAC
9. Panicum flexile	2	No	FAC
10.			
11.			
12.			
	98 = Total Cover		

50% of total cover: 49   20% of total cover: 19.6

Woody Vine Stratum (Plot size: 30)			
1. Lonicera japonica	10	Yes	FACU
2.			
3.			
4.			
5.			
	10 = Total Cover		

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant
Species Across All Strata: 6 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 16.66666666 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	5	x 2 =	10
FAC species	23	x 3 =	69
FACU species	80	x 4 =	320
UPL species	0	x 5 =	0
Column Totals:	108 (A)		399 (B)

Prevalence Index = B/A = 3.69

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No ✔

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 4/3	100					SL	
8-20	10YR 5/3	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20)
    (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
  wetland hydrology must be present,
  unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa075_u facing south

Photo 2
Upland data point wsoa075_u facing north

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/17/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa074e_w

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): ditch   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.62119504   Long: -77.15361317   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for a saturated PEM ditch wetland located in an agricultural field.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ✔ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ✔ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ✔ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa074e_w

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Murdannia spirata*	60	Yes	FAC
2. *Urtica dioica*	10	No	FAC
3. *Solidago rugosa*	10	No	FAC
4. *Rhexia virginica*	10	No	FACW
5. *Agrostis gigantea*	5	No	FACW
6. *Elymus virginicus*	3	No	FAC
7.			
8.			
9.			
10.			
11.			
12.			
	98 = Total Cover		

50% of total cover: 49   20% of total cover: 19.6

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant
Species Across All Strata: 1 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	15	x 2 =	30
FAC species	83	x 3 =	249
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	98 (A)		279 (B)

Prevalence Index = B/A = 2.84

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 3/1	95	7.5YR 4/6	5	C	PL/M	SL	
6-20	10YR 4/2	92	7.5YR 4/6	8	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Organic Bodies (A6) **(LRR P, T, U)**
- 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- Muck Presence (A8) **(LRR U)**
- 1 cm Muck (A9) **(LRR P, T)**
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Coast Prairie Redox (A16) **(MLRA 150A)**
- Sandy Mucky Mineral (S1) **(LRR O, S)**
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) **(LRR P, S, T, U)**

- Polyvalue Below Surface (S8) **(LRR S, T, U)**
- Thin Dark Surface (S9) **(LRR S, T, U)**
- Loamy Mucky Mineral (F1) **(LRR O)**
- Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) **(LRR U)**
- Depleted Ochric (F11) **(MLRA 151)**
- Iron-Manganese Masses (F12) **(LRR O, P, T)**
- Umbric Surface (F13) **(LRR P, T, U)**
- Delta Ochric (F17) **(MLRA 151)**
- Reduced Vertic (F18) **(MLRA 150A, 150B)**
- Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- 1 cm Muck (A9) **(LRR O)**
- 2 cm Muck (A10) **(LRR S)**
- Reduced Vertic (F18) **(outside MLRA 150A,B)**
- Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches):

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

US Army Corps of Engineers

Atlantic and Gulf Coastal Plain Region – Version 2.0

Photo 1
Wetland data point wsoa074e_w facing north

Photo 2
Wetland data point wsoa074e_w facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton County   Sampling Date: 9/17/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa074_u

Investigator(s): GB, SA   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): agricultural field   Local relief (concave, convex, none): none   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.62119521   Long: -77.15356491   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No ✔	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken at edge of agricultural field for a saturated PEM ditch wetland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)   Secondary Indicators (minimum of two required)

___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes _____ No ✔ Depth (inches): _____

Saturation Present? Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present? Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: <u>wsoa074_u</u>

Tree Stratum (Plot size: <u>30</u>)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	<u>0</u> = Total Cover		

50% of total cover: <u>0</u>   20% of total cover: <u>0</u>

Sapling/Shrub Stratum (Plot size: <u>15</u>)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	<u>0</u> = Total Cover		

50% of total cover: <u>0</u>   20% of total cover: <u>0</u>

Herb Stratum (Plot size: <u>5</u>)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Andropogon virginicus*	25	Yes	FAC
2. *Digitaria sanguinalis*	25	Yes	FACU
3. *Lespedeza cuneata*	20	Yes	FACU
4. *Eupatorium capillifolium*	10	No	FACU
5. *Agrostis gigantea*	10	No	FACW
6. *Persicaria virginiana*	5	No	FAC
7. *Rhexia virginica*	5	No	FACW
8.			
9.			
10.			
11.			
12.			
	100 = Total Cover		

50% of total cover: <u>50</u>   20% of total cover: <u>20</u>

Woody Vine Stratum (Plot size: <u>30</u>)			
1.			
2.			
3.			
4.			
5.			
	<u>0</u> = Total Cover		

50% of total cover: <u>0</u>   20% of total cover: <u>0</u>

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)

Total Number of Dominant Species Across All Strata: <u>3</u> (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: <u>33.33333333</u> (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	15	x 2 =	30
FAC species	30	x 3 =	90
FACU species	55	x 4 =	220
UPL species	0	x 5 =	0
Column Totals:	100 (A)		340 (B)

Prevalence Index = B/A = <u>3.4</u>

Hydrophytic Vegetation Indicators:

__ 1 - Rapid Test for Hydrophytic Vegetation

__ 2 - Dominance Test is >50%

__ 3 - Prevalence Index is ≤3.0[1]

__ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No <u>✔</u>

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 4/3	100					SL	
8-18	10YR 5/3	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: none
Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa074_u facing north

Photo 2
Upland data point wsoa074_u facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 2/4/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa032f_w

Investigator(s): GB, RH   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): flat   Local relief (concave, convex, none): microtopography   Slope (%): 1

Subregion (LRR or MLRA): T   Lat: 36.62677408   Long: -77.14866161   Datum: WGS 1984

Soil Map Unit Name: Roanoke loam, 0 to 2 percent slopes, occasionally flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes ✔   No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present?   Yes ✔   No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for a seasonally saturated to temporarily flooded PFO wetland located on a flat; area is mostly in a approximately 12 year old pine plantation which exhibits microtopography due to logging; the remainder is mixed hardwoods adjacent to an agricultural field, auger holes in this area found voids in soil profile. At the time of delineation water table was high throughout a large area and the line was taken between holes that exhibited both hydric soils and water table and those that did not exhibit both. Data points were taken in the pine area.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

			Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)		___ Surface Soil Cracks (B6)
✔ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**		___ Sparsely Vegetated Concave Surface (B8)
✔ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)		___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)		___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)		___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)		___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)		___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)		___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)			___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)			✔ FAC-Neutral Test (D5)
			___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes ✔ No _____	Depth (inches): 8	
Saturation Present? (includes capillary fringe)	Yes ✔ No _____	Depth (inches): 6	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
standing water in scattered small depressions

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	80	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	80	= Total Cover	
50% of total cover: 40	20% of total cover: 16		

Sapling/Shrub Stratum (Plot size: 15)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	15	Yes	FAC
2. *Magnolia virginiana*	5	No	FACW
3. *Ilex opaca*	5	No	FAC
4. *Liquidambar styraciflua*	2	No	FAC
5.			
6.			
7.			
8.			
	27	= Total Cover	
50% of total cover: 13.5	20% of total cover: 5.4		

Herb Stratum (Plot size: 5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Chasmanthium laxum*	5	Yes	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	5	= Total Cover	
50% of total cover: 2.5	20% of total cover: 1		

Woody Vine Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
	0	= Total Cover	
50% of total cover: 0	20% of total cover: 0		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	102	x 3 =	306
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	112 (A)		326 (B)

Prevalence Index = B/A = 2.91

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/1	100					SL	
5-9	10YR 4/2	97	10YR 4/6	3	C	M	SL	
9-24	10YR 5/2	93	7.5YR 4/6	7	C	PL/M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?　　Yes ✔　　No _____

Remarks:

Photo 1
Wetland data point WSOA032f_w facing east

Photo 2
Wetland data point WSOA032f_w facing west

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 2/4/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa032_u

Investigator(s): GB, RH   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): gentle slope   Local relief (concave, convex, none): microtopography   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.62674699   Long: -77.14891163   Datum: WGS 1984

Soil Map Unit Name: Roanoke loam, 0 to 2 percent slopes, occasionally flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**	
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?**	**Yes _____ No ✔**
Wetland Hydrology Present?	Yes _____ No ✔		

Remarks:
Upland data point on a gentle slope in a 12 year old pine plantation; microtopography from past logging activity

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No ✔ Depth (inches): _____

Water Table Present? Yes ✔ No _____ Depth (inches): 17

Saturation Present? Yes ✔ No _____ Depth (inches): 15   **Wetland Hydrology Present? Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
/insufficient hydrology indicators present. changed water table and saturation present buttons on. JM 6/17/15

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa032_u

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	80	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	80	= Total Cover	

50% of total cover: 40   20% of total cover: 16

Sapling/Shrub Stratum (Plot size: 15)			
1. *Pinus taeda*	20	Yes	FAC
2. *Ilex opaca*	10	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	30	= Total Cover	

50% of total cover: 15   20% of total cover: 6

Herb Stratum (Plot size: 5)			
1. *Chasmanthium laxum*	5	Yes	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	5	= Total Cover	

50% of total cover: 2.5   20% of total cover: 1

Woody Vine Stratum (Plot size: 30)			
1. *Vitis aestivalis*	6	Yes	FACU
2.			
3.			
4.			
5.			
	6	= Total Cover	

50% of total cover: 3   20% of total cover: 1.2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant
Species Across All Strata: 5 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 80 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	0	x 1 = 0
FACW species	5	x 2 = 10
FAC species	110	x 3 = 330
FACU species	6	x 4 = 24
UPL species	0	x 5 = 0
Column Totals:	121 (A)	364 (B)

Prevalence Index = B/A = 3

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL — Sampling Point: wsoa032_u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/1	100					SL	
5-10	10YR 4/2	100					SL	
10-20	10YR 5/2	98	7.5YR 4/6	2	C	M	FSL	
20-28	10YR 5/2	95	7.5YR 4/6	5	C	PL/M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Upland data point WSOA032_u facing west

Photo 2
Upland data point WSOA032_u facing east

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 2/4/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa031_f_w

Investigator(s): GB, RH   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 1

Subregion (LRR or MLRA): T   Lat: 36.62787887   Long: -77.14519657   Datum: WGS 1984

Soil Map Unit Name: Roanoke loam, 0 to 2 percent slopes, occasionally flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** **Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for a seasonally saturated PEM wetland in a swale at a NHD intermittent stream line; recently clear cut and highly disturbed by logging equipment and the pushing of slash into swale; scattered pockets of standing water in ruts and at some locations in low point of swale.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
✔ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
✔ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✔	Depth (inches): _____	
Water Table Present?	Yes ✔	No _____	Depth (inches): 9	
Saturation Present? (includes capillary fringe)	Yes ✔	No _____	Depth (inches): 8	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

US Army Corps of Engineers   Atlantic and Gulf Coastal Plain Region – Version 2.0

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
0 = Total Cover			

50% of total cover: 0   20% of total cover: 0

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
0 = Total Cover			

50% of total cover: 0   20% of total cover: 0

Herb Stratum (Plot size: 5)			
1. *Panicum dichotomiflorum*	20	Yes	FACW
2. *Scirpus cyperinus*	15	Yes	OBL
3. *Arundinaria gigantea*	15	Yes	FACW
4. *Eupatorium capillifolium*	15	Yes	FACU
5. *Andropogon virginicus*	10	No	FAC
6. *Xanthium strumarium*	5	No	FAC
7. *Sonchus arvensis*	5	No	UPL
8.			
9.			
10.			
11.			
12.			
85 = Total Cover			

50% of total cover: 42.5   20% of total cover: 17

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
0 = Total Cover			

50% of total cover: 0   20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant
Species Across All Strata: 4 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 75 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15
FACW species	35	x 2 =	70
FAC species	15	x 3 =	45
FACU species	15	x 4 =	60
UPL species	5	x 5 =	25
Column Totals:	85 (A)		215 (B)

Prevalence Index = B/A = 2.52

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

This wetland was recently cleared.

SOIL

Sampling Point: wsoa031 f_w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/1	100					SL	
8-17	10YR 3/1	100					SL	
17-25	10YR 4/1	100					LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	✔ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes ✔ **No** _____

Remarks:

Photo 1
Wetland data point wsoa031f_w facing east

Photo 2
Wetland data point wsoa031f_w facing west

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 2/4/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa031_u

Investigator(s): GB, RH   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 4

Subregion (LRR or MLRA): T   Lat: 36.6278394   Long: -77.14526393   Datum: WGS 1984

Soil Map Unit Name: Roanoke loam, 0 to 2 percent slopes, occasionally flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken above toe of slope for a seasonally saturated PEM wetland located in a swale within a recent clear cut.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present?** Yes _____ No ✔

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liquidambar styraciflua*	10	Yes	FAC
2. *Ilex opaca*	5	Yes	FAC
3. *Pinus taeda*	5	Yes	FAC
4.			
5.			
6.			
7.			
8.			
	20	= Total Cover	

50% of total cover: 10   20% of total cover: 4

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ilex opaca*	5	Yes	FAC
2. *Juniperus virginiana*	3	Yes	FACU
3.			
4.			
5.			
6.			
7.			
8.			
	8	= Total Cover	

50% of total cover: 4   20% of total cover: 1.6

Herb Stratum (Plot size: 5)			
1. *Chasmanthium laxum*	20	Yes	FACW
2. *Arundinaria gigantea*	15	Yes	FACW
3. *Eupatorium capillifolium*	15	Yes	FACU
4. *Sonchus arvensis*	10	No	UPL
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	60	= Total Cover	

50% of total cover: 30   20% of total cover: 12

Woody Vine Stratum (Plot size: 30)			
1. *Lonicera japonica*	10	Yes	FACU
2.			
3.			
4.			
5.			
	10	= Total Cover	

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant
Species Across All Strata: 9 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 66.66666666 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	35	x 2 =	70
FAC species	25	x 3 =	75
FACU species	28	x 4 =	112
UPL species	10	x 5 =	50
Column Totals:	98 (A)		307 (B)

Prevalence Index = B/A = 3.13

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No ____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	10YR 2/2	100					SL	
10-16	10YR 3/2	100					SL	
16-24	10YR 4/3	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point wsoa031_u facing east

Photo 2
Upland data point wsoa031_u facing west

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 2/4/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa030_f_w

Investigator(s): GB, RH   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.6304315   Long: -77.14173473   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**	
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?**	**Yes ✔ No _____**
Wetland Hydrology Present?	Yes ✔ No _____		

Remarks:
Saturated PEM wetland locted within a concave side slope in a recent clear cut adjacent to an agricultural field; feature becomes a cypress swamp 30 yards outside the corridor.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
✔ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
✔ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes ✔ No _____	Depth (inches): 11	
Saturation Present? (includes capillary fringe)	Yes ✔ No _____	Depth (inches): 9	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
standing water only in logging ruts

US Army Corps of Engineers   Atlantic and Gulf Coastal Plain Region – Version 2.0

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		
50% of total cover: 0	20% of total cover: 0		

Sapling/Shrub Stratum (Plot size: 15)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		
50% of total cover: 0	20% of total cover: 0		

Herb Stratum (Plot size: 5)			
1. *Eupatorium capillifolium*	20	Yes	FACU
2. *Scirpus cyperinus*	20	Yes	OBL
3. *Arundinaria gigantea*	15	Yes	FACW
4. *Juncus effusus*	10	No	OBL
5. *Andropogon virginicus*	10	No	FAC
6. *Eupatorium perfoliatum*	5	No	FACW
7. *Rhexia virginica*	5	No	FACW
8.			
9.			
10.			
11.			
12.			
	85 = Total Cover		
50% of total cover: 42.5	20% of total cover: 17		

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		
50% of total cover: 0	20% of total cover: 0		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 66.66666666 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	30	x 1 =	30
FACW species	25	x 2 =	50
FAC species	10	x 3 =	30
FACU species	20	x 4 =	80
UPL species	0	x 5 =	0
Column Totals:	85 (A)		190 (B)

Prevalence Index = B/A = 2.23

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

This wetland has been recently cleared.

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 3/2	100					SL	
6-18	10YR 4/2	98	7.5YR 4/6	2	C	PL/M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20)
  (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
  wetland hydrology must be present,
  unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes ✔ **   No** _____

Remarks:

Photo 1
Wetland data point wsoa030f_w facing east

Photo 2
Wetland data point wsoa030f_w facing west

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 2/4/2015

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa030_u

Investigator(s): GB, RH   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): concave   Slope (%): 5

Subregion (LRR or MLRA): T   Lat: 36.63049098   Long: -77.14165314   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 0 to 2 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No ✔	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken within a concave side slope above a seasonally saturated PEM wetland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes _____ No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____ No ✔	Depth (inches): _____	**Wetland Hydrology Present? Yes _____ No ✔**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators present

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: _____30_____)

	Absolute % Cover	Dominant Species?	Indicator Status
1. *Acer rubrum*	15	Yes	FAC
2. *Ilex opaca*	10	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	25	= Total Cover	

50% of total cover: _12.5_ 20% of total cover: _5_

Sapling/Shrub Stratum (Plot size: _____15_____)

	Absolute % Cover	Dominant Species?	Indicator Status
1. *Ligustrum sinense*	40	Yes	FAC
2. *Liriodendron tulipifera*	5	No	FACU
3.			
4.			
5.			
6.			
7.			
8.			
	45	= Total Cover	

50% of total cover: _22.5_ 20% of total cover: _9_

Herb Stratum (Plot size: _____5_____)

	Absolute % Cover	Dominant Species?	Indicator Status
1. *Eupatorium capillifolium*	15	Yes	FACU
2. *Sonchus arvensis*	10	Yes	UPL
3. *Andropogon virginicus*	5	No	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	30	= Total Cover	

50% of total cover: _15_ 20% of total cover: _6_

Woody Vine Stratum (Plot size: _____30_____)

	Absolute % Cover	Dominant Species?	Indicator Status
1. *Lonicera japonica*	20	Yes	FACU
2. *Vitis aestivalis*	15	Yes	FACU
3. *Smilax rotundifolia*	7	No	FAC
4.			
5.			
	42	= Total Cover	

50% of total cover: _21_ 20% of total cover: _8.4_

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: _____3_____ (A)

Total Number of Dominant
Species Across All Strata: _____7_____ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: _42.85714285_ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	77	x 3 =	231
FACU species	55	x 4 =	220
UPL species	10	x 5 =	50
Column Totals:	142 (A)		501 (B)

Prevalence Index = B/A = _____3.52_____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No __✔__

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 2/2	100					SL	
6-14	10YR 3/2	100					SL	
14-18	10YR 2/1	100					LS	
18-24	10YR 3/4	100					LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	**Indicators for Problematic Hydric Soils[3]:**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ 2 cm Muck (A10) **(LRR S)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	___ Anomalous Bright Loamy Soils (F20)
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	**(MLRA 153B)**
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Red Parent Material (TF2)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Very Shallow Dark Surface (TF12)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	___ Other (Explain in Remarks)
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	[3]Indicators of hydrophytic vegetation and
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	wetland hydrology must be present,
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	unless disturbed or problematic.
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?　　Yes _____　　No ✔

Remarks:

Photo 1
Upland data point wsoa030_u facing east

Photo 2
Upland data point wsoa030_u facing west

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 9/23/2014

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa005f_w

Investigator(s): GB, TP   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): swale   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.63249221   Long: -77.13984596   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** Yes ✔ No _____
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point taken in a small wet swale between hayfields.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
✔ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
✔ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
✔ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
✔ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
✔ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes ✔ No _____	Depth (inches): 4	
Saturation Present? (includes capillary fringe)	Yes ✔ No _____	Depth (inches): 2	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Acer rubrum*	15	Yes	FAC
2. *Liquidambar styraciflua*	15	Yes	FAC
3. *Liriodendron tulipifera*	10	Yes	FACU
4.			
5.			
6.			
7.			
8.			
	40	= Total Cover	

50% of total cover: 20   20% of total cover: 8

Sapling/Shrub Stratum (Plot size: 15)			
1. *Liquidambar styraciflua*	15	Yes	FAC
2. *Acer rubrum*	5	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	20	= Total Cover	

50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	25	Yes	FAC
2. *Carex grayi*	10	Yes	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	35	= Total Cover	

50% of total cover: 17.5   20% of total cover: 7

Woody Vine Stratum (Plot size: 30)			
1. *Toxicodendron radicans*	10	Yes	FAC
2. *Smilax rotundifolia*	8	Yes	FAC
3.			
4.			
5.			
	18	= Total Cover	

50% of total cover: 9   20% of total cover: 3.6

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant
Species Across All Strata: 9 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 88.88888888 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	93	x 3 =	279
FACU species	10	x 4 =	40
UPL species	0	x 5 =	0
Column Totals:	113 (A)		339 (B)

Prevalence Index = B/A = 3

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✔ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 3/3	100					SCL	
3-18	10YR 4/2	95	10YR 4/6	5	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none _____

Depth (inches): _____

Hydric Soil Present?   Yes __✔__   No _____

Remarks:

Photo 1
Wetland data point WSOA005f_w facing northwest

Photo 2
Wetland data point WSOA005f_w facing southeast

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 9/23/2014

Applicant/Owner: Dominion   State: VA   Sampling Point: WSOA005_u

Investigator(s): GB, TP   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 4

Subregion (LRR or MLRA): T   Lat: 36.63245085   Long: -77.13986796   Datum: WGS 1984

Soil Map Unit Name: Emporia fine sandy loam, 2 to 6 percent slopes   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken above toe of slope for a saturated PFO wetland in a small wet swale.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)
___ High Water Table (A2)
___ Saturation (A3)
___ Water Marks (B1)
___ Sediment Deposits (B2)
___ Drift Deposits (B3)
___ Algal Mat or Crust (B4)
___ Iron Deposits (B5)
___ Inundation Visible on Aerial Imagery (B7)
___ Water-Stained Leaves (B9)

___ Aquatic Fauna (B13)
___ Marl Deposits (B15) **(LRR U)**
___ Hydrogen Sulfide Odor (C1)
___ Oxidized Rhizospheres along Living Roots (C3)
___ Presence of Reduced Iron (C4)
___ Recent Iron Reduction in Tilled Soils (C6)
___ Thin Muck Surface (C7)
___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✔	Depth (inches): _____	
Water Table Present?	Yes _____	No ✔	Depth (inches): _____	
Saturation Present? (includes capillary fringe)	Yes _____	No ✔	Depth (inches): _____	**Wetland Hydrology Present?** Yes _____ No ✔

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Quercus alba*	40	Yes	FACU
2. *Pinus taeda*	20	Yes	FAC
3. *Liquidambar styraciflua*	10	No	FAC
4.			
5.			
6.			
7.			
8.			
	70	= Total Cover	
50% of total cover: 35	20% of total cover: 14		

Sapling/Shrub Stratum (Plot size: 15)			
1. *Liquidambar styraciflua*	30	Yes	FAC
2. *Acer rubrum*	5	No	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	35	= Total Cover	
50% of total cover: 17.5	20% of total cover: 7		

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	5	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	5	= Total Cover	
50% of total cover: 2.5	20% of total cover: 1		

Woody Vine Stratum (Plot size: 30)			
1. *Smilax rotundifolia*	10	Yes	FAC
2. *Toxicodendron radicans*	5	Yes	FAC
3.			
4.			
5.			
	15	= Total Cover	
50% of total cover: 7.5	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5   (A)

Total Number of Dominant
Species Across All Strata: 6   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 83.33333333 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	85	x 3 =	255
FACU species	40	x 4 =	160
UPL species	0	x 5 =	0
Column Totals:	125 (A)		415 (B)

Prevalence Index = B/A =   3.32

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 3/3	100					SL	
8-20	10YR 6/4	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point WSOA005_u facing southeast

Photo 2
Upland data point WSOA005_u facing northwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP _____ City/County: Southampton _____ Sampling Date: 10/13/15

Applicant/Owner: Dominion _____ State: VA Sampling Point: WS00003f.W

Investigator(s): K.Markham, S. Iosofa _____ Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Recently cleared flatwoods. Local relief (concave, convex, none): none _____ Slope (%): 0-2

Subregion (LRR or MLRA): LRRT _____ Lat: 36.63502 _____ Long: -77.13690 _____ Datum: WGSA4

Soil Map Unit Name: Bibb sandy loam, 0 to 2%, frequently flooded _____ NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation X , Soil X , or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____ , Soil _____ , or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area	
Hydric Soil Present?	Yes X No _____	within a Wetland?	Yes X No _____
Wetland Hydrology Present?	Yes X No _____		

Remarks:
Recently cleared flatwoods.

Bottomland Hardwood Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
X Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	X Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
X FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes X No _____	Depth (inches): 10	Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 15X15Ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 15X15Ft)			
1. Salix nigra	2	Y	OBL
2. Ligustrum sinense	2	Y	FAC
3. Platanus occidentalis	1	Y	FACW
4.			
5.			
6.			
7.			
8.			

5 = Total Cover

50% of total cover: 2-5   20% of total cover: 1

Herb Stratum (Plot size: 15X15Ft)			
1. Juncus effusus	30	Y	OBL
2. Scirpus cyperinus	30	Y	OBL
3. Agrostis stolonifera	30	Y	FACW
4. Eupatorium capillifolium	5	N	FACU
5. Pluchea foetida	2	N	OBL
6. Dichanthelium scoparium	2	N	FACW
7. Eupatorium perfoliatum	1	N	FACW
8. Ludwigia alternifolia	5	N	OBL
9.			
10.			
11.			
12.			

105 = Total Cover

50% of total cover: 52-5   20% of total cover: 21

Woody Vine Stratum (Plot size: 15X15Ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No _____

Remarks: (If observed, list morphological adaptations below).

Recently cleared of forest vegetation

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	10YR 4/2	80	2.5YR 3/6	20	C	PL	CL	
10-20	10YR 3/2	95	2.5YR 3/6	5	C	PL	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	X Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes X   No _____

Remarks:

Wetland data point wsoo003f_w facing northeast.

Wetland data point wsoo003f_w facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ___ACP___ City/County: __Southampton__ Sampling Date: _10/13/15_
Applicant/Owner: __Dominion__ State: _VA_ Sampling Point: _WS00003-4_
Investigator(s): _K Markham & Tuser_ Section, Township, Range: _N/A_
Landform (hillslope, terrace, etc.): _Hillslope_ Local relief (concave, convex, none): _None_ Slope (%) _0-2_
Subregion (LRR or MLRA): _LRRT_ Lat: _36.63492_ Long: _-77.1369_ Datum: _WGCP4_
Soil Map Unit Name: _Bibb sandy loam, 0 to 2°/. frequently Flood_ NWI classification: _UPLAND_
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _X_ No ___ (If no, explain in Remarks.)
Are Vegetation _X_, Soil _X_, or Hydrology ___ significantly disturbed? Are "Normal Circumstances" present? Yes _X_ No ___
Are Vegetation ___, Soil ___, or Hydrology ___ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _X_ No ___	Is the Sampled Area within a Wetland? Yes ___ No _X_
Hydric Soil Present?	Yes ___ No _X_	
Wetland Hydrology Present?	Yes ___ No _X_	

Remarks: Recently cleared flatwoods

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- _X_ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ___ No _X_	Depth (inches): _N/A_	
Water Table Present?	Yes ___ No _X_	Depth (inches): _>20_	
Saturation Present? (includes capillary fringe)	Yes ___ No _X_	Depth (inches): _>20_	Wetland Hydrology Present? Yes ___ No _X_

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: W500003-u

Tree Stratum (Plot size: 15X15ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 15v15ft)			
1. Ligustrum sinense	15	Y	FAC
2. Platanus occidentalis	5	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
	20 = Total Cover		

50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 15X15ft)			
1. Eupatorium capillifolium	65	Y	FACU
2. Agrostis stolonifera	10	Y	FACW
3. Scirpus cyperinus	10	N	OBL
4. Juncus effusus	5	N	OBL
5. Ludwigia alternifolia	5	N	OBL
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	100 = Total Cover		

50% of total cover: 50   20% of total cover: 20

Woody Vine Stratum (Plot size: 15X15ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 3   (A)

Total Number of Dominant
Species Across All Strata: 4   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 75   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation
___ 2 - Dominance Test is >50%
___ 3 - Prevalence Index is ≤3.0[1]
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic
Vegetation
Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

Recently cleared of forest vegetation

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 5/4	90	5YR 4/6	10	C	PL	SL	
2-16	10YR 5/4	80	10YR 4/2	15	C	PL	SL	
			5YR 4/6	5	C	PL		
16-20	2.5Y 4/3	90	5YR 4/1	10	C	PL	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils[3]:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)	___ 1 cm Muck (A9) (LRR O)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)	___ 2 cm Muck (A10) (LRR S)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) (LRR P, T, U)	___ Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
___ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No __X__

Remarks:

Upland data point wsoo003_u facing east.

Upland data point wsoo003_u facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 9/23/2014

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa006s_w

Investigator(s): GB, TP   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): Slope   Local relief (concave, convex, none): concave   Slope (%): 2

Subregion (LRR or MLRA): T   Lat: 36.63566782   Long: -77.13555565   Datum: WGS 1984

Soil Map Unit Name: Craven fine sandy loam, 2 to 6 percent slopes   NWI classification: PFO1A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes ✔ No _____	**within a Wetland?** Yes ✔ No _____
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:
Wetland data point for a PSS wetland on a concave sideslope located below a slope break near edge of an agricultural field. Wetland is separated from ssoa001 by the stream's natural levee on floodplain. Area was logged several years ago.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
✔ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
✔ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
✔ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
✔ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✔ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No ✔	Depth (inches): _____	
Water Table Present?	Yes ✔ No _____	Depth (inches): 11	
Saturation Present? (includes capillary fringe)	Yes ✔ No _____	Depth (inches): 8	**Wetland Hydrology Present? Yes ✔ No _____**

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
receives copious run off from adjacent agricultural field

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Salix nigra*	10	Yes	OBL
2. *Liquidambar styraciflua*	5	Yes	FAC
3. *Platanus occidentalis*	5	Yes	FACW
4.			
5.			
6.			
7.			
8.			
	20	= Total Cover	
50% of total cover: 10	20% of total cover: 4		

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	50	Yes	FAC
2. *Salix nigra*	35	Yes	OBL
3. *Liquidambar styraciflua*	10	No	FAC
4.			
5.			
6.			
7.			
8.			
	95	= Total Cover	
50% of total cover: 47.5	20% of total cover: 19		

Herb Stratum (Plot size: 5)			
1. *Microstegium vimineum*	20	Yes	FAC
2. *Woodwardia areolata*	7	Yes	OBL
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	27	= Total Cover	
50% of total cover: 13.5	20% of total cover: 5.4		

Woody Vine Stratum (Plot size: 30)			
1. *Lonicera japonica*	20	Yes	FACU
2. *Campsis radicans*	10	Yes	FAC
3.			
4.			
5.			
	30	= Total Cover	
50% of total cover: 15	20% of total cover: 6		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant
Species Across All Strata: 9 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 88.88888888 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	52	x 1 =	52
FACW species	5	x 2 =	10
FAC species	95	x 3 =	285
FACU species	20	x 4 =	80
UPL species	0	x 5 =	0
Column Totals:	172 (A)		427 (B)

Prevalence Index = B/A = 2.48

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

✔ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 2/1	100					SL	
3-12	10YR 4/2	95	10YR 4/6	5	C	PL/M	SL	
12-20	10YR 3/1	96	10YR 4/6	4	C	PL/M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils[3]:**

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**

- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20)
    (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and
   wetland hydrology must be present,
   unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes ✔   No _____

Remarks:

Photo 1
Wetland data point WSOA006s_w facing northeast

Photo 2
Wetland data point WSOA006s_w facing southwest

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Atlantic Coast Pipeline   City/County: Southampton   Sampling Date: 9/23/2014

Applicant/Owner: Dominion   State: VA   Sampling Point: wsoa006_u

Investigator(s): GB, TP   Section, Township, Range: No PLSS in this area

Landform (hillslope, terrace, etc.): slope   Local relief (concave, convex, none): none   Slope (%): 4

Subregion (LRR or MLRA): T   Lat: 36.63590478   Long: -77.13515989   Datum: WGS 1984

Soil Map Unit Name: Bibb sandy loam, 0 to 2 percent slopes, frequently flooded   NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No ✔	**within a Wetland?** Yes _____ No ✔
Wetland Hydrology Present?	Yes _____ No ✔	

Remarks:
Upland data point taken on sideslope for a saturated PSS wetland located in a concavity on slope below a slope break.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

		Secondary Indicators (minimum of two required)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Surface Soil Cracks (B6)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**	___ Sparsely Vegetated Concave Surface (B8)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Drainage Patterns (B10)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Moss Trim Lines (B16)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Dry-Season Water Table (C2)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Crayfish Burrows (C8)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Saturation Visible on Aerial Imagery (C9)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Geomorphic Position (D2)
___ Inundation Visible on Aerial Imagery (B7)		___ Shallow Aquitard (D3)
___ Water-Stained Leaves (B9)		___ FAC-Neutral Test (D5)
		___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?   Yes _____ No ✔ Depth (inches): _____

Water Table Present?   Yes _____ No ✔ Depth (inches): _____

Saturation Present?   Yes _____ No ✔ Depth (inches): _____   **Wetland Hydrology Present?   Yes _____ No ✔**
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
no hydrology indicators

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: wsoa006_u

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liriodendron tulipifera*	15	Yes	FACU
2. *Liquidambar styraciflua*	10	Yes	FAC
3. *Ilex opaca*	10	Yes	FAC
4.			
5.			
6.			
7.			
8.			
	35	= Total Cover	
50% of total cover: 17.5	20% of total cover: 7		

Sapling/Shrub Stratum (Plot size: 15)			
1. *Ligustrum sinense*	50	Yes	FAC
2. *Ilex opaca*	30	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	80	= Total Cover	
50% of total cover: 40	20% of total cover: 16		

Herb Stratum (Plot size: 5)			
1. *Glechoma hederacea*	6	Yes	FACU
2. *Microstegium vimineum*	4	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	10	= Total Cover	
50% of total cover: 5	20% of total cover: 2		

Woody Vine Stratum (Plot size: 30)			
1. *Lonicera japonica*	30	Yes	FACU
2. *Campsis radicans*	30	Yes	FAC
3. *Smilax rotundifolia*	10	No	FAC
4.			
5.			
	70	= Total Cover	
50% of total cover: 35	20% of total cover: 14		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 6   (A)

Total Number of Dominant
Species Across All Strata: 9   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 66.66666666 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	144	x 3 =	432
FACU species	51	x 4 =	204
UPL species	0	x 5 =	0
Column Totals:	195 (A)		636 (B)

Prevalence Index = B/A =   3.26

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✔ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes ✔   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 3/2	100					SL	
13-20	10YR 5/4	100					LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	**Indicators for Problematic Hydric Soils[3]:**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ 2 cm Muck (A10) **(LRR S)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	___ Anomalous Bright Loamy Soils (F20)
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	___ Depleted Dark Surface (F7)	**(MLRA 153B)**
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Red Parent Material (TF2)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Very Shallow Dark Surface (TF12)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	___ Other (Explain in Remarks)
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: none

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✔

Remarks:

Photo 1
Upland data point WSOA006_u facing west

Photo 2
Upland data point WSOA006_u facing south

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP _____ City/County: Southampton _____ Sampling Date: 10/13/15

Applicant/Owner: Dominion _____ State: VA _____ Sampling Point: WS00004f-W

Investigator(s): K. Markham, J. Iosefa _____ Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Flatwoods _____ Local relief (concave, convex, none): none _____ Slope (%) 0-2

Subregion (LRR or MLRA): LRRT _____ Lat: 36.637769 _____ Long: -77.127508 _____ Datum: WGS84

Soil Map Unit Name: Bibb sandy loam, 0 to 2% frequently flooded NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _X_ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _X_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _X_ No _____	
Hydric Soil Present?	Yes _X_ No _____	Is the Sampled Area within a Wetland? Yes _X_ No _____
Wetland Hydrology Present?	Yes _X_ No _____	

Remarks:

Headwater Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
_X_ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)
_X_ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	_X_ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
_X_ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
_X_ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
_X_ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
_X_ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No _X_ Depth (inches): N/A	
Water Table Present?	Yes _X_ No _____ Depth (inches): 5	
Saturation Present? (includes capillary fringe)	Yes _X_ No _____ Depth (inches): 0	Wetland Hydrology Present? Yes _X_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WS00004f.w

Tree Stratum (Plot size: 20X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus phellos	30	Y	FACW
2. Acer rubrum	60	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

90 = Total Cover
50% of total cover: 45   20% of total cover: 18

Sapling/Shrub Stratum (Plot size: 20X30ft)			
1. Ligustrum sinense	60	Y	FAC
2. Ilex opaca	20	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

80 = Total Cover
50% of total cover: 40   20% of total cover: 16

Herb Stratum (Plot size: 30X30ft)			
1. Arundinaria gigantea	10	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	6	(A)
Total Number of Dominant Species Across All Strata:	6	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ___ 1 - Rapid Test for Hydrophytic Vegetation
- X 2 - Dominance Test is >50%
- ___ 3 - Prevalence Index is ≤3.0[1]
- ___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR3/2	95	5YR 3/4	5	C	PL	SILY L	
4-12	10YR5/3	60	10YR 3/2	35		M	SL	streaked matrix
			5YR3/4	5	C	PL		
12-20	10YR3/2	95	5YR3/4	5	C	PL		

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

		Indicators for Problematic Hydric Soils[3]:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)	___ 1 cm Muck (A9) (LRR O)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)	___ 2 cm Muck (A10) (LRR S)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) (LRR P, T, U)	✓ Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
___ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (If observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes __✓__ No _____

Remarks:

Wetland data point wsoo004f_w facing southeast.

Wetland data point wsoo004f_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP _____ City/County: Southampton _____ Sampling Date: 10/13/15

Applicant/Owner: Dominion _____ State: VA _____ Sampling Point: WS00 004-4

Investigator(s): K. Markham, J.Josofa _____ Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): none _____ Slope (%): 0-2

Subregion (LRR or MLRA): LRRT _____ Lat: 36.103103 _____ Long: -77.1276 _____ Datum: WGS84

Soil Map Unit Name: Bibb sandy loam 0 to 2% frequently flooded _____ NWI classification: UPLAND

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No _____	Is the Sampled Area	
Hydric Soil Present?	Yes _____	No X	within a Wetland?	Yes _____ No X
Wetland Hydrology Present?	Yes _____	No X		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No X	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liriodendron tulipifera	50	Y	FAC
2. Pinus taeda	15	N	FAC
3. Liquidambar styraciflua	10	N	FAC
4. Acer rubrum	25	Y	FAC
5.			
6.			
7.			
8.			

100 = Total Cover
50% of total cover: 50   20% of total cover: 20

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Ilex opaca	50	Y	FAC
2. Liquidambar styraciflua	5	N	FAC
3. Prunus serotina	10	N	FACU
4.			
5.			
6.			
7.			
8.			

65 = Total Cover
50% of total cover: 32.5   20% of total cover: 13

Herb Stratum (Plot size: 30X30ft)			
1. Ligustrum sinense	5	Y	FAC
2. Microstegium vimineum	5	Y	FAC
3. Botrypus virginianus	1	N	FACU
4. Chasmanthium laxum	1	N	FACW
5. Asplenium platyneuron	1	N	FACU
6.			
7.			
8.			
9.			
10.			
11.			
12.			

13 = Total Cover
50% of total cover: 6.5   20% of total cover: 2.6

Woody Vine Stratum (Plot size: 30X30ft)			
1. Vitis rotundifolia	5	Y	FAC
2.			
3.			
4.			
5.			

5 = Total Cover
50% of total cover: 2.5   20% of total cover: 1

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	6	(A)
Total Number of Dominant Species Across All Strata:	6	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation
✓ 2 - Dominance Test is >50%
___ 3 - Prevalence Index is ≤3.0[1]
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No ___

Remarks: (If observed, list morphological adaptations below).

SOL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	7.5YR 3/3	100					SL	
4-14	7.5YR 4/6	100					SCL	
14-20	7.5YR 5/6	100					A	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)	___ 1 cm Muck (A9) (LRR O)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)	___ 2 cm Muck (A10) (LRR S)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) (LRR P, T, U)	___ Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
___ Dark Surface (S7) (LRR P, S, T, U)		

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No __X__

Remarks:

Upland data point wsoo004_u facing southwest.

Upland data point wsoo004_u facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _ACP_   City/County: _Southampton_   Sampling Date: _12/17/15_
Applicant/Owner: _Dominion_   State: _VA_   Sampling Point: _WS00 008F-W_
Investigator(s): _ESI - R. Turnbull_   Section, Township, Range: _N/A_
Landform (hillslope, terrace, etc.): _drainage_   Local relief (concave, convex, none): _concave_   Slope (%) _1-4%_
Subregion (LRR or MLRA): _LRR T_   Lat: _36.63739_   Long: _-77.12459_   Datum: _WGS84_
Soil Map Unit Name: _Myatt loam, 0-2% slopes_   NWI classification: _PFO_
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _✓_ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _✓_ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _✓_ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes _✓_ No _____	within a Wetland?	Yes _✓_ No _____
Wetland Hydrology Present?	Yes _✓_ No _____		

Remarks:

Headwater Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)
_✓_ High Water Table (A2)
_✓_ Saturation (A3)
___ Water Marks (B1)
___ Sediment Deposits (B2)
___ Drift Deposits (B3)
___ Algal Mat or Crust (B4)
___ Iron Deposits (B5)
___ Inundation Visible on Aerial Imagery (B7)
_✓_ Water-Stained Leaves (B9)

___ Aquatic Fauna (B13)
___ Marl Deposits (B15) (LRR U)
___ Hydrogen Sulfide Odor (C1)
_✓_ Oxidized Rhizospheres along Living Roots (C3)
___ Presence of Reduced Iron (C4)
___ Recent Iron Reduction in Tilled Soils (C6)
___ Thin Muck Surface (C7)
___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____	No _✓_	Depth (inches):	_N/A_
Water Table Present?	Yes _✓_	No _____	Depth (inches):	_10_
Saturation Present? (includes capillary fringe)	Yes _✓_	No _____	Depth (inches):	_4_

Wetland Hydrology Present? Yes _✓_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30ft. x 30 ft.)	Absolute % Cover	Dominant Species?	Indicator Status
1. _Ilex opaca_	30	Y	FAC
2. _Liquidambar styraciflua_	10	N	FAC
3. _Carpinus caroliniana_	20	Y	FAC
4.			
5.			
6.			
7.			
8.			
	60	= Total Cover	

50% of total cover: 30   20% of total cover: 12

Sapling/Shrub Stratum (Plot size: 30ft x 30ft.)			
1. _Ligustrum sinense_	40	Y	FAC
2. _Ilex opaca_	20	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	60	= Total Cover	

50% of total cover: 30   20% of total cover: 12

Herb Stratum (Plot size: 30ft x 30ft.)			
1. none present			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	0	= Total Cover	

50% of total cover: _____   20% of total cover: _____

Woody Vine Stratum (Plot size: 30ft x 30ft.)			
1. _Smilax rotundifolia_	10	Y	FAC
2.			
3.			
4.			
5.			
	10	= Total Cover	

50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: __5__ (A)

Total Number of Dominant Species Across All Strata: __5__ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: __100__ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes ✓	No _____

Remarks: (If observed, list morphological adaptations below).

SOManual

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-20	2.5Y 4/2	95	10YR 4/6	5	C	PL	L	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining. M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils[3]:**

___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)	___ 1 cm Muck (A9) (LRR O)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)	___ 2 cm Muck (A10) (LRR S)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Stratified Layers (A5)	✔ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) (LRR P, T, U)	___ Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
___ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes ✔　No _____

Remarks:

Wetland data point wsoo008f_w facing south.

Wetland data point wsoo008f_w facing west.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __12/17/15__
Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WS00 008_u__
Investigator(s): __ESI - R. Turnbull__   Section, Township, Range: __N/A__
Landform (hillslope, terrace, etc.): __hillslope__   Local relief (concave, convex, none): __concave__   Slope (%): __4-10__
Subregion (LRR or MLRA): __LRR T__   Lat: __36.63748__   Long: __-77.12450__   Datum: __WGS84__
Soil Map Unit Name: __Myatt loam, 0-2% slopes__   NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✔__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✔__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✔__ No _____	
Hydric Soil Present?	Yes _____ No __✔__	Is the Sampled Area within a Wetland? Yes _____ No __✔__
Wetland Hydrology Present?	Yes _____ No __✔__	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __✔__	Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __✔__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____ No __✔__	Depth (inches): __>20__	Wetland Hydrology Present? Yes _____ No __✔__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30ft.x30ft.)	Absolute % Cover	Dominant Species?	Indicator Status
1. Ilex opaca	50	Y	FAC
2. Liquidambar styraciflua	30	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	80 = Total Cover		
50% of total cover: 40 20% of total cover: 16			

Sapling/Shrub Stratum (Plot size: 30ft.x30ft.)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		
50% of total cover: ____ 20% of total cover: ____			

Herb Stratum (Plot size: 30ft.x30ft.)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	0 = Total Cover		
50% of total cover: ____ 20% of total cover: ____			

Woody Vine Stratum (Plot size: 30ft.x30ft.)			
1. Smilax rotundifolia	20	Y	FAC
2. Lonicera japonica	30	Y	FAC
3.			
4.			
5.			
	50 = Total Cover		
50% of total cover: 25 20% of total cover: 10			

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	4	(A)
Total Number of Dominant Species Across All Strata:	4	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOLL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR3/2	100					SL	
6-20	2.5Y4/3	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) | **Indicators for Problematic Hydric Soils[3]:**

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✓

Remarks:

Upland data point wsoo008_u facing north.

Upland data point wsoo008_u facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 12/17/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WS00009f-w

Investigator(s): L. Roper, R. Turnbull   Section, Township, Range: none

Landform (hillslope, terrace, etc.): depression   Local relief (concave, convex, none): concave   Slope (%): 0-2%

Subregion (LRR or MLRA): LRR T   Lat: 36.63649   Long: -77.11632   Datum: WGS84

Soil Map Unit Name: Yemassee fine sandy loam   NWI classification: PFO

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔ No _____	Is the Sampled Area within a Wetland? Yes ✔ No _____
Hydric Soil Present?	Yes ✔ No _____	
Wetland Hydrology Present?	Yes ✔ No _____	

Remarks:

NCWAM Classification: Hardwood flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
✖ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
✖ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
✖ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
✖ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✔	Depth (inches):	NA
Water Table Present?	Yes ✔	No _____	Depth (inches):	8
Saturation Present? (includes capillary fringe)	Yes ✔	No _____	Depth (inches):	Surface

Wetland Hydrology Present? Yes ✔ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: W500009fw

Tree Stratum (Plot size: 30ft x 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Betula nigra	15	Y	FACW
2. Pinus taeda	10	Y	FAC
3. Liquidambar styraciflua	5	N	FAC
4.			
5.			
6.			
7.			
8.			
	30	= Total Cover	

50% of total cover: 15 20% of total cover: 6

Sapling/Shrub Stratum (Plot size: 30ft x 30ft)			
1. Pinus taeda	5	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	5	= Total Cover	

50% of total cover: 2.5 20% of total cover: 1

Herb Stratum (Plot size: 30ft x 30ft)			
1. Scirpus cyperinus	10	Y	OBL
2. Chasmanthium laxum	25	Y	FACW
3. Saccharum giganteum	5	N	FACW
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	40	= Total Cover	

50% of total cover: 20 20% of total cover: 8

Woody Vine Stratum (Plot size: 30ft x 30ft)			
1. none			
2.			
3.			
4.			
5.			
	0	= Total Cover	

50% of total cover: ___ 20% of total cover: ___

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	2.5Y 2.5/1	100					SL	
5-20	2.5Y 5/1	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) (LRR P, T, U)
- ___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ___ Muck Presence (A8) (LRR U)
- ___ 1 cm Muck (A9) (LRR P, T)
- X Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (MLRA 150A)
- ___ Sandy Mucky Mineral (S1) (LRR O, S)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (LRR P, S, T, U)

- ___ Polyvalue Below Surface (S8) (LRR S, T, U)
- ___ Thin Dark Surface (S9) (LRR S, T, U)
- ___ Loamy Mucky Mineral (F1) (LRR O)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) (LRR U)
- ___ Depleted Ochric (F11) (MLRA 151)
- ___ Iron-Manganese Masses (F12) (LRR O, P, T)
- ___ Umbric Surface (F13) (LRR P, T, U)
- ___ Delta Ochric (F17) (MLRA 151)
- ___ Reduced Vertic (F18) (MLRA 150A, 150B)
- ___ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR O)
- ___ 2 cm Muck (A10) (LRR S)
- ___ Reduced Vertic (F18) (outside MLRA 150A,B)
- ___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes X   No _____

Remarks:

Wetland data point wsoo009f_w facing east.

Wetland data point wsoo009f_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ALP   City/County: Southampton   Sampling Date: 12/17/15
Applicant/Owner: Dominion   State: VA   Sampling Point: WS00009-u
Investigator(s): L. Roper, R. Turnbull   Section, Township, Range: none
Landform (hillslope, terrace, etc.): flat   Local relief (concave, convex, none): none   Slope (%): 0-2%
Subregion (LRR or MLRA): LRR T   Lat: 36.63640   Long: -77.11633   Datum: W6584
Soil Map Unit Name: Yemassee fine sandy loam   NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area within a Wetland? Yes _____ No X
Hydric Soil Present?	Yes _____ No X	
Wetland Hydrology Present?	Yes _____ No X	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

__ Surface Water (A1)	__ Aquatic Fauna (B13)
__ High Water Table (A2)	__ Marl Deposits (B15) **(LRR U)**
__ Saturation (A3)	__ Hydrogen Sulfide Odor (C1)
__ Water Marks (B1)	__ Oxidized Rhizospheres along Living Roots (C3)
__ Sediment Deposits (B2)	__ Presence of Reduced Iron (C4)
__ Drift Deposits (B3)	__ Recent Iron Reduction in Tilled Soils (C6)
__ Algal Mat or Crust (B4)	__ Thin Muck Surface (C7)
__ Iron Deposits (B5)	__ Other (Explain in Remarks)
__ Inundation Visible on Aerial Imagery (B7)	
__ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
- __ Surface Soil Cracks (B6)
- __ Sparsely Vegetated Concave Surface (B8)
- __ Drainage Patterns (B10)
- __ Moss Trim Lines (B16)
- __ Dry-Season Water Table (C2)
- __ Crayfish Burrows (C8)
- __ Saturation Visible on Aerial Imagery (C9)
- __ Geomorphic Position (D2)
- __ Shallow Aquitard (D3)
- __ FAC-Neutral Test (D5)
- __ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): NA	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes _____ No X	Depth (inches): >20	Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: W500009-u

Tree Stratum (Plot size: 30ft x 30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	25	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

25 = Total Cover
50% of total cover: 12.5   20% of total cover: 5

Sapling/Shrub Stratum (Plot size: 30ft x 30ft)			
1. Pinus taeda	5	Y	FAC
2. Ilex opaca	5	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Herb Stratum (Plot size: 30ft x 30ft)			
1. Eupatorium capillifolium	20	Y	FACU
2. Chasmanthium laxum	20	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Woody Vine Stratum (Plot size: 30ft x 30ft)			
1. Smilax rotundifolia	5	Y	FAC
2.			
3.			
4.			
5.			

5 = Total Cover
50% of total cover: 2.5   20% of total cover: 1

Remarks: (If observed, list morphological adaptations below).

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 83% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _X_   No ___

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 2/1	100					SL	
6-20	2.5Y 5/3	60	2.5Y 6/4	40	C	M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining. M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) (LRR P, T, U)
- ___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ___ Muck Presence (A8) (LRR U)
- ___ 1 cm Muck (A9) (LRR P, T)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (MLRA 150A)
- ___ Sandy Mucky Mineral (S1) (LRR O, S)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (LRR P, S, T, U)

- ___ Polyvalue Below Surface (S8) (LRR S, T, U)
- ___ Thin Dark Surface (S9) (LRR S, T, U)
- ___ Loamy Mucky Mineral (F1) (LRR O)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) (LRR U)
- ___ Depleted Ochric (F11) (MLRA 151)
- ___ Iron-Manganese Masses (F12) (LRR O, P, T)
- ___ Umbric Surface (F13) (LRR P, T, U)
- ___ Delta Ochric (F17) (MLRA 151)
- ___ Reduced Vertic (F18) (MLRA 150A, 150B)
- ___ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR O)
- ___ 2 cm Muck (A10) (LRR S)
- ___ Reduced Vertic (F18) (outside MLRA 150A,B)
- ___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes _____　No X

Remarks:

Upland data point wsoo009_u facing south.

Upland data point wsoo009_u facing west.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _ACP_   City/County: _Southampton_   Sampling Date: _09/23/15_

Applicant/Owner: _Dominion_   State: _VA_   Sampling Point: _WSOP021F-W_

Investigator(s): _R. Turnbull, S. Iosefa_   Section, Township, Range: _N/A_

Landform (hillslope, terrace, etc.): _Flat_   Local relief (concave, convex, none): _none_   Slope (%): _0-2_

Subregion (LRR or MLRA): _LRR T_   Lat: _36.63574_   Long: _-77.11322_   Datum: _WGS84_

Soil Map Unit Name: _Myatt loam, 0-2% slopes_   NWI classification: _PFO_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _X_ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _X_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _X_ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _X_ No _____	**within a Wetland?** Yes _X_ No _____
Wetland Hydrology Present?	Yes _X_ No _____	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

Pine Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [X] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [X] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No _X_	Depth (inches): _N/A_	
Water Table Present?	Yes _____ No _X_	Depth (inches): _>20_	
Saturation Present? (includes capillary fringe)	Yes _____ No _X_	Depth (inches): _>20_	Wetland Hydrology Present? Yes _X_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOP 021f_w

Tree Stratum (Plot size: 30 X 30 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	30	Y	FAC
2. Oxydendrum arboreum	10	Y	FACU
3.			
4.			
5.			
6.			
7.			
8.			

40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Sapling/Shrub Stratum (Plot size: 30 X 30 ft)			
1. Ilex opaca	70	Y	FAC
2. Symplocos tinctoria	20	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

90 = Total Cover
50% of total cover: 45   20% of total cover: 18

Herb Stratum (Plot size: 30 X 30 ft)			
1. Gaylussacia frondosa	20	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Woody Vine Stratum (Plot size: 30 X 30 ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	4	(A)
Total Number of Dominant Species Across All Strata:	5	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	80	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☒ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-0	2.5Y 3/1	100					FS	
0-20	2.5Y 4/2	85	10YR 5/6	15	C	M	FS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [x] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes　X　No _____

Remarks:

Wetland data point wsop021f_w facing southeast.

Wetland data point wsop021f_w facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/23/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WSopO21-U__

Investigator(s): __R. Turnbull, S. Josefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Hillslope__ Local relief (concave, convex, none): __none__ Slope (%): __0-2__

Subregion (LRR or MLRA): __LRRT__ Lat: __36.63574__ Long: __-77.11337__ Datum: __WGS84__

Soil Map Unit Name: __Myatt loam, 0-2% slopes__ NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland? Yes _____ No __X__
Hydric Soil Present?	Yes _____ No __X__	
Wetland Hydrology Present?	Yes _____ No __X__	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No __X__ Depth (inches): __N/A__

Water Table Present? Yes _____ No __X__ Depth (inches): __>20__

Saturation Present? Yes _____ No __X__ Depth (inches): __>20__
(includes capillary fringe)

Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30x30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Oxydendron arboreum	40	Y	FACU
2. Acer rubrum	20	Y	FAC
3. Pinus taeda	20	Y	FAC
4.			
5.			
6.			
7.			
8.			

80 = Total Cover
50% of total cover: 40   20% of total cover: 16

Sapling/Shrub Stratum (Plot size: 30 X30ft)			
1. Vaccinium corymbosum	40	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			

40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Herb Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Woody Vine Stratum (Plot size: 30X20Ft)			
1. none			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	3	(A)
Total Number of Dominant Species Across All Strata:	4	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	75	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/2	100					FS	
8-20	2.5Y 4/2	100					FS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils[3]:**

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) (LRR P, T, U)
- ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ☐ Muck Presence (A8) (LRR U)
- ☐ 1 cm Muck (A9) (LRR P, T)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) (MLRA 150A)
- ☐ Sandy Mucky Mineral (S1) (LRR O, S)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (LRR P, S, T, U)

- ☐ Polyvalue Below Surface (S8) (LRR S, T, U)
- ☐ Thin Dark Surface (S9) (LRR S, T, U)
- ☐ Loamy Mucky Mineral (F1) (LRR O)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) (LRR U)
- ☐ Depleted Ochric (F11) (MLRA 151)
- ☐ Iron-Manganese Masses (F12) (LRR O, P, T)
- ☐ Umbric Surface (F13) (LRR P, T, U)
- ☐ Delta Ochric (F17) (MLRA 151)
- ☐ Reduced Vertic (F18) (MLRA 150A, 150B)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- ☐ 1 cm Muck (A9) (LRR O)
- ☐ 2 cm Muck (A10) (LRR S)
- ☐ Reduced Vertic (F18) (outside MLRA 150A,B)
- ☐ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ☐ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No ☒

Remarks:

Upland data point wsop021_u facing southwest.

Upland data point wsop021_u facing northwest.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/23/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __wsap 020f.w__

Investigator(s): __R.Turnbull S. Iosefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Flat__ Local relief (concave, convex, none): __none__ Slope (%): __0-2__

Subregion (LRR or MLRA): __LRR T__ Lat: __36.63502__ Long: __-77.10872__ Datum: __WGS 84__

Soil Map Unit Name: __Myatt loam, 0-2% slopes__ NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area within a Wetland?	Yes __X__ No _____
Hydric Soil Present?	Yes __X__ No _____		
Wetland Hydrology Present?	Yes __X__ No _____		

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

Pine Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

☐ Surface Water (A1)	☐ Aquatic Fauna (B13)
☐ High Water Table (A2)	☐ Marl Deposits (B15) (LRR U)
☐ Saturation (A3)	☐ Hydrogen Sulfide Odor (C1)
☒ Water Marks (B1)	☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Sediment Deposits (B2)	☐ Presence of Reduced Iron (C4)
☐ Drift Deposits (B3)	☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Algal Mat or Crust (B4)	☐ Thin Muck Surface (C7)
☐ Iron Deposits (B5)	☐ Other (Explain in Remarks)
☐ Inundation Visible on Aerial Imagery (B7)	
☒ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

☐ Surface Soil Cracks (B6)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Drainage Patterns (B10)
☐ Moss Trim Lines (B16)
☐ Dry-Season Water Table (C2)
☐ Crayfish Burrows (C8)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __X__	Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__	Depth (inches): __>20__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: _____

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Liquidambar styraciflua	30	Y	FAC
2. Pinus taeda	80	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

55 110 = Total Cover
50% of total cover: 55   20% of total cover: 22

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Acer rubrum	20	Y	FAC
2. Liquidambar styraciflua	10	Y	FAC
3. Symplocos tinctoria	20	Y	FAC
4.			
5.			
6.			
7.			
8.			

25 50 = Total Cover
50% of total cover: 25   20% of total cover: 10

Herb Stratum (Plot size: 30X30ft)			
1. Leersia virginica	20	Y	FACW
2. Vaccinium corymbosum	20	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

20 40 = Total Cover
50% of total cover: 20   20% of total cover: 9

Woody Vine Stratum (Plot size: 30X30ft)			
1. Vitis rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **8** (A)

Total Number of Dominant Species Across All Strata: **8** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **100** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✗ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL   Sampling Point: _____

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	2.5Y 3/2	100					FS	
6-20	2.5Y 5/2	95	10YR 4/6	5	C	M	S	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   Indicators for Problematic Hydric Soils[3]:

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) **(LRR P, T, U)**
- [ ] 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- [ ] Muck Presence (A8) **(LRR U)**
- [ ] 1 cm Muck (A9) **(LRR P, T)**
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) **(MLRA 150A)**
- [ ] Sandy Mucky Mineral (S1) **(LRR O, S)**
- [ ] Sandy Gleyed Matrix (S4)
- [x] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) **(LRR P, S, T, U)**

- [ ] Polyvalue Below Surface (S8) **(LRR S, T, U)**
- [ ] Thin Dark Surface (S9) **(LRR S, T, U)**
- [ ] Loamy Mucky Mineral (F1) **(LRR O)**
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) **(LRR U)**
- [ ] Depleted Ochric (F11) **(MLRA 151)**
- [ ] Iron-Manganese Masses (F12) **(LRR O, P, T)**
- [ ] Umbric Surface (F13) **(LRR P, T, U)**
- [ ] Delta Ochric (F17) **(MLRA 151)**
- [ ] Reduced Vertic (F18) **(MLRA 150A, 150B)**
- [ ] Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- [ ] 1 cm Muck (A9) **(LRR O)**
- [ ] 2 cm Muck (A10) **(LRR S)**
- [ ] Reduced Vertic (F18) **(outside MLRA 150A,B)**
- [ ] Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- [ ] Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes __X__   No _____

Remarks:

Wetland data point wsop020f_w facing south.

Wetland data point wsop020f_w facing east.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 09/23/15

Applicant/Owner: Dominion   State: VA   Sampling Point: wsop 020-u

Investigator(s): R Turnbull S. Josefg   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Flat   Local relief (concave, convex, none): none   Slope (%): 0-2

Subregion (LRR or MLRA): LRR T   Lat: 36.63493   Long: -77.10856   Datum: WGS 84

Soil Map Unit Name: Myatt loam, 0-2% slopes   NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area within a Wetland?	Yes _____ No X
Hydric Soil Present?	Yes _____ No X		
Wetland Hydrology Present?	Yes _____ No X		

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [x] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes _____ No X Depth (inches): N/A

Water Table Present? Yes _____ No X Depth (inches): >20

Saturation Present? Yes _____ No X Depth (inches): >20
(includes capillary fringe)

Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants. Sampling Point: _____

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	70	Y	FAC
2. Acer rubrum	20	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

90 = Total Cover
50% of total cover: 45   20% of total cover: 18

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Symplocos tinctoria	40	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Herb Stratum (Plot size: 30X30ft)			
1. Ilex opaca	10	Y	FAC
2. Leersia virginica	10	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	6	(A)
Total Number of Dominant Species Across All Strata:	6	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☒ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: _____

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y 3/2	100					FS	
8-20	2.5Y 6/4	100					S	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- [ ] Histosol (A1)
- [ ] Histic Epipedon (A2)
- [ ] Black Histic (A3)
- [ ] Hydrogen Sulfide (A4)
- [ ] Stratified Layers (A5)
- [ ] Organic Bodies (A6) (LRR P, T, U)
- [ ] 5 cm Mucky Mineral (A7) (LRR P, T, U)
- [ ] Muck Presence (A8) (LRR U)
- [ ] 1 cm Muck (A9) (LRR P, T)
- [ ] Depleted Below Dark Surface (A11)
- [ ] Thick Dark Surface (A12)
- [ ] Coast Prairie Redox (A16) (MLRA 150A)
- [ ] Sandy Mucky Mineral (S1) (LRR O, S)
- [ ] Sandy Gleyed Matrix (S4)
- [ ] Sandy Redox (S5)
- [ ] Stripped Matrix (S6)
- [ ] Dark Surface (S7) (LRR P, S, T, U)

- [ ] Polyvalue Below Surface (S8) (LRR S, T, U)
- [ ] Thin Dark Surface (S9) (LRR S, T, U)
- [ ] Loamy Mucky Mineral (F1) (LRR O)
- [ ] Loamy Gleyed Matrix (F2)
- [ ] Depleted Matrix (F3)
- [ ] Redox Dark Surface (F6)
- [ ] Depleted Dark Surface (F7)
- [ ] Redox Depressions (F8)
- [ ] Marl (F10) (LRR U)
- [ ] Depleted Ochric (F11) (MLRA 151)
- [ ] Iron-Manganese Masses (F12) (LRR O, P, T)
- [ ] Umbric Surface (F13) (LRR P, T, U)
- [ ] Delta Ochric (F17) (MLRA 151)
- [ ] Reduced Vertic (F18) (MLRA 150A, 150B)
- [ ] Piedmont Floodplain Soils (F19) (MLRA 149A)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils[3]:

- [ ] 1 cm Muck (A9) (LRR O)
- [ ] 2 cm Muck (A10) (LRR S)
- [ ] Reduced Vertic (F18) (outside MLRA 150A,B)
- [ ] Piedmont Floodplain Soils (F19) (LRR P, S, T)
- [ ] Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- [ ] Red Parent Material (TF2)
- [ ] Very Shallow Dark Surface (TF12)
- [ ] Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _X_

Remarks:

Upland data point wsop020_u facing west.

Upland data point wsop020_u facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _ACP_   City/County: _Southampton_   Sampling Date: _09/23/15_

Applicant/Owner: _Dominion_   State: _VA_   Sampling Point: _WSOPO19F-W_

Investigator(s): _R. Turnbull S. Iosefa_   Section, Township, Range: _N/A_

Landform (hillslope, terrace, etc.): _Flat_   Local relief (concave, convex, none): _none_   Slope (%): _0-2_

Subregion (LRR or MLRA): _LRRP_   Lat: _36.63476_   Long: _-77.10719_   Datum: _WGS84_

Soil Map Unit Name: _Slagle fine sandy loam, 0-2% slopes_   NWI classification: _PFO_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _X_ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _X_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _X_ No _____	Is the Sampled Area within a Wetland?	Yes _X_ No _____
Hydric Soil Present?	Yes _X_ No _____		
Wetland Hydrology Present?	Yes _X_ No _____		

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

Pine Flat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

	Secondary Indicators (minimum of two required)
☐ Surface Water (A1) ☐ Aquatic Fauna (B13)	☐ Surface Soil Cracks (B6)
☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U)	☐ Sparsely Vegetated Concave Surface (B8)
☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☒ Water Marks (B1) ☐ Oxidized Rhizospheres along Living Roots (C3)	☐ Moss Trim Lines (B16)
☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Crayfish Burrows (C8)
☐ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Iron Deposits (B5) ☐ Other (Explain in Remarks)	☐ Geomorphic Position (D2)
☐ Inundation Visible on Aerial Imagery (B7)	☐ Shallow Aquitard (D3)
☒ Water-Stained Leaves (B9)	☒ FAC-Neutral Test (D5)
	☐ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No _X_	Depth (inches): _N/A_		
Water Table Present?	Yes _____ No _X_	Depth (inches): _>20_		
Saturation Present? (includes capillary fringe)	Yes _____ No _X_	Depth (inches): _>20_	Wetland Hydrology Present?	Yes _X_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOP019F_W

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	30	Y	FAC
2. Liquidambar styraciflua	60	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			

90 = Total Cover
50% of total cover: 45   20% of total cover: 18

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Liquidambar styraciflua	20	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Herb Stratum (Plot size: 30X30ft)			
1. Leersia virginica	40	Y	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Woody Vine Stratum (Plot size: 30X30ft)			
1. Toxicodendron radicans	30	Y	FAC
2.			
3.			
4.			
5.			

30 = Total Cover
50% of total cover: 15   20% of total cover: 6

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant
Species Across All Strata: 5 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x 1 = _____
FACW species _____	x 2 = _____
FAC species _____	x 3 = _____
FACU species _____	x 4 = _____
UPL species _____	x 5 = _____
Column Totals: _____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	2.5Y3/2	100					S	
8-20	2.5Y5/1	100					SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**

- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☒ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes __X__   No _____

Remarks:

Wetland data point wsop019f_w facing southwest.

Wetland data point wsop019f_w facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __09/23/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WSOP019-4__

Investigator(s): __R. Turnbull S. Josefq__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Flat__ Local relief (concave, convex, none): __none__ Slope (%): __5-10__

Subregion (LRR or MLRA): __LRRP__ Lat: __36.63485__ Long: __-77.10712__ Datum: __WGS84__

Soil Map Unit Name: __Slagle fine sandy loam, 0-2% slopes__ NWI classification: __N/A__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No __X__ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes _____ No __X__	within a Wetland? Yes _____ No __X__
Wetland Hydrology Present?	Yes _____ No __X__	

Remarks:

Abnormally Dry conditions (Based on Sept. 22 Drought Monitor)

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)

- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __X__ Depth (inches): __N/A__	
Water Table Present?	Yes _____ No __X__ Depth (inches): __>20__	
Saturation Present? (includes capillary fringe)	Yes _____ No __X__ Depth (inches): __>20__	Wetland Hydrology Present? Yes _____ No __X__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.   Sampling Point: WSOP019-U

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	80	Y	FAC
2. Liquidambar styraciflua	10	N	FAC
3.			
4.			
5.			
6.			
7.			
8.			

90 = Total Cover
50% of total cover: 40 45   20% of total cover: 18

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. Liquidambar styraciflua	30	Y	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

30 = Total Cover
50% of total cover: 15   20% of total cover: 6

Herb Stratum (Plot size: 30X30ft)			
1. Pteridium aquilinum	5	Y	FACU
2. Toxicodendron radicans	5	Y	FAC
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Woody Vine Stratum (Plot size: 30X30ft)			
1. Toxicodendron radicans	10	Y	FAC
2.			
3.			
4.			
5.			

10 = Total Cover
50% of total cover: 5   20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	4	(A)
Total Number of Dominant Species Across All Strata:	5	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	80	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☒ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes X No _____

Remarks: (If observed, list morphological adaptations below).

SOIL   Sampling Point: _WSOP 019-4_

| Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) |

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-5	2.5Y 3/2	100					S	
5-12	2.5Y 6/4	100					S	
12-20	2.5Y 6/6	100					S	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils³:**

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**

- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____   **Hydric Soil Present?   Yes _____   No ✗**

Remarks:

Upland data point wsop019_u facing northwest.

Upland data point wsop019_u facing northeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __10/14/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WS0006e-W__

Investigator(s): __K. Markham, S. Ioseta__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Hillslope__   Local relief (concave, convex, none): __none__   Slope (%) __2-6__

Subregion (LRR or MLRA): __LRRT__   Lat: __36.638193__   Long: __-77.0869__   Datum: __WGS84__

Soil Map Unit Name: __Slagle fine sandy loam, 2 to 6% slopes__   NWI classification: __PEM__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __X__ No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No ____	
Hydric Soil Present?	Yes __X__ No ____	Is the Sampled Area within a Wetland? Yes __X__ No ____
Wetland Hydrology Present?	Yes __X__ No ____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [X] Surface Water (A1)
- [X] High Water Table (A2)
- [X] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] Marl Deposits (B15) **(LRR U)**
- [ ] Hydrogen Sulfide Odor (C1)
- [X] Oxidized Rhizospheres along Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [X] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [X] FAC-Neutral Test (D5)
- [ ] Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes __X__ No ____	Depth (inches): __1__	
Water Table Present?	Yes __X__ No ____	Depth (inches): __0__	
Saturation Present? (includes capillary fringe)	Yes __X__ No ____	Depth (inches): __0__	Wetland Hydrology Present? Yes __X__ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Tree Stratum (Plot size: 30 X 30 Ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30Ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30FT)			
1. Persicaria pensylvanica	25	Y	FACW
2. Dichanthelium acuminatum	15	N	FAC
3. Paspalum floridanum	5	N	FACW
4. Persicaria punctata	5	N	OBL
5. Echinochloa crus-galli	5	N	FACW
6. Cyperus strigosus	5	N	FACW
7. Leersia oryzoides	35	Y	OBL
8. Boehmeria cylindrica	5	N	FACW
9. Lycopus virginicus	5	N	OBL
10. Ludwigia palustris	5	N	OBL
11.			
12.			
	110 = Total Cover		

50% of total cover: 55 20% of total cover: 22

Woody Vine Stratum (Plot size: 30X30Ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **2** (A)

Total Number of Dominant Species Across All Strata: **2** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **100** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-20	2.5Y 3/2	95	5YR 3/4		C	C	PL	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
_X_ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?　Yes _X_　No _____

Remarks:

Wetland data point wsoo006e_w facing northwest.

Wetland data point wsoo006e_w facing southeast.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__   City/County: __Southampton__   Sampling Date: __10/14/15__

Applicant/Owner: __Dominion__   State: __VA__   Sampling Point: __WS00 006f-w__

Investigator(s): __K.Markham, J.Ioseba__   Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Terrace__   Local relief (concave, convex, none): __None__   Slope (%) __2-6__

Subregion (LRR or MLRA): __LRRT__   Lat: __36.638006__   Long: __-77.086770__   Datum: __WGS84__

Soil Map Unit Name: __Slagle fine sandy loam, 2 to 6% slope__   NWI classification: __PFO__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __X__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __X__ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes __X__ No _____	within a Wetland?	Yes __X__ No _____
Wetland Hydrology Present?	Yes __X__ No _____		

Remarks:

Headwater Forest

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
X High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
X Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
X Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
X Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __X__	Depth (inches): __N/A__	
Water Table Present?	Yes __X__ No _____	Depth (inches): __11__	
Saturation Present? (includes capillary fringe)	Yes __X__ No _____	Depth (inches): __0__	Wetland Hydrology Present? Yes __X__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 20X30ft)			
1. Liquidambar styraciflua	50	Y	FAC
2. Magnolia virginiana	10	N	FACW
3. Pinus taeda	10	N	FAC
4. Quercus nigra	10	N	FAC
5. Arundinaria gigantea	5	N	FACW
6.			
7.			
8.			

85 = Total Cover

50% of total cover: 42.5 20% of total cover: 17

Herb Stratum (Plot size: 30X30ft)			
1. Boehmeria cylindrica	20	Y	FACW
2. Lonicera japonica	15	Y	FACU
3. Microstegium vimineum	10	Y	FAC
4. Mikania scandens	5	N	FACW
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

50 = Total Cover

50% of total cover: 25 20% of total cover: 10

Woody Vine Stratum (Plot size: 30X30ft)			
1. Smilax rotundifolia	10	Y	FAC
2. Toxicodendron radicans	10	Y	FAC
3. Bignonia capreolata	5	Y	FAC
4.			
5.			

25 = Total Cover

50% of total cover: 12.5 20% of total cover: 5

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ___7___ (A)

Total Number of Dominant Species Across All Strata: ___7___ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ___100___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes ✓ No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 3/2						SL	(silt - loam)
8-18	10YR 3/2	95	10YR 5/2	5	D	M	SL	(silt + loam)
18-20	10YR 3/2	95	10YR 5/2	5	D	M	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) (LRR P, T, U)
- ___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
- ___ Muck Presence (A8) (LRR U)
- ___ 1 cm Muck (A9) (LRR P, T)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (MLRA 150A)
- ___ Sandy Mucky Mineral (S1) (LRR O, S)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (LRR P, S, T, U)

- ___ Polyvalue Below Surface (S8) (LRR S, T, U)
- ___ Thin Dark Surface (S9) (LRR S, T, U)
- ___ Loamy Mucky Mineral (F1) (LRR O)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- X Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) (LRR U)
- ___ Depleted Ochric (F11) (MLRA 151)
- ___ Iron-Manganese Masses (F12) (LRR O, P, T)
- ___ Umbric Surface (F13) (LRR P, T, U)
- ___ Delta Ochric (F17) (MLRA 151)
- ___ Reduced Vertic (F18) (MLRA 150A, 150B)
- ___ Piedmont Floodplain Soils (F19) (MLRA 149A)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

- ___ 1 cm Muck (A9) (LRR O)
- ___ 2 cm Muck (A10) (LRR S)
- ___ Reduced Vertic (F18) (outside MLRA 150A,B)
- ___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
- ___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes __X__ No _____

Remarks:

Wetland data point wsoo006f_w facing north.

Wetland data point wsoo006f_w facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _ACP_   City/County: _Southampton_   Sampling Date: _10/14/15_

Applicant/Owner: _Dominion_   State: _VA_   Sampling Point: _WS00006-U_

Investigator(s): _K.Markham, S.Iocefa_   Section, Township, Range: _N/A_

Landform (hillslope, terrace, etc.): _Hillslope_   Local relief (concave, convex, none): _none_   Slope (%) _2-4_

Subregion (LRR or MLRA): _LRRT_   Lat: _36.63816_   Long: _-77.0869_   Datum: _WGS84_

Soil Map Unit Name: _Single fine sandy loam 2 to 10 %_   NWI classification: _UPLAND_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _X_ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _X_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _X_	No _____	Is the Sampled Area	
Hydric Soil Present?	Yes _____	No _X_	within a Wetland?	Yes _____ No _X_
Wetland Hydrology Present?	Yes _____	No _X_		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
_X_ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No _X_	Depth (inches): _N/A_	
Water Table Present?	Yes _____ No _X_	Depth (inches): _>20_	
Saturation Present? (includes capillary fringe)	Yes _X_ No _____	Depth (inches): _18_	Wetland Hydrology Present? Yes _____ No _X_

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Tree Stratum (Plot size: 30x30 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30x30 ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30x30 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Festuca rubra	15	N	FACU
2. Solanum carolinensis	10	N	FACU
3. Sambucus nigra	25	Y	FACW
4. Pteridium aquilinum	5	N	FACU
5. Erechtites hieracifolia	15	N	UPL
6. Lonicera japonica	10	N	FACU
7. Oxalis stricta	5	N	UPL
8. Rumex crispus	5	N	FAC
9. Parthenocissus quinquefolia	5	N	FACU
10. Agrostis stolonifera	5	N	FACW
11.			
12.			
	100 = Total Cover		

50% of total cover: 50 20% of total cover: 20

Woody Vine Stratum (Plot size: 30 x 30 ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ___1___ (A)

Total Number of Dominant Species Across All Strata: ___1___ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ___100___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_✓_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _✓_ No _____

Remarks: (If observed, list morphological adaptations below).

SOID

Sampling Point: WS00006-u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-6	10YR 3/3	100					SL	
6-18	10YR 3/2	100					CL	
18-20	10YR 5/4	100					CL	saturated

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   **Indicators for Problematic Hydric Soils³:**

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No X

Remarks:

US Army Corps of Engineers   Atlantic and Gulf Coastal Plain Region – Version 2.0

Upland data point wsoo006_u facing west.

Upland data point wsoo006_u facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: ACP   City/County: Southampton   Sampling Date: 10/14/15

Applicant/Owner: Dominion   State: VA   Sampling Point: WS00 005e-W

Investigator(s): K. Markham, J. Iosefa   Section, Township, Range: N/A

Landform (hillslope, terrace, etc.): Hillslope   Local relief (concave, convex, none): None   Slope (%): 0-2

Subregion (LRR or MLRA): LRRT   Lat: 36.63975   Long: -77.0802   Datum: WGC84

Soil Map Unit Name: Slagle fine sandy loam, 0 to 2% slopes   NWI classification: PEM

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	Is the Sampled Area	
Hydric Soil Present?	Yes X No _____	within a Wetland?	Yes X No _____
Wetland Hydrology Present?	Yes X No _____		

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)
X Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
X Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
X Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
X Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
X FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present?	Yes _____ No X	Depth (inches): N/A	
Water Table Present?	Yes _____ No X	Depth (inches): >20	
Saturation Present? (includes capillary fringe)	Yes X No _____	Depth (inches): 0	Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WS00005e_W

Tree Stratum (Plot size: 30x30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Paspalum laeve	25	Y	FACW
2. Persicaria pensylvanica	15	Y	FACW
3. Rubus argutus	5	N	FAC
4. Ludwigia sp.	5	N	FACW/OBL
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	50 = Total Cover		

50% of total cover: 25 20% of total cover: 10

Woody Vine Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: __2__ (A)

Total Number of Dominant Species Across All Strata: __2__ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: __100__ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X   No _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-15	10YR3/2	95	2.5YR3/6	5			CL	
15-20	2.5Y 5/4	90	10YR 5/6	10	C	M	LS	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils[3]:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) (LRR S, T, U)	___ 1 cm Muck (A9) (LRR O)
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) (LRR S, T, U)	___ 2 cm Muck (A10) (LRR S)
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) (LRR O)	___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) (LRR P, T, U)	X Redox Dark Surface (F6)	(MLRA 153B)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)	___ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) (LRR U)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) (LRR P, T)	___ Marl (F10) (LRR U)	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) (MLRA 151)	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) (LRR O, P, T)	[3]Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) (MLRA 150A)	___ Umbric Surface (F13) (LRR P, T, U)	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) (LRR O, S)	___ Delta Ochric (F17) (MLRA 151)	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) (MLRA 150A, 150B)	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) (MLRA 149A)	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)	
___ Dark Surface (S7) (LRR P, S, T, U)		

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _X_ No _____

Remarks:

Wetland data point wsoo005e_w facing west.

Wetland data point wsoo005e_w facing north.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __ACP__ City/County: __Southampton__ Sampling Date: __10/14/15__

Applicant/Owner: __Dominion__ State: __VA__ Sampling Point: __WS00 005-u__

Investigator(s): __K. Markham J. Josefa__ Section, Township, Range: __N/A__

Landform (hillslope, terrace, etc.): __Hillslope__ Local relief (concave, convex, none): __none__ Slope (%) __0-2__

Subregion (LRR or MLRA): __LRRT__ Lat: __36.63979__ Long: __-77.07997__ Datum: __WGS84__

Soil Map Unit Name: __Slagle fine sandy loam, 0 to 2 +/- slopes__ NWI classification: __UPLAND__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __X__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __X__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No __X__	Is the Sampled Area		
Hydric Soil Present?	Yes _____	No __X__	within a Wetland?	Yes _____	No __X__
Wetland Hydrology Present?	Yes _____	No __X__			

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) (LRR T, U)

Field Observations:

Surface Water Present? Yes _____ No __X__ Depth (inches): __N/A__

Water Table Present? Yes _____ No __X__ Depth (inches): __>20__

Saturation Present? Yes _____ No __X__ Depth (inches): __>20__ Wetland Hydrology Present? Yes _____ No __X__
(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 30X30ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: 30X30ft)			
1. none			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30X30ft)			
1. Solidago altissima	15	Y	FACU
2. Rubus argutus	15	Y	FAC
3. Digitaria sanguinalis	15	Y	FACU
4. Festuca rubra	10	Y	FACU
5. Paspalum laeve	10	Y	FACW
6. Setaria pumila	5	N	FAC
7. Eupatorium capillifolium	5	N	FACU
8. Passiflora incarnata	10	Y	UPL
9. Lonicera japonica	10	Y	FACU
10. Toxicodendron radicans	5	N	FAC
11. Parthenocissus quinquefolia	5	N	FACU
12.			
	105 = Total Cover		

50% of total cover: 52.5 20% of total cover: 21

Woody Vine Stratum (Plot size: 30x 30)			
1. none			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	2	(A)
Total Number of Dominant Species Across All Strata:	7	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	29 %	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species	10	x 2 =	20
FAC species	25	x 3 =	75
FACU species	60	x 4 =	240
UPL species	10	x 5 =	50
Column Totals:	105 (A)		385 (B)

Prevalence Index = B/A = 3.67

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation
___ 2 - Dominance Test is >50%
___ 3 - Prevalence Index is ≤3.0[1]
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?	Yes _____ No X

Remarks: (If observed, list morphological adaptations below).

SOIL

Profile Description: (Describe to the depth needed to document the Indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 4/3	98	10YR 4/6	2	C	PL	CL	
12-10	10YR 4/2	98	10YR 4/6	2	C	PL	CL	
16-20	10YR 4/3	95	2.5YR 3/6	5	C	PL	SCL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No ✕

Remarks:

Upland data point wsoo005_u facing north.

Upland data point wsoo005_u facing south.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __SERP__ City/County: __SOUTHAMPTON__ Sampling Date: __08/15/2014__
Applicant/Owner: __DOMINION__ State: __VA__ Sampling Point: __WSOC4309e_w__
Investigator(s): __SL SWEITZER__ Section, Township, Range: __NA__
Landform (hillslope, terrace, etc.): __FLAT__ Local relief (concave, convex, none): __NONE__ Slope (%): __0-1__
Subregion (LRR or MLRA): __LRR P__ Lat: __36.64124507__ Long: __77.073021566__ Datum: __NAD1983__
Soil Map Unit Name: __Tomotly Sandy Loam, 0 to 2% slopes, rarely flooded__ NWI classification: __NA__
Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No __✓__
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area
Hydric Soil Present?	Yes __✓__ No _____	within a Wetland? Yes __✓__ No _____
Wetland Hydrology Present?	Yes __✓__ No _____	

Remarks: POINT LOCATED IN MAINTAINED POWER LINE ROW. HERBACEOUS VEGETATION PRESENT. TREES AND SHRUBS RECENTLY SPRAYED W/ HERBICIDE.

PHOTOS 106-4904 to 4906

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)
___ Surface Water (A1)
___ High Water Table (A2)
___ Saturation (A3)
___ Water Marks (B1)
___ Sediment Deposits (B2)
___ Drift Deposits (B3)
___ Algal Mat or Crust (B4)
___ Iron Deposits (B5)
___ Inundation Visible on Aerial Imagery (B7)
___ Water-Stained Leaves (B9)

___ Aquatic Fauna (B13)
___ Marl Deposits (B15) **(LRR U)**
___ Hydrogen Sulfide Odor (C1)
___ Oxidized Rhizospheres along Living Roots (C3)
___ Presence of Reduced Iron (C4)
___ Recent Iron Reduction in Tilled Soils (C6)
___ Thin Muck Surface (C7)
___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
_✓_ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
_✓_ Saturation Visible on Aerial Imagery (C9)
_✓_ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __✓__	Depth (inches): __NA__	
Water Table Present?	Yes _____ No __✓__	Depth (inches): __NA__	
Saturation Present? (includes capillary fringe)	Yes _____ No __✓__	Depth (inches): __NA__	Wetland Hydrology Present? Yes __✓__ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: __NA__

Remarks: SEVERAL SECONDARY INDICATORS OF WETLAND HYDROLOGY PRESENT. HYDROLOGY CRITERIA MET.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: WJOL 009R_W

Tree Stratum (Plot size: 30'R)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling Stratum (Plot size: 15'R)			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Shrub Stratum (Plot size: 15'R)			
1. RUBUS ARGUTUS	5	Y	FAC
2. LIQUIDAMBAR STYRACIFLUA (RELICT SPEC)	10	Y	FAC
3.			
4.			
5.			
6.			
	0 15 = Total Cover		

50% of total cover: 8.' 20% of total cover: 3

Herb Stratum (Plot size: 5'R)			
1. ARUNDINARIA GIGANTEA	20	Y	FACW
2. DICHANTHELIUM STRETGODA SCOPARIUM	40	Y	FACW
3. CAREX INTUMESCENS	20	Y	FACW
4. WOODWARDIA AREOLATA	5	N	OBL
5. MICROSTEGIUM VIMINEUM	20	Y	FAC
6. ATHYRIUM ASPLENIOIDES	5	N	FAC
7.			
8.			
9.			
10.			
11.			
	0 110 = Total Cover		

50% of total cover: 55 20% of total cover: 22

Woody Vine Stratum (Plot size: 30'R)			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: **6** (A)

Total Number of Dominant
Species Across All Strata: **6** (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: **100** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	0 (A)	0 (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [x] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes [✓] No [ ]

Remarks: (If observed, list morphological adaptations below).
ONLY INCLUDED VEGETATION WITHIN PEM PORTION OF WETLAND. PLOT ESTABLISHED ON EDGE OF PFO/PEM WETLAND. VEGETATION PASSES DOMINANCE TEST.

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-1	10YR 4/2	95	7.5YR 3/3	5	C	M	Clay Loam	
1-12	10YR 4/1	90	7.5YR 4/6	10	C	PL/M	Sandy Clay Loam	
12-20	10YR 6/1	80	10YR 5/8	20	C	M/PL	Sandy Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
✓ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: NA

Depth (inches): NA

Hydric Soil Present? Yes ✓ No ☐

Remarks:

US Army Corps of Engineers

Atlantic and Gulf Coastal Plain Region – Version 2.0

Wetland data point wsol009e_w facing Northeast

Wetland data point wsol009e_w facing Southwest

Wetland data point wsol009e_w soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _SERP_   City/County: _SOUTHAMPTON_   Sampling Date: _08/15/2014_

Applicant/Owner: _DOMINION_   State: _VA_   Sampling Point: _WSOL009F_W_

Investigator(s): _S. SWEITZER_   Section, Township, Range: _NA_

Landform (hillslope, terrace, etc.): _FLOODPLAIN/FLAT_   Local relief (concave, convex, none): _NONE_   Slope (%): _1-2_

Subregion (LRR or MLRA): _LRR P_   Lat: _36.641616454_   Long: _77.674774298_   Datum: _NAD 1983_

Soil Map Unit Name: _Slagle fine sandy Loam 0 to 2 % Slopes_   NWI classification: _PFO4A/PFO1A_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _✓_ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _✓_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _✓_ No _____	
Hydric Soil Present?	Yes _✓_ No _____	Is the Sampled Area within a Wetland? Yes _✓_ No _____
Wetland Hydrology Present?	Yes _✓_ No _____	

Remarks: _POINT SAMPLED IN FLOODPLAIN WETLAND ASSOCIATED WITH AN INTERMITTENT DRAIN. ALL 3 CRITERIA MET._

PHOTOS: 106-4894 to 4898

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
_✓_ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
_✓_ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- _✓_ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- _✓_ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- _✓_ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No _✓_	Depth (inches): _NA_	
Water Table Present?	Yes _____ No _✓_	Depth (inches): _NA_	
Saturation Present? (includes capillary fringe)	Yes _____ No _✓_	Depth (inches): _NA_	Wetland Hydrology Present? Yes _✓_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
_NA_

Remarks: _SEVERAL PRIMARY AND SECONDARY INDICATORS PRESENT. HYDROLOGY CRITERIA MET._

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: WSOLOO9F_W

Tree Stratum (Plot size: 30'R)	Absolute % Cover	Dominant Species?	Indicator Status
1. LIQUIDAMBAR STYRACIFLUA	30	Y	FAC
2. ILEX OPACA	15	N	FAC
3. MAGNOLIA VIRGINIANA	15	N	FACW
4. QUERCUS LAURIFOLIA	20	N	FACW
5. ACER RUBRUM	40	Y	FAC
6. QUERCUS PHELLOS	20	N	FACW

0 140 = Total Cover
50% of total cover: 70   20% of total cover: 28

Sapling Stratum (Plot size: 15'R)			
1. NYSSA BIFLORA	20	Y	OBL
2. ILEX OPACA	10	Y	FAC
3. LIQUIDAMBAR STYRACIFLUA	10	Y	FAC
4.			
5.			
6.			

40 40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Shrub Stratum (Plot size: 15'R)			
1. VACCINIUM CORYMBOSUM	20	Y	FACW
2. ILEX OPACA	70	Y	FAC
3.			
4.			
5.			
6.			

40 40 = Total Cover
50% of total cover: 20   20% of total cover: 8

Herb Stratum (Plot size: 5'R)			
1. MICROSTEGIUM VIMINEUM	60	Y	FAC
2. LEERSIA VIRGINICA	5	N	FACW
3. BOEHMERIA CYLINDRICA	5	N	FACW
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			

B 70 = Total Cover
50% of total cover: 35   20% of total cover: 14

Woody Vine Stratum (Plot size: 30'R)			
1. SMILAX LAURIFOLIA	10	Y	FACW
2. VITIS ROTUNDIFOLIA	10	Y	FAC
3.			
4.			
5.			

0 20 = Total Cover
50% of total cover: 10   20% of total cover: 4

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 10 (A)

Total Number of Dominant
Species Across All Strata: 10 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	0 (A)	0 (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [✓] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present?

Yes [✓]   No [ ]

Remarks: (If observed, list morphological adaptations below).
VEGETATION PASSES DOMINANCE TEST

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10 YR 3/2	100	—	—	—	—	Silt Loam	w/ organic
3-14	10 YR 3/1	95	5 YR 3/3	5	C	PL/M	Silt Loam	
14-18	2.5 Y 2.5/1	50	—	—	—	—	Silt Loam	
	10 YR 4/1	45	5 YR 3/3	5	C	PL/M	Silt Loam	(mottles)

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
✓ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____ NA _____

Depth (inches): _____ NA _____

Hydric Soil Present? Yes ✓ No ☐

Remarks: SOILS MEET 1 INDICATOR OF PROLONGED SATURATION / INUNDATION: →
DEPLETED DARK SURFACE (F7).

SEE SKETCH ON WSOL009e_W DATA FORM

Wetland data point wsol009f_w facing North

Wetland data point wsol009f_w facing South

Wetland data point wsol009f_w soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __SERP__ City/County: __SOUTHAMPTON__ State: __VA__ Sampling Date: __08/15/2014__ Sampling Point: __WROC009_U__

Applicant/Owner: __DOMINION__ Section, Township, Range: _____

Investigator(s): __J. SWEITZER__ Local relief (concave, convex, none): __NONE__ Slope (%): __0-2__

Landform (hillslope, terrace, etc.): __TERRACE__

Subregion (LRR or MLRA): __LRRP__ Lat: _____ Long: _____ Datum: __NAD 1983__

Soil Map Unit Name: __Slagle Fine Sandy Loam, 0-2% Slopes__ NWI classification: __NA__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	Is the Sampled Area within a Wetland? Yes _____ No __✓__
Hydric Soil Present?	Yes _____ No __✓__	
Wetland Hydrology Present?	Yes _____ No __✓__	

Remarks: __PLOT ESTABLISHED ON TERRACE BETWEEN TO WETLAND "DRAINS". VEGETATION PASSES CRITERIA BUT SOIL AND HYDROLOGY DO NOT.__

__PHOTOS 106-4899 to 4903__

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
___ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
___ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No __✓__	Depth (inches): __NA__	
Water Table Present?	Yes _____ No __✓__	Depth (inches): __NA__	
Saturation Present? (includes capillary fringe)	Yes _____ No __✓__	Depth (inches): __NA__	Wetland Hydrology Present? Yes _____ No __✓__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: __NA__

Remarks: __NO INDICATORS OF WETLAND HYDROLOGY. HYDROLOGY CRITERIA NOT MET.__

VEGETATION (Five Strata) – Use scientific names of plants.

Tree Stratum (Plot size: 10'R)	Absolute % Cover	Dominant Species?	Indicator Status
1. PINUS TAEDA	40	Y	FAC
2. ILEX OPACA	20	N	FAC
3. QUERCUS FALCATA	20	N	FACU
4. QUERCUS NIGRA	30	Y	FACW
5. ACER RUBRUM	40	Y	FAC
6.			

150 = Total Cover
50% of total cover: 75   20% of total cover: 30

Sapling Stratum (Plot size: 10'R)			
1. LIQUIDAMBAR STYRACIFLUA	20	Y	FAC
2. NYSSA SYLVATICA	10	N	FAC
3. ILEX OPACA	50	Y	FAC
4.			
5.			
6.			

80 = Total Cover
50% of total cover: 40   20% of total cover: 16

Shrub Stratum (Plot size: 10'R)			
1. GAYLUSSACIA BACCATA	60	Y	FACW
2. LIQUIDAMBAR STYRACIFLUA	5	N	FAC
3.			
4.			
5.			
6.			

65 = Total Cover
50% of total cover: 33   20% of total cover: 13

Herb Stratum (Plot size: 5'R)			
1. MITCHELLA REPENS	10	Y	FACU
2. OSMUNDASTRUM CINNAMOMEUM	5	Y	FACW
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			

15 = Total Cover
50% of total cover: 8   20% of total cover: 3

Woody Vine Stratum (Plot size: 10'R)			
1.			
2.			
3.			
4.			
5.			

0 = Total Cover
50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC:	6	(A)
Total Number of Dominant Species Across All Strata:	8	(B)
Percent of Dominant Species That Are OBL, FACW, or FAC:	75	(A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	0 (A)	0 (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [x] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present?   Yes [x]   No [ ]

Remarks: (If observed, list morphological adaptations below).
VEGETATION PASSES DOMINANCE TEST

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10 YR 2/1	90	—	—	—	—	Fine Sandy Loam	
	10 YR 8/1	10	—	—	—	—	Uncoated sand grains	
4-12	10 YR 3/4	60	—	—	—	—	Fine Sandy Loam	
	10 YR 5/6	30	—	—	—	—	Fine Sandy Loam (mottly)	
	10 YR 2/1	10	—	—	—	—	Fine Sandy Loam (mottles)	
17-18	2.5 Y 7/2	70	7.5 YR 4/6	1	C	PL	Loamy fine Sand	
	10 YR 4/2	29	—	—	—	—	Loamy fine Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____ NA _____

Depth (inches): _____ NA _____

Hydric Soil Present?   Yes ☐   No ☑

Remarks:
NO HYDRIC SOIL INDICATORS MET

SEE SKETCH ON WSOL009e_W DATA FORM

Upland data point wsol009_u facing North

Upland data point wsol009_u facing South

Upland data point wsol009_u soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: SERP 1 Tc   City/County: South Hampton   Sampling Date: 08/15/14

Applicant/Owner: Dominion Transmission   State: VA   Sampling Point: WS010104_W

Investigator(s): RS, JS   Section, Township, Range: NA

Landform (hillslope, terrace, etc.): hillslope   Local relief (concave, convex, none): concave   Slope (%): 3

Subregion (LRR or MLRA): LRRT   Lat: 36.64244   Long: -77.06844   Datum: NAD 83

Soil Map Unit Name: Slagle fine sandy loam, 2-6% slopes   NWI classification: NA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ___ (If no, explain in Remarks.)

Are Vegetation ___, Soil ___, or Hydrology ___ significantly disturbed?   Are "Normal Circumstances" present? Yes ✓ No ___

Are Vegetation ___, Soil ___, or Hydrology ___ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No ___	Is the Sampled Area within a Wetland? Yes ✓ No ___
Hydric Soil Present?	Yes ✓ No ___	
Wetland Hydrology Present?	Yes ✓ No ___	

Remarks:

Area is a wetland

106 - 4918 - 4922

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
✓ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
✓ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ___	No ✓	Depth (inches): ___
Water Table Present?	Yes ___	No ✓	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ✓	Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:

Hydrology criteria met.

Tree Stratum (Plot size: 30 ft)	Absolute % Cover	Dominant Species?	Indicator Status
1. Pinus taeda	95%	Y	FAC
2.			
3.			
4.			
5.			
6.			

0 95 = Total Cover
50% of total cover: 47.5　20% of total cover: 19

Sapling Stratum (Plot size: 15 ft)			
1. Ilex opaca	5	Y	FAC
2. Liriodendron tulipifera	10	Y	FACU
3.			
4.			
5.			
6.			

0 15 = Total Cover
50% of total cover: 7.5　20% of total cover: 3

Shrub Stratum (Plot size: 15 ft)			
1. Acer rubrum	40	Y	FAC
2. Liquidambar styraciflua	25	Y	FAC
3.			
4.			
5.			
6.			

0 65 = Total Cover
50% of total cover: 32.5　20% of total cover: 13

Herb Stratum (Plot size: 5 ft)			
1. Thelypteris noveboracensis	25	N	FAC
2. Chasmanthium laxum	80	Y	FAC
3. Woodwardia areolata	10	N	OBL
4. Callicarpa americana	5	N	FACU
5. Rubus argutus	5	N	FAC
6.			
7.			
8.			
9.			
10.			
11.			

0 130 = Total Cover
50% of total cover: 65　20% of total cover: 26

Woody Vine Stratum (Plot size: 30 ft)			
1. Vitis rotundifolia	10	Y	FAC
2. Chasmanthium			
3. Woodwardia areolata			
4.			
5.			

0 10 = Total Cover
50% of total cover: 5　20% of total cover: 2

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 86 % (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	0 (A)	0	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☑ No ☐

Remarks: (If observed, list morphological adaptations below).

Vegetation criteria met. Area is a wetland

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 3/2	70	10YR 4/1	30	R	M	Silt Loam	
5-15	10YR 4/1	93	10YR 4/6	2	C	M	Silt Loam	
15-20	10YR ___		10YR 10/2	5	D	M		
15-20	10YR 10/1	85	10YR 7/3	5	R	M	loam	
	10YR 7/3		10YR 5/8	10	C	M		

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
✓ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: __N A__
Depth (inches): __N A__

Hydric Soil Present?   Yes ☑   No ☐

Remarks:

Hydric soil criteria met. Area is a wetland.

Wetland data point wsol010f_w facing North

Wetland data point wsol010f_w facing South

Wetland data point wsol010f_w soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _SERP_   City/County: _SOUTHAMPTON_   Sampling Date: _08/16/2014_

Applicant/Owner: _DOMINION_   State: _VA_   Sampling Point: _WS0L010e_W_

Investigator(s): _J. SWEITZER_   Section, Township, Range: _NA_

Landform (hillslope, terrace, etc.): _TOE-OF-CONV. SLOPES_   Local relief (concave, convex, none): _CONCAVE_   Slope (%): _0-1_

Subregion (LRR or MLRA): _LRR P_   Lat: _36.642533122_   Long: _77.067244035_   Datum: _NAD1983_

Soil Map Unit Name: _Tomotley sandy loam, 0-2% slopes, rarely flooded_ NWI classification: _NA_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _✓_ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes _✓_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _✓_ No _____	Is the Sampled Area
Hydric Soil Present?	Yes _✓_ No _____	within a Wetland? Yes _✓_ No _____
Wetland Hydrology Present?	Yes _✓_ No _____	

Remarks: _POINT ESTABLISHED IN NARROW WETLAND DRAW IN CLEARED T-LINE ROW._

PHOTOS 106-4912 to 4916

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)
_✓_ High Water Table (A2)
_✓_ Saturation (A3)
___ Water Marks (B1)
___ Sediment Deposits (B2)
___ Drift Deposits (B3)
___ Algal Mat or Crust (B4)
___ Iron Deposits (B5)
___ Inundation Visible on Aerial Imagery (B7)
___ Water-Stained Leaves (B9)

___ Aquatic Fauna (B13)
___ Marl Deposits (B15) **(LRR U)**
___ Hydrogen Sulfide Odor (C1)
___ Oxidized Rhizospheres along Living Roots (C3)
___ Presence of Reduced Iron (C4)
___ Recent Iron Reduction in Tilled Soils (C6)
___ Thin Muck Surface (C7)
___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
_✓_ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
_✓_ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____ No _✓_	Depth (inches): _____	
Water Table Present?	Yes _✓_ No _____	Depth (inches): _6_	
Saturation Present? (includes capillary fringe)	Yes _✓_ No _____	Depth (inches): _0_	Wetland Hydrology Present? Yes _✓_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
_NA_

Remarks: _SEVERAL PRIMARY AND SECONDARY INDICATORS OF WETLAND HYDROLOGY_

OBSERVED.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: WSO1010e_W

Tree Stratum (Plot size: 30'R)	Absolute % Cover	Dominant Species?	Indicator Status
1. NA			
2.			
3.			
4.			
5.			
6.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Sapling Stratum (Plot size: 15'R)			
1. NA			
2.			
3.			
4.			
5.			
6.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Shrub Stratum (Plot size: 15'R)			
1. NA			
2.			
3.			
4.			
5.			
6.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Herb Stratum (Plot size: 5'R)	Absolute % Cover	Dominant Species?	Indicator Status
1. ARUNDINARIA GIGANTEA	60	Y	FACW
2. RHEXIA NASHII	10	N	
3. ANDROPOGON GLOMERATUS	5	N	FACW
4. ELEOCHARIS SP.	5	N	NI
5. EUPATORIUM PILOSUM	20	N	FACW
6. DICHANTHELIUM SCOPARIUM	5	N	FAC
7. RHYNCHOSPORA MICROCEPHALA	5	N	FACW
8.			
9.			
10.			
11.			

0 110 = Total Cover

50% of total cover: 55   20% of total.cover: 22

Woody Vine Stratum (Plot size: 30'R)			
1.			
2.			
3.			
4.			
5.			

0 = Total Cover

50% of total cover: _____   20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: **1** (A)

Total Number of Dominant Species Across All Strata: **1** (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: **100** (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	0 (A)	0 (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [✓] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present?   Yes [✓]   No [ ]

Remarks: (If observed, list morphological adaptations below). SHRUBS/SAPLINGS WERE RECENTLY SPRAYED WITH HERBICIDE. VEGETATION PASSES DOMINANCE TEST.

SOIL

Sampling Point: WSoL010e_W

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-8	10 YR 4/1	100	—	—	—	—	Silt Loam	w/ organic
8-15	10 YR 5/1	50	7.5 YR 4/4	5	C	PL	fine sandy loam	
	10 YR 6/1	45	—	—	—	—	fine sandy loam	(mottles)
15-20	10 YR 6/1	70	7.5 YR 5/8	5	C	PL	fine sandy loam	
15-20	10 YR 8/1	25	—	—	—	—	fine sandy loam	(mottles)

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

		Indicators for Problematic Hydric Soils³:
___ Histosol (A1)	___ Polyvalue Below Surface (S8) **(LRR S, T, U)**	___ 1 cm Muck (A9) **(LRR O)**
___ Histic Epipedon (A2)	___ Thin Dark Surface (S9) **(LRR S, T, U)**	___ 2 cm Muck (A10) **(LRR S)**
___ Black Histic (A3)	___ Loamy Mucky Mineral (F1) **(LRR O)**	___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Hydrogen Sulfide (A4)	___ Loamy Gleyed Matrix (F2)	___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Stratified Layers (A5)	___ Depleted Matrix (F3)	___ Anomalous Bright Loamy Soils (F20)
___ Organic Bodies (A6) **(LRR P, T, U)**	___ Redox Dark Surface (F6)	**(MLRA 153B)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**	✓ Depleted Dark Surface (F7)	___ Red Parent Material (TF2)
___ Muck Presence (A8) **(LRR U)**	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (TF12)
___ 1 cm Muck (A9) **(LRR P, T)**	___ Marl (F10) **(LRR U)**	___ Other (Explain in Remarks)
___ Depleted Below Dark Surface (A11)	___ Depleted Ochric (F11) **(MLRA 151)**	
___ Thick Dark Surface (A12)	___ Iron-Manganese Masses (F12) **(LRR O, P, T)**	³Indicators of hydrophytic vegetation and
___ Coast Prairie Redox (A16) **(MLRA 150A)**	___ Umbric Surface (F13) **(LRR P, T, U)**	wetland hydrology must be present,
___ Sandy Mucky Mineral (S1) **(LRR O, S)**	___ Delta Ochric (F17) **(MLRA 151)**	unless disturbed or problematic.
___ Sandy Gleyed Matrix (S4)	___ Reduced Vertic (F18) **(MLRA 150A, 150B)**	
___ Sandy Redox (S5)	___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**	
___ Stripped Matrix (S6)	___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**	
___ Dark Surface (S7) **(LRR P, S, T, U)**		

Restrictive Layer (if observed):

Type: _____NA_____

Depth (inches): _NA_

Hydric Soil Present?   Yes ✓   No ☐

Remarks:

US Army Corps of Engineers

Wetland data point wsol010e_w facing Northeast

Wetland data point wsol010e_w facing Southwest

Wetland data point wsol010e_w soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: __SERP__   City/County: __SOUTHAMPTON__   Sampling Date: __08/16/2014__

Applicant/Owner: __DOMINION__   State: __VA__   Sampling Point: __WS0L010_U__

Investigator(s): __J. SWEITZER__   Section, Township, Range: __NA__

Landform (hillslope, terrace, etc.): __HILLSLOPE__   Local relief (concave, convex, none): __NONE__   Slope (%): __2-5__

Subregion (LRR or MLRA): __LRR P__   Lat: __36.642363588__   Long: __77.068677178__   Datum: __NAD 1983__

Soil Map Unit Name: __Slagle fine sandy loam, 2-6% slopes__   NWI classification: __NA__

Are climatic / hydrologic conditions on the site typical for this time of year? Yes __✓__ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes __✓__ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes __✓__ No _____	**Is the Sampled Area**
Hydric Soil Present?	Yes _____ No __✓__	**within a Wetland?**
Wetland Hydrology Present?	Yes _____ No __✓__	Yes _____ No __✓__

Remarks: POINT ESTABLISHED IN 20-30 YR PINE PLANTATION. EVIDENCE OF DITCHING/ AGRICULTURAL FURROWS. MEETS 1 OF 3 CRITERIA AND IS NOT A WETLAND.

PHOTOS: 106-4907 to 4911

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)

- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No __✓__ Depth (inches): __NA__

Water Table Present? Yes _____ No __✓__ Depth (inches): __NA__

Saturation Present? Yes _____ No __✓__ Depth (inches): __NA__
(includes capillary fringe)

Wetland Hydrology Present? Yes _____ No __✓__

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: __NA__

Remarks: NO INDICATORS OF WETLAND HYDROLOGY PRESENT

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: _____

Tree Stratum (Plot size: _30'R_)	Absolute % Cover	Dominant Species?	Indicator Status
1. PINUS TAEDA	100	Y.	FAC
2.			
3.			
4.			
5.			
6.			

0 100 = Total Cover

50% of total cover: _5_ 20% of total cover: _20_

Sapling Stratum (Plot size: _15'R_)			
1. ACER RUBRUM	5	Y	FAC
2. PINUS TAEDA	20	Y	FAC
3.			
4.			
5.			
6.			

0 25 = Total Cover

50% of total cover: _13_ 20% of total cover: _5_

Shrub Stratum (Plot size: _15'R_)			
1. ILEX OPALA	10	Y	FAC
2. CALLICARPA AMERICANA	5	Y	FACW
3. ARALIA SPINOSA	5	Y	FAC
4.			
5.			
6.			

0 20 = Total Cover

50% of total cover: _10_ 20% of total cover: _4_

Herb Stratum (Plot size: _5'R_)			
1. CHASMANTHIUM LAXUM	10	Y	FACW
2. ARUNDINARIA GIGANTEA	10	Y	FACW
3. PHYTOLACCA AMERICANA	5	N	FACU
4. CAREX SP.	5	N	NI
5. LIQUIDAMBAR STYRACIFLUA (SEEDLING)	5	N	FAC
6.			
7.			
8.			
9.			
10.			
11.			

0 35 = Total Cover

50% of total cover: _18_ 20% of total cover: _7_

Woody Vine Stratum (Plot size: _30'R_)			
1. VITIS ROTUNDIFOLIA	10	Y	FAC
2.			
3.			
4.			
5.			

0 10 = Total Cover

50% of total cover: _5_ 20% of total cover: _2_

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: _8_ (A)

Total Number of Dominant Species Across All Strata: _9_ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: _88_ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	0 (A)		0 (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- [ ] 1 - Rapid Test for Hydrophytic Vegetation
- [✓] 2 - Dominance Test is >50%
- [ ] 3 - Prevalence Index is ≤3.0[1]
- [ ] Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes [✓] No [ ]

Remarks: (If observed, list morphological adaptations below).

VEGETATION PASSES DOMINANCE TEST

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type¹	Loc²	Texture	Remarks
0-5	10YR4/2	50	—	—	—	—	Organic material	
	2.5Y6/3	50					Loamy sand	
5-20	2.5Y5/3	60	7.5YR 4/6	2	C	PL	Loamy Sand	
	2.5Y 7/3	38	—	—	—		Loamy Sand	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) (LRR P, T, U)
___ 5 cm Mucky Mineral (A7) (LRR P, T, U)
___ Muck Presence (A8) (LRR U)
___ 1 cm Muck (A9) (LRR P, T)
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) (MLRA 150A)
___ Sandy Mucky Mineral (S1) (LRR O, S)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) (LRR P, S, T, U)

___ Polyvalue Below Surface (S8) (LRR S, T, U)
___ Thin Dark Surface (S9) (LRR S, T, U)
___ Loamy Mucky Mineral (F1) (LRR O)
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) (LRR U)
___ Depleted Ochric (F11) (MLRA 151)
___ Iron-Manganese Masses (F12) (LRR O, P, T)
___ Umbric Surface (F13) (LRR P, T, U)
___ Delta Ochric (F17) (MLRA 151)
___ Reduced Vertic (F18) (MLRA 150A, 150B)
___ Piedmont Floodplain Soils (F19) (MLRA 149A)
___ Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

___ 1 cm Muck (A9) (LRR O)
___ 2 cm Muck (A10) (LRR S)
___ Reduced Vertic (F18) (outside MLRA 150A,B)
___ Piedmont Floodplain Soils (F19) (LRR P, S, T)
___ Anomalous Bright Loamy Soils (F20) (MLRA 153B)
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

## Restrictive Layer (if observed):

Type: NA

Depth (inches): NA

Hydric Soil Present?   Yes ___   No ✓

Remarks:
SOILS FAIL TO MEET HYDRIC INDICATOR DUE TO HIGH CHROMA MATRIX TO 20".

SEE SKETCH ON WSoL010 f_w DATA FORM

Upland data point wsol010_u facing North

Upland data point wsol010_u facing South

Upland data point wsol010_u soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: _SERP_ City/County: _SOUTHAMPTON_ Sampling Date: _08/16/2014_

Applicant/Owner: _DOMINION_ State: _VA_ Sampling Point: _WSOL0116_W_

Investigator(s): _J. SWEFTLER_ Section, Township, Range: _NA_

Landform (hillslope, terrace, etc.): _CONVEXE SLOPES_ Local relief (concave, convex, none): _CONCAVE_ Slope (%): _2-3_

Subregion (LRR or MLRA): _LRAP_ Lat: _36.643593860_ Long: _77.064771252_ Datum: _NAD1983_

Soil Map Unit Name: _Emporia fine sandy loam, 2-6 % slopes_ NWI classification: _NA_

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _✓_ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _✓_ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _✓_ No _____	Is the Sampled Area	
Hydric Soil Present?	Yes _✓_ No _____	within a Wetland?	Yes _✓_ No _____
Wetland Hydrology Present?	Yes _✓_ No _____		

Remarks: _POINT LOCATED IN NARROW WETLAND DRAW AT BASE OF CONVERGING SLOPES_
3 of 3 CRITERIA MET.

PHOTOS 106-4931 to 4935.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

___ Surface Water (A1)	___ Aquatic Fauna (B13)
___ High Water Table (A2)	___ Marl Deposits (B15) **(LRR U)**
_✓_ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)
___ Inundation Visible on Aerial Imagery (B7)	
___ Water-Stained Leaves (B9)	

Secondary Indicators (minimum of two required)

___ Surface Soil Cracks (B6)
___ Sparsely Vegetated Concave Surface (B8)
_✓_ Drainage Patterns (B10)
___ Moss Trim Lines (B16)
___ Dry-Season Water Table (C2)
___ Crayfish Burrows (C8)
___ Saturation Visible on Aerial Imagery (C9)
_✓_ Geomorphic Position (D2)
___ Shallow Aquitard (D3)
___ FAC-Neutral Test (D5)
___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No _✓_ Depth (inches): _____

Water Table Present? Yes _____ No _✓_ Depth (inches): _____

Saturation Present? Yes _✓_ No _____ Depth (inches): _3_
(includes capillary fringe)

Wetland Hydrology Present? Yes _✓_ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
_NA_

Remarks: _SEVERAL PRIMARY AND SECONDARY INDICATORS OF WETLAND HYDROLOGY_
PRESENT, CRITERIA MED.

VEGETATION (Five Strata) – Use scientific names of plants.   Sampling Point: _WSOL01le_W_

Tree Stratum (Plot size: _30'R_)	Absolute % Cover	Dominant Species?	Indicator Status
1. _NA_			
2.			
3.			
4.			
5.			
6.			

_0_ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling Stratum (Plot size: _15'R_)			
1. _NA_			
2.			
3.			
4.			
5.			
6.			

_0_ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Shrub Stratum (Plot size: _15'R_)			
1. ACER RUBRUM	10	Y	FAC
2. LIQUIDAMBAR STYRACIFLUA	5	Y	FAC
3. MAGNOLIA VERGINIANA	5	Y	FACW
4.			
5.			
6.			

_@ 20_ = Total Cover

50% of total cover: _10_ 20% of total cover: _4_

Herb Stratum (Plot size: _5'R_)			
1. CHASMANTHIIUM LAXUM	60	Y	FACW
2. SCIRPUS CYPERINUS	10	N	FACW
3. RHEXIA NASHII	25	N	FACW
4. RHYNCHOSPORA INEXPANSA	50	Y	FACW
5. POA SP.	30	N	NI
6.			
7.			
8.			
9.			
10.			
11.			

_@ 175_ = Total Cover

50% of total cover: _88_ 20% of total cover: _35_

Woody Vine Stratum (Plot size: _30'R_)			
1. _NA_			
2.			
3.			
4.			
5.			

_0_ = Total Cover

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: _5_   (A)

Total Number of Dominant
Species Across All Strata: _5_   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: _100_   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	_____	x 1 = _____
FACW species	_____	x 2 = _____
FAC species	_____	x 3 = _____
FACU species	_____	x 4 = _____
UPL species	_____	x 5 = _____
Column Totals:	_0_ (A)	_0_ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present?	Yes ☑	No ☐

Remarks: (If observed, list morphological adaptations below).
VEGETATION PASSED DOMINANCE TEST.

SOIL

Sampling Point: WSOLOIIe_W

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10 YR 2/2	60	—	—	—	—	Silt Loam	w/ organic
	10 YR 4/1	40	—	—	—	—	Silt Loam	(mottles)
4-11	10 YR 4/1	98	10 YR 3/6	2	C	PC	Silt Loam	
11-18	2.5 Y 6/3	60	10 YR 6/8	40	C	M/PC	Sandy Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils[3]:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
✓ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: NA

Depth (inches): NA

Hydric Soil Present? Yes ✓ No ☐

Remarks: SOILS MEET ONE INDICATOR OF PROLONGED SATURATION: DEPLETED MATRIX (F3)

US Army Corps of Engineers

Atlantic and Gulf Coastal Plain Region – Version 2.0

Wetland data point wsol011e_w facing North

Wetland data point wsol011e_w facing South

Wetland data point wsol011e_w soil sample

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: SERP City/County: South Hampton Sampling Date: 08/16/14
Applicant/Owner: Dominion Transmission State: VA Sampling Point: Wso1011-U
Investigator(s): RS, IS Section, Township, Range: NA
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 5
Subregion (LRR or MLRA): LRRT Lat: 36.64361 Long: -77.06493 Datum: NAD 83
Soil Map Unit Name: EMPORIA FINE SANDY LOAM, 2 TO 6 % SLOPES NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No ✓	
Hydric Soil Present?	Yes _____ No ✓	Is the Sampled Area within a Wetland? Yes _____ No ✓
Wetland Hydrology Present?	Yes _____ No ✓	

Remarks: Not a Wetland.

061 - 4926 - 4930

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		___ Surface Soil Cracks (B6)
___ Surface Water (A1)	___ Aquatic Fauna (B13)	___ Sparsely Vegetated Concave Surface (B8)
___ High Water Table (A2)	___ Marl Deposits (B15) (LRR U)	___ Drainage Patterns (B10)
___ Saturation (A3)	___ Hydrogen Sulfide Odor (C1)	___ Moss Trim Lines (B16)
___ Water Marks (B1)	___ Oxidized Rhizospheres along Living Roots (C3)	___ Dry-Season Water Table (C2)
___ Sediment Deposits (B2)	___ Presence of Reduced Iron (C4)	___ Crayfish Burrows (C8)
___ Drift Deposits (B3)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Saturation Visible on Aerial Imagery (C9)
___ Algal Mat or Crust (B4)	___ Thin Muck Surface (C7)	___ Geomorphic Position (D2)
___ Iron Deposits (B5)	___ Other (Explain in Remarks)	___ Shallow Aquitard (D3)
___ Inundation Visible on Aerial Imagery (B7)		___ FAC-Neutral Test (D5)
___ Water-Stained Leaves (B9)		___ Sphagnum moss (D8) (LRR T, U)

Field Observations:
Surface Water Present? Yes _____ No ✓ Depth (inches): _____
Water Table Present? Yes _____ No ✓ Depth (inches): _____
Saturation Present? Yes _____ No ✓ Depth (inches): _____ Wetland Hydrology Present? Yes _____ No ✓
(includes capillary fringe)
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
Hydrology criteria not met. Not a wetland.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: **WS0104_U**

Tree Stratum (Plot size: __30 ft__)	Absolute % Cover	Dominant Species?	Indicator Status
1. NA			
2.			
3.			
4.			
5.			
6.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Sapling Stratum (Plot size: __15 ft__)			
1. NA			
2.			
3.			
4.			
5.			
6.			

0 = Total Cover

50% of total cover: _____ 20% of total cover: _____

Shrub Stratum (Plot size: __15 ft__)			
1. Liquidambar styraciflua	3	Y	FAC
2. Acer rubrum	5	Y	FAC
3. Quercus nagoda	3	Y	FACW
4. Quercus michauxii	2	N	FACW
5.			
6.			

13 = Total Cover

50% of total cover: 6.5 20% of total cover: 3

Herb Stratum (Plot size: __5 ft__)			
1. Panicum verricosum	90	Y	FACW
2. Rhynchospora inexpansa	40	Y	FACW
3. Rhynchospora chalarocephala (10)		N	OBL
4. Dichanthellium scoparium	15	N	FACW
5. Solidago canadensis	10	N	FACU
6.			
7.			
8.			
9.			
10.			
11.			

165 = Total Cover

50% of total cover: 82.5 20% of total cover: 32

Woody Vine Stratum (Plot size: __30 ft__)			
1. Vitis rotundifolia	5	Y	FAC
2.			
3.			
4.			
5.			

5 = Total Cover

50% of total cover: 2.5 20% of total cover: 1

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant
Species Across All Strata: 6 (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	0 (A)		0 (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☐ 1 - Rapid Test for Hydrophytic Vegetation
☑ 2 - Dominance Test is >50%
☐ 3 - Prevalence Index is ≤3.0[1]
☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☑ No ☐

Remarks: (If observed, list morphological adaptations below).

Hydrology and soil criteria not met. Hydrophytic vegetation criteria not met. Not a wetland

(sm)

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
1-10	7.5YR 3/1	100					Loamy fine sand	
10-20	2.5Y 6/4	100					Loamy fine Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.　　[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)　　**Indicators for Problematic Hydric Soils[3]:**

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**

___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: __NA__

Depth (inches): __N/A__

Hydric Soil Present?　Yes ___　No ✓

Remarks:

Soil criteria not met. Not a wetland.

Upland data point wsol011_u facing North

Upland data point wsol011_u facing South