

**ATLANTIC COAST PIPELINE, LLC
ATLANTIC COAST PIPELINE**

and

**DOMINION ENERGY TRANSMISSION, INC.
SUPPLY HEADER PROJECT**

**Supplemental Filing
October 20, 2017**

APPENDIX D

Agency Correspondence for the Atlantic Coast Pipeline

APPENDIX D

Supplemental Summary of Agency Correspondence for the Atlantic Coast Pipeline

Agency/Contact Name(s)	Date of Correspondence	Format	Description
ATATE/COMMONWEALTH AGENCIES			
Virginia Department of Historic Resources			
Roger Kirchen	10/19/17	Letter	Transmittal of revised historic architectural survey assessment of effects report.

Virginia Department of Historic Resources



October 19, 2017

Mr. Roger Kirchen, Director
Review and Compliance Division
Virginia Department of Historic Resources
2801 Kensington Ave.
Richmond, VA 23221

**Subject: Section 106 Review – Phase I Historic Architectural Survey Assessment
of Effects-Revised
DHR File No. 2014-0710**

Dear Mr. Kirchen:

Atlantic Coast Pipeline, LLC (Atlantic) is requesting review and comment on the enclosed revised assessment of effects architectural survey report conducted for the proposed Atlantic Coast Pipeline (ACP). Revisions are based on the September 11, 2017 comment letter. The Federal Energy Regulatory Commission (FERC) is the lead Federal agency for this Project. Atlantic's consultant, ERM, conducted the survey and prepared the enclosed report pursuant to the requirements of Section 106 of the National Historic Preservation Act of 1966, as amended. Revisions made to the document include the following:

- 007-0015: Language has been added providing additional information to augment the no adverse effect finding.
- 008-5053: Language has been added providing additional information to augment the no adverse effect finding.
- 131-0035: Language has been added providing a reference to the appropriate archaeological report that addresses Criterion D for the resource.
- 123-0084: Language has been added providing a reference to the appropriate archaeological report that addresses Criterion D for the resource.
- 091-5098: Language has been added providing a reference to the appropriate archaeological report that addresses Criterion D for the resource.
- Inaccessible resources 007-5554, 007-5583, 007-5585, 087-5610, 087-5618, 133-0025, and 133-5498: Language has been added to the report indicating that once access has been granted to these properties, ACP will re-initiate consultation with DHR to determine NRHP-eligibility, and assess effects for any resource determined eligible.
- 021-5012: Language has been added in the report indicating that DHR will comment on the Project potential effects once input has been received by the United States Forest Service.
- 080-5161: Language has been added in the report indicating that DHR will comment on the Project potential effects once input has been received by the National Park Service.



- 080-0011: Clarification has been provided that the access road which was originally part of the project is no longer being considered. Language has been added to the report indicating that the SHPO believes the Project will have an adverse effect on the resource, and that a treatment plan will be developed.
- 062-5119: Language has been provided indicating that Coleman Mill (44NE0209) is in the Project APE and that an archaeological treatment plan is being developed to address the Project effects. Language has been added to the report indicating that the SHPO believes the Project will have an adverse effect on the resource, and that a treatment plan will be developed.
- 062-5160: Language has been added to the report indicating that the SHPO believes the Project will have an adverse effect on the resource, and that a treatment plan will be developed.

Atlantic would appreciate your comments on the enclosed document, and we look forward to continuing to work with you on this Project. If you have any questions regarding the enclosed reports, please contact me at (804) 273-2814 or Richard.B.Gangle@dominionenergy.com, or by letter at:

Richard B. Gangle
Dominion Energy Services, Inc.
5000 Dominion Boulevard
Glen Allen, Virginia 23060

Respectfully submitted,

A handwritten signature in black ink, appearing to be "R. Gangle", written over a horizontal line.

Richard B. Gangle
Environmental Manager, Atlantic Coast Pipeline

Enclosure: Assessment of Effects Report-revised, CD